

(No Model:)


## W. BLASSING. ORNAMENT FOR JEWELRY.

No. 420,508.

Patented Feb. 4, 1890.







Witnesses Ex Nothing ham G. F. Downing Uilliam Blassing
By his Attorneys Seggett
Seggett Seggett

## UNITED STATES PATENT OFFICE.

WILLIAM BLASSING, OF CENTRAL CITY, IOWA.

## ORNAMENT FOR JEWELRY.

SPECIFICATION forming part of Letters Patent No. 420,508, dated February 4, 1890.

Application filed April 11, 1889. Serial No. 306,772. (No model.)

To all whom it may concern:

Be it known that I, WILLIAM BLASSING, of Central City, in the county of Linn and State of Iowa, have invented certain new and use-5 ful Improvements in Ornaments for Jewelry; and I do hereby declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it appertains to make and 10 use the same.

My invention relates to an improvement in

ornaments for jewelry.

The object is to provide a device for attachment to watch-chains, ear-rings, breast-15 pins, bracelets, buttons, or similar articles of jewelry or apparel; and it consists in a folding star capable of being worn open or closed and to serve as an ornament in either adjust-

The invention further consists in certain novel features of construction and combinanations of parts, as will be hereinafter fully described, and pointed out in the claims.

In the accompanying drawings, Figure 1 is 25 a view of the device closed, and Figs. 2 and 3 show views of both sides of the device when

A represents a thin plate or body of gold, silver, or any other metal. It is preferably 30 cut in the shape of a pentagon, though this shape is immaterial, and it is obvious that it might have more or fewer sides, as may be desired. Triangular leaves 11 are hinged to these sides to form points to the star when 35 the device is open, as in Figs. 2 and 3, or sides to the device when closed, as shown in Fig. 1. These leaves are in the shape of isosceles triangles, and are hinged along their short sides, so that the points are quite long 40 and narrow. The edges of the leaves may be beveled on the inner face to form tight joints when the device is closed, and to prevent them from folding over too far when closed a flange 2 is formed on the inner face of the pentagonal plate A, just inside of the hinges. One of the leaves is provided on its inner face at or near the point with a small lug 3, which has a screw-threaded hole there- to its edges, a lug on one of the leaves, and a in. The points of all the leaves rest against screw-cap having a screw-threaded stem

this lug when folded in, as in Fig. 1, and a 50 screw-cap 4, with a threaded stem 5 to turn in this lug, holds the ends together around the lug, forming a tightly-closed box. The cap is furnished with a ring 6, by which it is hung on a chain or otherwise suspended. 55 This may be put to any purpose desired, and may be engraved to suit the fancy or finished in various styles, and when closed it has the appearance of being a solid piece of metal. It should be mentioned, in this con- 60 nection, that the use of this device is by no means confined to charms for watch-chains; but, as previously stated, it may serve as a pin, button, or other jewel with very slight alteration. Of course it may be made of dif- 65 ferent material and in various shapes and sizes. If in the form of a star, it might have more than five points or even less, but five is the number generally preferred.

It is evident that other slight changes might 70 also be resorted to in the form and arrangement of the several parts described without departing from the spirit and scope of my invention, and hence I do not wish to limit myself to the particular construction herein set 75

forth; but,

Having fully described my invention, what I claim as new, and desire to secure by Let-

ters Patent, is-

1. An ornament consisting of a body, a se- 80 ries of plates hinged thereto, and a cap carried by one of the hinged plates for holding the hinged plates in closed position, substantially as set forth.

2. An ornament consisting of an angular 85 body, a series of angular plates hinged thereto, and a cap carried by one of said plates for holding the plates closed, substantially as set

3. An ornament for jewelry, consisting of 90 a polygonal plate, triangular leaves hinged thereto, and a cap connected with one of the leaves for holding the points together, substantially as set forth.

4. An ornament for jewelry, consisting of 95 a polygonal plate, triangular leaves hinged

adapted to turn in the lug to hold the leaves together or permit them to be unfolded, substantially as set forth

stantially as set forth.
5. An ornament for jewelry, consisting of a polygonal plate having a flange on one face, triangular leaves hinged to the several edges of the plate, a lug on one leaf, and a screw-cap connected therewith and adapted to hold the leaves together, substantially as set forth.

In testimony whereof I have signed this ro specification in the presence of two subscribing witnesses.

## WILLIAM BLASSING.

Witnesses:

WILLIAM BLESSING, Jr., THOMAS DAVIS.