

(No Model.)


W. WILSON. FLESH BRUSH.

No. 456,230.

Patented July 21, 1891.







Witnesses Wiff Suidur. Wheel To Chao Sty his Ettorney

## United States Patent Office.

WILLIAM WILSON, OF COVINGTON, KENTUCKY, ASSIGNOR OF ONE-HALF TO JAMES C. ERNST, OF SAME PLACE.

## FLESH-BRUSH.

SPECIFICATION forming part of Letters Patent No. 456,230, dated July 21, 1891.

Application filed May 5, 1890. Serial No. 350,648. (No model.)

To all whom it may concern:

Be it known that I, WILLIAM WILSON, a citizen of the United States, residing at Covington, in the county of Kenton and State of 5 Kentucky, have invented certain new and useful Improvements in Flesh-Brushes; and I do declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to 10 which it appertains to make and use the same, reference being had to the accompanying drawings, and to the letters of reference marked thereon, which form a part of this specification.

My invention relates to flesh-brushes, and has for its object to form a brush with a sponge face whose back or base is made of some suitable material, preferably a flexible material, as a textile fabric, and provided,

20 preferably, with a strap handle.

The invention will be hereinafter particularly described and afterward claimed, reference being had to the accompanying drawings, forming part hereof, and in which-

Figure 1 is a perspective of the brush; Fig. 2, a longitudinal section through the same, showing the preferred manner of laying on the sponge in lapping flakes. Fig. 3 is a bottom plan view showing the sponge surface.

In the drawings, the letter A designates the base or back, which is formed of any suitable material, but preferably of cloth or other textile or flexible material. This is provided with sponge B, of any desired depth or thick-35 ness, but preferably comparatively thin in vertical section. This sponge may be formed of sections, preferably composed of flakes or small pieces, as sponge too small for general use and heretofore discarded as waste can be 40 utilized with most satisfactory and beneficial results. When made otherwise than from a single piece of sponge, the small pieces are preferably laid on the surface, as illustrated in Fig. 2, so that the pieces will overlap one upon the other. When laid in that manner, the whole surface of the base will be completely covered, leaving no exposed portions and forming a surface equal to if not superior to one made of a single piece.

preferred to compress them into comparatively thin flakes, and while in that condition stitch them to the backing or base. A stronger and closer surface is thus obtained. The sponge is secured to the base in any suitable way or 55 by any suitable means—for instance, by cement or mechanical fastenings, but preferably by lines of stitching, as illustrated, and applied by hand or machinery. When secured by stitches, the sponge will, when 60 swelled by water, expand, except where held by the stitching, and will thus form a series of puffs, rendering the surface firm, but at the same time yielding or elastic, and causing the surface, by reason of such puffs or 65 separate protuberances, to be more effective in cleansing the body than would be the case if the surface were one unbroken surface.

In the drawings the stitching (indicated by the letter C) is represented as having been 70 applied by a sewing-machine and in the man-

ner of quilting.

To protect the edges of the brush and prevent fraying of the backing or of the sponge along the edges, I provide a suitable binding 75 D-say of tape or braid-and cause the same to lap onto the back and face of the brush, as well as cover the edge thereof, the same being stitched through the sponge and flexible backing. This binding not only protects 80 the edges of the brush, but also strengthens the same without detracting from the flexibility of the brush. This binding also imparts a fullness or roundness to the edges when the sponge is distended or swelled by 85 the water it has absorbed and prevents slinging or splashing of the water, as in the use of an ordinary wash-rag or sponge.

For the convenient handling of the brush it is provided with a handle E, which is pref- 90 erably of the strap form and made of cloth or other suitable material, having its edges

bound with tape or braid F.

A flesh-brush constructed as hereinbefore described possesses the following among other 95 advantages: It gives greater surface to the weight than a sponge of the ordinary shape and size, and consequently is capable of more efficient service. Being quilted to the cloth Before applying the pieces of sponge it is backing, it becomes as strong and durable as too

the cloth itself and will not tear into pieces, as a sponge without such a re-enforcing backing. Being comparatively thin in vertical section, it is more thoroughly cleansed and 5 quickly dried, thus avoiding sourness, molding, and rotting so common in sponges as ordinarily found, and will also permit of the application of more friction to the flesh than a sponge of the ordinary thickness will adro mit of, thus cleansing the skin in less time and more thoroughly than otherwise. On account of the small particles of sponge that can be used in its manufacture, a much finer and softer sponge flesh-brush can be offered 15 to the public at a much smaller cost than heretofore, because the small particles of sponge heretofore having but little if any commercial value on account of their size are

20 luxurious article of necessity.

By making the backing or base of the brush of flexible material such as specified it can be easily bent into any shape or curvature desired and made to conform in shape to the many undulations of which the hand is capable, and thus it conforms more to the function of a bath-rag than if the backing were

utilized in this invention and made up into a

thick and, comparatively speaking, unyielding. It will also be apparent that a larger surface can be covered at one time than if 30 the backing were stiff.

I have described in detail what I consider to be the best method of applying my invention, but do not confine myself to the details described, because, as indicated, modifications 35 may be made therein without departing from the spirit of the invention.

Having described my invention and set

forth its merits, what I claim is-

1. A flesh-brush composed of a flexible 40 backing or base and sponge quilted thereto, whereby the sponge surface will form a series of puffs when swelled by water, substantially as and for the purposes set forth.

2. A flesh-brush composed of a base and a 45 series of pieces of sponge lapped upon one another and secured to said base, substantially as and for the purposes set forth.

In testimony whereof I affix my signature in

presence of two witnesses.

WILLIAM WILSON.

Witnesses:
W. W. Clutes,

SYMMES MARSHALL.