

**BY ORDER OF THE
SECRETARY OF THE AIR FORCE**



AIR FORCE INSTRUCTION 91-101

24 FEBRUARY 2000

**AIR FORCE MATERIEL COMMAND
Supplement 1**

11 JUNE 2003

Safety

**AIR FORCE NUCLEAR WEAPONS
SURETY PROGRAM**

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

NOTICE: This publication is available digitally on the AFDPO WWW site at:
<http://www.e-publishing.af.mil>

OPR: HQ AFSC/SEP (Lt Col Cannan)
Supersedes AFI 91-101, 1 May 1999.

Certified by: HQ AFSC/SEP (Col Capotosti)
Pages: 36
Distribution: F

This instruction implements AFD 91-1, *Nuclear Weapons and System Surety*. It outlines general responsibilities for the Air Force Nuclear Weapons Surety Program and defines implementing requirements. It does not apply to the Air Force Reserve and Air National Guard. Send major command (MAJCOM) supplements to HQ AFSC/SEP, 9700 G Avenue SE, Kirtland AFB NM 87117-5670, for coordination and approval before publication. **Attachment 1** contains references, abbreviations, acronyms, and terms used in this instruction. Unless noted otherwise, AF/SE is the waiver authority for provisions in AFI 91-101. For purposes of this instruction, the term MAJCOM includes FOAs and DRUs.

(AFMC) This supplement applies to all AFMC organizations and Air Force associate units with safety staffs or personnel located on AFMC or non-AFMC installations. Send suggested changes to this supplement to the Weapons Safety Division, HQ AFMC/SEW, Bldg 262, S154, 4375 Chidlaw Road, Wright-Patterson AFB OH 45433-5006. This supplement does not apply to the Air National Guard or US Air Force Reserve units and members.

SUMMARY OF REVISIONS

This revision incorporates IC 2000-1, deletes paragraph 2.4.9., and clarifies the review requirements in paragraph **2.11.14**. The entire text of IC 2000-1 is at the last attachment. A bar (|) preceding a paragraph indicates changes from the previous edition.

(AFMC) This revision aligns the AFMC supplement with the Air Force Instruction. Several paragraphs have been rearranged, rewritten, and added for clarification and improved readability. It adds a description of the AFMC Nuclear Council (para **2.3.1.1. (Added)**); it describes how Nuclear Surety Staff Assistance Visits (NSSAVs) and Nuclear Surety Inspections (NSIs) are conducted for AFMC units with a nuclear surety program. It also describes how a Nuclear Surety Surveillance Assessment (NSSA), a

NSI-like inspection, is conducted for contractor-operated organizations with a nuclear surety program (para 2.3.1.2. (Added)); it identifies that AFMC membership to the NWSSG is delegated to the Nuclear Weapons Directorate (AAC/NW) (para 2.3.9.); it also describes the responsibilities of the COS (para 2.7.9. (Added)) and the WSM at HQ AFMC, Wing, and Squadron/Unit levels (para 2.8.4. (Added) and 2.11.); Numerous changes and additions for AFMC specific nuclear surety program mandates a complete review of this supplement.

AFI 91-101, 24 February 2000, is supplemented as follows:

Chapter 1—PROGRAM INFORMATION	4
1.1. Goal.	4
1.2. Safety Standards.	4
1.3. Commanders' Emphasis.	4
1.4. Records Disposition. Ensure all records created by this instruction are maintained and disposed of IAW AFMAN 37-139, <i>Records Disposition Schedule</i>	5
Chapter 2—RESPONSIBILITIES	6
2.1. Assistant Secretary for Acquisition (SAF/AQ).	6
2.2. Headquarters United States Air Force (HQ USAF):	6
2.3. Major Commands (MAJCOM):	7
2.4. MAJCOM Weapons Safety Office:	10
2.5. Numbered Air Force (NAF) Weapons Safety Managers (WSM):	11
2.5. (AFMC) AFMC Centers (logistics, products, tests) are equivalent to NAFs.	11
2.6. Installation Commanders:	12
2.7. Installation Staff Officers:	12
2.8. Unit/Squadron Commanders:	14
2.8. (AFMC) The Squadron Commander will appoint a USR,	14
2.9. Supervisors:	14
2.10. Individuals:	15
2.11. Wing Weapon Safety Managers:	15
2.11. (AFMC) The WSM is the commander's personal representative	15
2.12. Unit Safety Representatives (USR):	17
2.13. Air Force Materiel Command (AFMC).	17
2.13. (AFMC) HQ AFMC/SEW is responsible for policy development and direction for nuclear surety. AAC/NW is responsible for the technical aspects of nuclear surety.	17
2.14. United States Air Forces in Europe (USAFE):	19
2.15. Air Education and Training Command (AETC).	19

AFI91-101_AFMCSUP1_I 11 JUNE 2003	3
2.16. Training:	20
2.16. (AFMC) Commanders at centers/wings must ensure individuals are properly trained	20
2.17. Nuclear Surety Council:	20
2.17. (AFMC) The center/wing WSM may schedule, coordinate, or organize the Nuclear Surety Council as directed by center/wing commander.	20
2.18. Nuclear Surety Awards.	21
2.18. (AFMC) HQ AFMC/SEW uses the USAF Nuclear Surety Plaque as an award	21
Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION	22
Attachment 2—NUCLEAR SURETY AUGMENTATION PROGRAM	35
Attachment 3—ENTIRE TEXT OF IC 2000-1	36

Chapter 1

PROGRAM INFORMATION

1.1. Goal. The goal of the Air Force Nuclear Weapons Surety Program is to incorporate maximum nuclear surety, consistent with operational requirements, from weapon system development to retirement from the inventory.

1.2. Safety Standards. The Air Force Nuclear Weapons Surety Program ensures personnel design and operate nuclear weapons and nuclear weapon systems to satisfy the safety standards in Department of Defense (DoD) Directive 3150.2, DoD Nuclear Weapon System Safety Program, December 23, 1996. The DoD safety standards are:

1.2.1. There shall be positive measures to prevent nuclear weapons involved in accidents or incidents, or jettisoned weapons, from producing a nuclear yield.

1.2.1. (AFMC) The Air Force Nuclear Weapon Surety Program ensures the design, operation, transportation, and storage of nuclear weapons and nuclear weapons systems satisfy the four DoD safety standards. AFMC is committed to ensuring the highest nuclear surety standards are maintained and the safety, security, control, and effectiveness of nuclear weapons are always paramount. Each center/wing with a nuclear mission must ensure nuclear weapons and nuclear weapons systems receive special consideration because of their military importance, destructive power, and potential consequences of an accident or unauthorized act.

1.2.2. There shall be positive measures to prevent DELIBERATE prearming, arming, launching, or releasing of nuclear weapons, except upon execution of emergency war orders or when directed by competent authority.

1.2.3. There shall be positive measures to prevent INADVERTENT prearming, arming, launching, or releasing of nuclear weapons in all normal and credible abnormal environments.

1.2.4. There shall be positive measures to ensure adequate security of nuclear weapons, pursuant to DoD Directive 5210.41, *Security Policy for Protecting Nuclear Weapons*, September 23, 1988.

1.3. Commanders' Emphasis. Commanders at all levels are responsible for the success of the Air Force Nuclear Weapons Surety Program. Commanders must emphasize that safety, security, control, and effectiveness of nuclear weapons are important to the United States. The following is not an all inclusive list of restrictions dealing with nuclear weapons. Commanders should review the Weapon System Safety Rules (WSSR) for their specific weapon system(s).

1.3.1. Do not use nuclear weapons to troubleshoot faults, that is, to confirm a fault exists, to aid in fault isolation, or to verify fault correction. AFI 91-107, *Design, Evaluation, Troubleshooting, and Maintenance Criteria for Nuclear Weapon Systems*, contains specific guidance.

1.3.1. (AFMC) Weapon systems designers and operators must use extreme caution when troubleshooting on nuclear loaded weapon systems. Troubleshooting policy and criteria are reflected in AFI 91-107, *Design, Evaluation, Troubleshooting, and Maintenance Criteria for Nuclear Weapon Systems*.

1.3.2. During exercises, do not wear complete chemical ensembles when handling war reserve nuclear weapons. Remove the gas mask (to aid in identification) and cumbersome gloves (to ensure weapons are not inadvertently damaged).

1.3.3. Storing nuclear weapons in one facility and conventional munitions in another facility within the same weapons storage area (WSA) is not considered simultaneous presence and does not require MAJCOM approval. Do not store nuclear weapons and conventional munitions together, except:

1.3.3.1. As part of flightline or hardened aircraft shelter operations conducted according to nuclear weapon system safety rules.

1.3.3.2. The MAJCOM Director of Logistics (or equivalent) may approve the storage of nuclear and conventional munitions within a WSA facility to facilitate the warehousing of these materials. AFMAN 91-201, *Explosive Safety Standards*, and Technical Order (TO) 11N-20-7, *Nuclear Safety Criteria*, contain specific guidance. Reference AFMAN 91-201 for storage requirements of nuclear weapon components within a weapons storage and security system (WS3) vault.

1.3.3.2. (AFMC) HQ AFMC/LGMW is approval authority for all requests to collocate nuclear weapons and conventional munitions. HQ AFMC/SEW will review for compliance with explosives safety standards.

1.3.4. Implement local procedures to:

1.3.4.1. Prohibit direct overflight of WSAs, weapon movements, nuclear loaded aircraft, and aircraft shelters with nuclear weapons inside and not secured in a locked WS3 vault within that airspace controlled by the base.

1.3.4.2. Ensure aircraft with forward firing ordnance are not parked pointed toward Prime Nuclear Airlift Force (PNAF) flightline operations.

1.3.4.3. Ensure aircraft with forward firing ordnance are limited, to the maximum extent possible, from sweeping across PNAF flightline operations.

1.3.4.4. Prohibit direct overflight of PNAF aircraft during ground operations within that airspace controlled by the base

1.4. Records Disposition. Ensure all records created by this instruction are maintained and disposed of IAW AFMAN 37-139, *Records Disposition Schedule*.

Chapter 2

RESPONSIBILITIES

2.1. Assistant Secretary for Acquisition (SAF/AQ). Acting for SAF/AQ, SAF/AQS:

- 2.1.1. Issues policy and sets goals and priorities for nuclear surety technology.
- 2.1.2. Ensures technical support for the Nuclear Weapon System Safety Group (NWSSG).
- 2.1.3. Ensures program management directives specify program compliance with nuclear safety design certification requirements.
- 2.1.4. Serves, along with Air Force Materiel Command (AFMC), as the Air Force focal point for the technical aspects of nuclear surety. In conjunction with AFMC:
 - 2.1.4.1. Evaluates the nuclear safety effects of all designs, manufacturing processes and practices, or modifications of nuclear weapon systems or components for which SAF/AQ or AFMC has program management responsibilities.
 - 2.1.4.2. Provides analytical, consultant, and technical services to support the requirements of AFI 91-108, *Air Force Nuclear Weapons Intrinsic Radiation Safety Program*.
 - 2.1.4.3. Publishes data on weapons maintenance, shipping, and storage configurations in the appropriate 11N-series TOs and explosive ordnance disposal (EOD) procedures in the 60N-series TOs.
 - 2.1.4.4. Reviews nuclear mishap reports pertaining to material or technical data deficiencies; takes corrective action, when appropriate; and provides reports and summaries as required by AFI 91-204, *Safety Investigations and Reports*.
 - 2.1.4.5. Assists Major Commands (MAJCOMs) to determine if the design of a nuclear weapon system modification could affect nuclear surety.

2.2. Headquarters United States Air Force (HQ USAF):

- 2.2.1. Air Force Chief of Safety (HQ USAF/SE) oversees the Air Force Nuclear Weapons Surety Program.
 - 2.2.1.1. Establishes program requirements.
 - 2.2.1.2. Publishes instructions and guidance on the various portions of the program.
 - 2.2.1.3. Maintains liaison for nuclear surety matters with organizations outside the Air Force.
 - 2.2.1.4. Advises SAF/AQ of required nuclear surety technology.
 - 2.2.1.5. Administers the nuclear surety inspection program.
- 2.2.2. Deputy Chief of Staff/Plans and Operations (HQ USAF/XO) is the single point of contact to the Joint Staff.
- 2.2.3. Deputy Chief of Staff/Installations and Logistics (HQ USAF/IL) is the single point of contact for nuclear weapon and nuclear weapon system logistic matters.

- 2.2.3.1. The Civil Engineer (HQ USAF/ILE) is the single point of contact for nuclear weapon explosive ordnance disposal matters.
- 2.2.4. Deputy Chief of Staff/Personnel (HQ USAF/DP) and HQ USAF/SE provide coordinated policy and procedures for the Nuclear Weapons Personnel Reliability Program (PRP).
- 2.2.5. The Surgeon General (HQ USAF/SG) and HQ USAF/SE issue coordinated policy and guidance on radiological health matters.
- 2.2.6. Air Force Chief of Security Forces (HQ USAF/XOF):
 - 2.2.6.1. Develops and publishes instructions and guidance for the physical security of nuclear weapons and nuclear weapon systems.
 - 2.2.6.2. Provides classification guidance and publishes standards for controlling defense nuclear information.
 - 2.2.6.3. Evaluates nuclear weapon system designs for their impact on nuclear security.

2.3. Major Commands (MAJCOM):

- 2.3.1. Establish a nuclear surety program and provide guidance to subordinate units.
- 2.3.1. (AFMC) A nuclear surety program will be implemented within AFMC. HQ AFMC/SEW has primary responsibility for all nuclear surety matters. The center/wing will establish a nuclear surety program commensurate with the nuclear mission of the organization at that installation and according to guidance provided herein.
 - 2.3.1.1. (Added-AFMC) AFMC established an AFMC Nuclear Council (ANC) as an oversight function and a corporate venue for all nuclear matters within the command. The ANC is chaired by Director of Logistics (HQ AFMC/LG) to assess the status of institutionalized support for nuclear surety throughout the MAJCOM. The Director of Logistics is also the HQ AFMC member to the Air Force Nuclear General Officer Steering Group (AFNGOSG). AAC/NW AND ESC/FD are also AFMC members to the AFNGOSG. The AFNGOSG is the support arm to HQ USAF/XON which is the single focal point to the Joint Staff. The ANC also supports the Director of Logistics as the member to the AFNGOSG for all nuclear matters affecting AFMC.
 - 2.3.1.2. (Added-AFMC) AFMC established a Nuclear Surety Staff Assistance Visit (NSSAV) program to assist AFMC units and contractor-operated organizations to maintain credible nuclear surety programs. It is not an inspection program, but it is a process to identify and incorporate "best practices" and enable the units to successfully accomplish their mission. The NSSAV program ensures and improves safety, security, and reliability of nuclear weapons and is conducted by headquarter's functional staff. The NSI and Nuclear Surety Surveillance Assessment (NSSA) are conducted by the AFMC Inspector General (HQ AFMC/IG). The NSSAVs, NSIs and NSSAs are tools to assess the quality of nuclear surety programs at AFMC units and contractor-operated organizations. NSSA is a NSI-like inspection conducted at contractor-operated facilities with a nuclear surety program.
 - 2.3.1.3. (Added-AFMC) Scheduling: HQ AFMC/LGMW typically schedules unit NSSAVs six to nine months prior to each unit's scheduled NSI. HQ AFMC/LGMW coordinates NSSAV activities with other MAJCOM agencies. HQ AFMC/SEW coordinates and conducts NSSAV activities for the Boeing Guidance and Repair Center (BGRC)--a contracted depot maintenance capability for

ICBM guidance systems. Nuclear Surety Program oversight by applicable Headquarters functional staff, i.e. safety, security, personnel, medical, etc., was mandated by AFMC/CC as a result of support recommendations in Joint HQ AFMC/IG, Air Force Safety Center (AFSC), Defense Contract Management Command (DCMC), and OO-ALC ICBM System Program Office Report, 25-27 January 2000. Checklists are developed by the applicable headquarters functional staff and are placed on contract by the ICBM System Program Office (OO-ALC/LM). The checklists will be used during NSSAVs, NSIs, and NSSAs. HQ AFMC/SEW coordinates BGRC NSSAVs with other MAJCOMs and agencies, e.g. HQ AFSC, HQ AFSPC.

2.3.1.4. (Added-AFMC) Funding: HQ AFMC/LGMW submits an annual budget estimate to facilitate funding for the units NSSAV program. Funding for the BGRC NSSAVs will be borne by the participating functional staff organization's TDY budget. Ultimate responsibility for funding BGRC NSSAVs lies with AFSC/SEW if staff organizations cannot provide funding support. Funding for the BGRC NSSA will be borne by the AFMC/IG.

2.3.1.5. (Added-AFMC) Team Composition: A typical NSSAV team to support a NSSA may include Safety (SE), Security Forces (SF), Personnel (DP), Medical (SG), Communications (Intrusions Detection System), IT and Contract Medical Authority representatives. NSSAV representatives must not serve as member/augmentee on the NSI/NSSA team. A typical NSSAV to support a NSI may include Safety (SE), Maintenance (LGMW), Security Forces (SF), Personnel (DP), Medical (SG), Communications (Intrusion Detection System (IT), Facilities (CE), Transportation (LGRV) representatives.

2.3.1.6. (Added-AFMC) NSI/NSSA team members must not have access to NSSAV reports prior to scheduled NSI/NSSA. NSSAV and NSSA reports will be provided to OO-ALC/LM; not to BGRC. An outbriefing may be provided by the NSSAV/NSSA team to BGRC. However, OO-ALC/LM will provide reports via contractual channels. The IG will provide NSI reports to AFMC units upon completion of NSI.

2.3.2. Ensure compliance with pertinent directives and TOs.

2.3.2. (AFMC) HQ AFMC/SEW will evaluate the nuclear surety program of AFMC centers/wings to determine integrity and health of nuclear surety programs and ensure compliance with pertinent directives and technical orders.

2.3.3. Establish a program to ensure personnel are trained and certified on the following functional tasks:

2.3.3. (AFMC) Centers/wings will establish training program to train and certify personnel in the functional tasks requirements and nuclear operations of the organization.

2.3.3.1. Nuclear weapons handling, storage, and maintenance.

2.3.3.2. Loading and unloading of weapons.

2.3.3.3. Mate and demate of weapons.

2.3.3.4. EOD nuclear procedures: render-safe, continuation, and component recovery tasks.

2.3.3.5. Security procedures.

2.3.3.6. Custody procedures.

2.3.3.7. Operational control.

2.3.3.8. Weapon convoys.

2.3.4. Ensure individuals assigned to nuclear safety positions are trained and hold a rank or grade commensurate with their duties.

2.3.4. (AFMC) The center/wing must assign a full-time center/wing weapons safety manager (WSM) to ensure nuclear surety program is implemented and advise the center/wing commander on all nuclear surety issues. Centers/wings with no nuclear mission but have some nuclear surety responsibilities may use part-time, additional duty, or designated personnel, e.g., Chief of Safety (COS), to implement their nuclear surety program.

2.3.4.1. (Added-AFMC) . The center/wing WSM may be a senior NCO or civilian fully qualified in AFSC's 2WO, 2W1, 2W2, or 2MO, or equivalent weapons experience.

2.3.4.2. (Added-AFMC) . The commander, at the center/wing, squadron level, may appoint a qualified full-time, additional duty, or part-time WSM. The center/wing WSM will provide training to the squadron WSM or Unit Safety Representative (USR). This training will include a review of pertinent areas, specific activities, and responsibilities of the unit WSM or USR.

2.3.5. Ensure subordinate unit civil engineering staffs:

2.3.5. (AFMC) HQ AFMC/CE ensures civil engineering units at centers/wings satisfy requirements stated herein.

2.3.5.1. Develop a Disaster Preparedness Operations Plan to include addressing nuclear accidents/ incidents IAW AFI 32-4001, *Disaster Preparedness Planning and Operations*.

2.3.5.1. (AFMC) Centers/wings will have a nuclear Safe Haven Plan according to AFI 32-4001, *Disaster Preparedness Planning and Operations*; AFI 31-101, *The Physical Security Program* ; and T.O. 11N-45-51, *Transportation of Nuclear Weapons Material*.

2.3.5.2. Civil engineer personnel will assist Disaster Control Group members in the development of checklists, and advise on training and equipping personnel to response to nuclear accidents and incidents.

2.3.5.2. (AFMC) Ensures center/wing CE unit is trained and equipped to perform firefighting activities and respond to nuclear accidents and incidents.

2.3.5.3. Perform timely inspections, tests, and maintenance on facilities and equipment used with nuclear weapons.

2.3.5.3. (AFMC) Ensures timely inspections of hoists, lightning protection system (LPS), and static ground of the facilities. Coordinate all plans, tests reports, etc., with the Wing WSM.

2.3.5.4. Coordinate plans for building or modifying nuclear weapon facilities.

2.3.5.4. (AFMC) Coordinate all plans for construction and modifications of nuclear weapon facilities etc.with the Wing WSM.

2.3.5.4.1. (Added-AFMC) Coordinates all construction plans and modifications for nuclear weapons facilities with program management office, HQ AFMC/SEW, AAC/NW, and HQ AFSC/SEW.

2.3.6. The MAJCOM Chief of Security Forces will ensure unit security instructions and guidance comply with nuclear surety requirements.

2.3.6. (AFMC) HQ AFMC/SF has primary responsibility for all unit security instructions, policy guidance etc., to comply with nuclear surety requirements. Coordinates security guidance with HQ AFMC/SEW nuclear surety, explosives safety requirements and standards contained in this supplement.

2.3.7. Send data on proposed changes to nuclear weapon systems and noncombat delivery vehicles to AFMC or the appropriate program executive office/designated acquisition commander/single manager.

2.3.7. (AFMC) Send any proposed changes to nuclear weapon systems and noncombat delivery vehicles to AAC/NW, HQ AFMC/SEW, HQ AFSC/SEW, the appropriate program executive office, and single manager(s).

2.3.8. Conduct Nuclear Surety Inspections (NSI) of nuclear-capable units in accordance with AFI 90-201, *Inspector General Activities*.

2.3.8. (AFMC) HQ AFMC/SEW will augment AFMC Inspector General to evaluate nuclear surety program of AFMC centers/wings/munition squadrons/contractor.

2.3.9. Support the NWSSG in accordance with AFI 91-102.

2.3.9. (AFMC) HQ AFMC/SEW will provide membership to the NWSSG. AAC/NW will serve as the AFMC member on behalf of HQ AFMC/SEW. HQ AFMC/SEW will provide delegation of authority/responsibilities, in writing, to AAC/NW when there is a change in membership designation.

2.3.10. Identify a single point of contact for all nuclear issues.

2.3.10. (AFMC) HQ AFMC/SEW is the single point of contact for all nuclear surety and certification issues.

2.4. MAJCOM Weapons Safety Office:

2.4.1. Is the MAJCOM office of primary responsibility (OPR) for nuclear surety matters.

2.4.1. (AFMC) HQ AFMC/SEW has primary responsibility for all nuclear surety matters within the command. Also, HQ AFMC/LGMW has primary responsibility for all munitions (nuclear weapons, conventional weapons, etc.) matters.

2.4.2. Develops criteria for wing nuclear surety councils.

2.4.2. (AFMC) Centers/wings with a nuclear mission will establish nuclear surety councils. HQ AFMC/SEW will review criteria and ensure councils are established IAW paragraph 2.17. below.

2.4.3. Advises the MAJCOM staff on nuclear surety issues.

2.4.4. Publishes directives and supplements outlining MAJCOM-unique nuclear surety requirements.

2.4.5. Provides MAJCOM inspection teams with appropriate instructions and guidance.

2.4.5. (AFMC) HQ AFMC/SEW will develop appropriate nuclear surety criteria for NSIs. HQ AFMC/SEW will update AFMC IG checklist, instructions, and guidance for NSIs.

2.4.6. Reviews plans submitted for storage of conventional and nuclear weapons within the same facility.

2.4.6. (AFMC) Review and coordinate on plans for new buildings, nuclear weapons facilities, and site plans submitted according to AFMAN 91-201, *Explosives Safety Standards*.

2.4.7. Ensures full-time weapon safety officers and weapon safety managers (WSMs) are trained on MAJCOM-unique items and nuclear surety program management within 90 days of assuming their positions.

2.4.7. (AFMC) WSMs will attend the Weapons Safety Manager Course (L30ZR21A3X 001) as reflected in AFI 91-202, *The US Air Force Mishap Prevention Program*, preferably before they assume their position or within 90 days after assignment to the position.

2.4.8. Ensure host and tenant unit(s) relationships are established and reflected in a host-tenant agreement(s). The host-tenant agreement(s) will be developed in accordance with AFI 25-201, *Support Agreement Procedures*. Host-tenant agreements will specify the support required to implement an effective nuclear surety program. Submit in writing, those areas where mutual agreement cannot be reached to the appropriate MAJCOM(s) for resolution. As a minimum, the agreement must include the following areas:

2.4.8. (AFMC) Host and tenant at AFMC centers/wings will develop agreements according to AFI 25-201, *Support Agreements Procedures*. Nuclear surety responsibilities must not be delegated from the host to the tenant.

2.4.8.1. Nuclear surety program management.

2.4.8.1. (AFMC) The host-tenant agreement will specify the support provided to the tenant by the host. Submit in writing those areas where mutual agreement cannot be reached to HQ AFMC/SEW for possible resolution.

2.4.8.1.1. (Added-AFMC) The AFMC Nuclear Surety Program will be administered and implemented by the host AFMC center/wing and will not assume responsibility for another command's nuclear surety program requirements. Host AFMC centers/wings will assist non-AFMC tenants in complying with USAF nuclear surety requirements as specified in host-tenant agreement.

2.4.8.2. Inspections (e.g., nuclear surety, annual, spot, etc.)

2.4.8.3. PRP.

2.4.8.4. Review of local procedures in support of nuclear weapon system safety rules.

2.4.8.5. Mishap investigations, boards, and reporting responsibilities.

2.4.8.6. Major accident response procedures.

2.4.9. Deleted.

2.5. Numbered Air Force (NAF) Weapons Safety Managers (WSM):

2.5. (AFMC) AFMC Centers (logistics, products, tests) are equivalent to NAFs. Center WSMs will review plans and notify HQ AFMC/SEW for storage of nuclear tests assets, etc., in new or modified storage sites at identified center.

2.5.1. Advise the NAF Director of Safety and staff on nuclear surety issues.

2.5.2. If delegated by the MAJCOM, assume WSM training responsibilities and conduct it in conjunction with assistance visits.

2.5.3. Visit subordinate units as needed.

2.5.4. Assist the personnel staff on PRP issues.

2.5.5. Check the adequacy and completeness of nuclear mishap reports and the corrective actions for nuclear surety problems found during higher headquarters inspections or assistance visits.

2.5.6. Review all explosive site plans received from subordinate units, obtain NAF coordination and forward comments to MAJCOM/SEW.

2.5.7. Review plans submitted for new or modified weapon storage sites and notify MAJCOM/SEW.

2.6. Installation Commanders:

2.6.1. Ensure WSMs are knowledgeable and qualified.

2.6.2. Ensure senior leadership emphasis on mishap prevention.

2.6.3. Ensure nuclear surety deficiencies are identified, investigated, corrected, and reported.

2.6.4. Ensure plans and procedures support all tasked nuclear missions.

2.6.5. Ensure plans and procedures support Safe Haven requirements.

2.6.6. Ensure nuclear surety plans and procedures are reviewed by affected agencies before implementation.

2.6.7. Organize a nuclear surety council as outlined below.

2.6.8. Ensure full-time WSMs are not assigned additional tasks which detract from their primary safety duties.

2.6.9. Perform PRP responsibilities.

2.6.10. Establish a nuclear accident/incident response organization in accordance with AFI 32-4001, *Disaster Preparedness Planning and Operations*.

2.6.11. Ensure the unit Chief of Security Forces, in conjunction with munitions and EOD personnel, reviews the plans for any movement of nuclear cargo, in accordance with AFI 21-204, *Nuclear Weapon Procedures*.

2.7. Installation Staff Officers:

2.7.1. Wing/Group Commanders:

2.7.1.1. Enforce compliance with nuclear surety requirements.

2.7.1.2. Ensure the WSM reviews all plans, training, and programs that affect nuclear surety.

2.7.1.3. Perform PRP responsibilities.

2.7.1.4. Include applicable nuclear surety topics in training directives and programs for assigned personnel.

2.7.2. Ensure Military Personnel Flight (MPF) staff provide guidance and monitor the PRP.

- 2.7.3. Ensure Public Affairs office screens and releases mishap information to the public.
- 2.7.4. Ensures medical treatment facility ensures medical and dental PRP requirements are followed in accordance with AFI 36-2104, *Nuclear Weapons Personnel Reliability Program*.
- 2.7.5. Civil Engineering staff:
 - 2.7.5.1. Ensure fire protection personnel are trained to fight fires involving nuclear weapons.
 - 2.7.5.2. Conduct timely inspections, maintenance, and repair of facilities and equipment used to secure and maintain nuclear weapons.
 - 2.7.5.3. Coordinate plans for building or modifying nuclear weapon facilities with the WSM, Chief of Security Forces, and the affected unit.
 - 2.7.5.4. Develop fire fighting checklists for all areas and locations where nuclear weapons or nuclear weapon systems are present.
 - 2.7.5.5. Ensure assigned or host base Disaster Preparedness personnel develop nuclear accident/incident response procedures and ensure Disaster Control Group and/or Initial Response Element training is accomplished.
 - 2.7.5.6. Ensure EOD personnel develop nuclear accident/incident response procedures and maintain certification on assigned weapon systems and weapon platforms.
- 2.7.6. Chief of Security Forces:
 - 2.7.6.1. Ensure applicable unit security policies, procedures, and directives comply with nuclear surety requirements, nuclear weapon system safety rules, support Safe Haven requirements, and diversions of nuclear-laden aircraft.
 - 2.7.6.2. Evaluates, in conjunction with munitions personnel, logistical plans for the movement of nuclear cargo during the overall review of plans for nuclear weapon sites.
 - 2.7.6.3. Supports PRP investigation requirements.
- 2.7.7. Transportation or contractor personnel will submit nuclear safety deficiency reports, when appropriate, on nuclear safety certified equipment which they service or maintain. Coordinate reports with the WSM prior to release.
- 2.7.8. Family support center personnel perform PRP responsibilities.
- 2.7.9. (Added-AFMC) The Wing COS will:
 - 2.7.9.1. (Added-AFMC) Coordinate on all center/wing operations, exercises, and publications bearing on nuclear surety matters.
 - 2.7.9.2. (Added-AFMC) Staff and forward recommended changes to nuclear weapon system safety rules (WSSRs) to HQ AFMC/SEW and AAC/NW.
 - 2.7.9.3. (Added-AFMC) Evaluate the adequacy of corrective action taken by units in response to discrepancies noted on nuclear surety matters.
 - 2.7.9.4. (Added-AFMC) Generate and forward articles for possible publication in AFRP 91-3, *Weapons Journal*, to HQ AFSC/SEW.
 - 2.7.9.5. (Added-AFMC) Perform nuclear surety spot inspections.

2.7.9.6. (Added-AFMC) Accompany the WSM on at least one formal unit NSI each year.

2.7.9.7. (Added-AFMC) Attend and be the focal point for nuclear surety council meetings. The WSM may plan, schedule, provide minutes, etc., for wing council meetings.

2.7.9.8. (Added-AFMC) Ensure the center/wing nuclear surety program is effectively managed during the absence of the WSM

2.8. Unit/Squadron Commanders:

2.8. (AFMC) The Squadron Commander will appoint a USR, additional duty WSM to perform the WSM duties at the unit level. Provide appointment letters to the wing/center WSM. Center/wing WSM will provide training, tailored to the unit's mission, to the Squadron USR. USR may train Squadron personnel on the Nuclear Surety Program.

2.8.1. Enforce nuclear surety program requirements.

2.8.2. Correct nuclear surety problems identified during Nuclear Surety Inspections (NSIs) and Staff Assistance Visits (SAVs).

2.8.3. Perform PRP responsibilities in accordance with AFI 36-2104.

2.8.4. (Added-AFMC) Squadron WSM or USR will:

2.8.4.1. (Added-AFMC) Perform spot inspections of applicable areas as required. The Squadron Commander, along with the WSM, will establish the frequency and documentation required for spot inspections.

2.8.4.2. (Added-AFMC) Ensure nuclear training is accomplished according to approved lesson plans.

2.8.4.3. (Added-AFMC) Coordinate with center/wing WSM on all nuclear surety matters.

2.8.4.4. (Added-AFMC) Evaluate adequacy and completeness of corrective actions for nuclear surety problems found during inspections, evaluations, reviews, and SAVs.

2.8.4.5. (Added-AFMC) Conduct or assist in nuclear mishap investigations and reporting.

2.8.4.6. (Added-AFMC) Review nuclear mishap reports sent to the unit from the WSM. Verify adequacy of corrective action to prevent recurrence of deficiency identified.

2.8.4.7. (Added-AFMC) Assist the center/wing WSM in checking the squadron's PRP.

2.9. Supervisors:

2.9.1. Ensure personnel are properly training and certified.

2.9.2. Include nuclear surety as part of each pretask briefing.

2.9.3. Emphasize reporting of all nuclear deficiencies.

2.9.4. Inform personnel of all changes to the nuclear surety program.

2.9.5. Perform PRP responsibilities.

2.10. Individuals:

- 2.10.1. Inform supervisors if they are not qualified to perform a particular task.
- 2.10.2. Report nuclear safety hazards/deficiencies or security problems to supervisors.
- 2.10.3. Comply with the Two-Person concept.
- 2.10.4. Identify unreliable personnel to their supervisors.
- 2.10.5. Report information which could affect their own ability or reliability to perform a task due to medical or other problems.

2.11. Wing Weapon Safety Managers:

2.11. (AFMC) The WSM is the commander's personal representative and the point of contact for all nuclear surety matters. The WSM's primary objective and responsibility of mishap prevention mandate proactive and aggressive involvement in the daily operations of the center/wing. The WSM is the "ombudsman" and advocate to assure nuclear weapons are safely operated and maintained and that such valuable, national resources are protected and preserved for operational utility.

- 2.11.1. Perform annual nuclear surety inspections of each wing or base-level unit with a nuclear mission/capability.
- 2.11.1. (AFMC) Perform annual inspections of each wing or base-level unit that has a nuclear mission/capability to determine the health of its nuclear surety program. Annual inspections may minimally include elements identified in Chapter 4 of AFI 90-201, *Inspector General Activities*.
- 2.11.2. Ensure adequacy and completeness of corrective actions for nuclear surety problems found during WSM inspections, NSIs, and SAVs.
- 2.11.2. (AFMC) Track the corrective actions of nuclear surety discrepancies found during NSIs, IG SAV's, etc.
- 2.11.3. Conduct and/or assist in nuclear safety reporting as prescribed in Chapter 12, AFI 91-204, *Safety Investigations and Reports*.
- 2.11.3. (AFMC) WSM will be responsible for mishap reporting. The WSM determines if a deficiency qualifies as a DULL SWORD and assures timely submission of the report. Investigate and report nuclear mishaps according to AFI 91-204, *Investigating and Reporting US Air Force Mishaps*. Review mishap reports from higher headquarters and other centers/wings/units for crossfeed, training, and corrective actions.
- 2.11.4. Review and disseminate information from nuclear mishap and deficiency reports.
- 2.11.4. (AFMC) Keep COS, commander, and staff abreast on pertinent DULL SWORDS, changes to applicable WSSRs, and other related nuclear surety matters. Disseminate WSSRs and interim changes to appropriate wing agencies.
- 2.11.5. Keep the commander, staff, and supervisors informed of issues and changes in the nuclear surety program.
- 2.11.5. (AFMC) WSM advises the COS and staff agencies on nuclear surety issues and concerns.
- 2.11.6. Work with commanders, staff, supervisors, and support personnel to ensure the PRP is properly administered.

2.11.6. (AFMC) Provide support to other functional areas to ensure PRP is properly administered.

2.11.7. Attend base-level PRP meetings.

2.11.7. (AFMC) Accompany the center/wing/unit PRP monitor on periodic SAVs.

2.11.8. Check aircraft, munitions, and missile maintenance activities to ensure only authorized or certified equipment and Air Force-approved TOs, checklists, or procedures are being used with nuclear weapons.

2.11.8. (AFMC) Ensure center/squadron WSMs check national stock numbers of equipment/software designated for use with nuclear weapons against T.O. 00-110N-16, *USAF Nuclear Certified Equipment and Software*. Check Computer Program Identification Number (CPIN) of software against T.O. 00-110N-16. Report the use of uncertified equipment or software to appropriate commander(s).

2.11.9. Participate in the preparation of Safe Haven and PNAF mission support plans.

2.11.9. (AFMC) Participate in the preparation of nuclear Safe Haven and Prime Nuclear Airlift Force (PNAF) mission support plans. Periodically observe all phases of PNAF missions according to AFJI 11-204, *Operational Procedures for Aircraft Carrying Hazardous Materials*.

2.11.10. Perform spot inspections of areas involved with nuclear surety.

2.11.10. (AFMC) Perform spot and annual inspections of areas/organizations with nuclear surety activities as deemed necessary.

2.11.11. Approve all nuclear surety training lesson plans, if approval authority has been delegated from the MAJCOM, and periodically observe training sessions.

2.11.11. (AFMC) Develop nuclear surety lesson plans and tests. Review and approve all lesson plans, tests, etc., before use. Lesson plans, etc., should be reviewed for adequacy during NSIs, staff assistance visits (SAV), etc. A copy of the approved lesson plans and tests must be forwarded to HQ AFMC/SEW.

2.11.12. Advise the commander and staff on nuclear surety matters.

2.11.12. (AFMC) Serve as the OPR on all nuclear surety matters within the center/wing.

2.11.13. Review and coordinate site plans for new or modified nuclear facilities in accordance with AFMAN 91-201, *Explosives Safety Standards*.

2.11.13. (AFMC) Review and coordinate on plans for new or modified buildings, nuclear weapons facilities, and site plans according to AFMAN 91-201.

2.11.14. Review all locally developed checklists, instructions, operating procedures, and plans that impact nuclear surety. For locally developed workcards, checklists, job guides and page supplements for nuclear munitions follow guidance in T.O. 00-5-1.

2.11.14. (AFMC) Ensure unit develops and maintains local nuclear surety checklists, operating instructions, procedures, plans, etc., to determine health of unit nuclear surety program. Send checklists, etc., to center/wing agencies for approval and to HQ AFMC/SEW for review.

2.11.15. (Added-AFMC) Publish directive publications (including supplements when necessary) outlining center/wing unique nuclear surety requirements.

2.11.16. (Added-AFMC) Schedule personnel for Nuclear Weapons and Weapons Safety Courses as reflected in AFI 91-202.

2.11.17. (Added-AFMC) Train additional duty WSMs on AFMC unique requirements and program management philosophy within 90 days after they assume their positions.

2.11.18. (Added-AFMC) Conduct nuclear surety education and publicity programs. Use pertinent nuclear mishap reports and other mishap prevention information for use in center/wing/unit nuclear surety education programs.

2.11.19. (Added-AFMC) Coordinate with the Base Fire Chief to review firefighting techniques for nuclear weapons, including pre-identification of occupied storage structures, and compliance with T.O. 11N-20-11, *General Fire Fighting Guidance*. Coordinate procedures involving emergency entry into priority A areas with the Chief of Security Police.

2.11.20. (Added-AFMC) Develop local notification procedures to inform the WSM of any occurrence that could degrade nuclear surety.

2.11.21. (Added-AFMC) Review summaries of quality assurance and standardization activity findings related to nuclear surety trends and problem areas. Work with center/wing/unit WSMs and commanders to correct problems discovered and to reverse unfavorable trends.

2.11.22. (Added-AFMC) Review Deficiency Reports and AFTO Form 22, **Technical Order Improvement Report and Reply**, for nuclear surety implications.

2.12. Unit Safety Representatives (USR):

2.12.1. Perform nuclear surety spot inspections. The frequency of these spot inspections will be determined by unit commander.

2.12.2. Ensure nuclear surety training is accomplished.

2.12.3. Coordinate with the WSM on all matters concerning nuclear surety.

2.12.4. Evaluate corrective actions for nuclear surety problems found during inspections, evaluations, and assistance visits.

2.12.5. Use nuclear surety crossfeed reports for unit mishap prevention.

2.12.6. Contact the WSM for training as soon as possible after being appointed a USR.

2.12.7. Ensure unit developed checklists, instructions, operating procedures, and plans that impact nuclear surety are coordinated through the WSM.

2.13. Air Force Materiel Command (AFMC). HQ AFMC is the Air Force focal point for the technical aspects of nuclear surety. In addition to the MAJCOM responsibilities listed above, AFMC:

2.13. (AFMC) HQ AFMC/SEW is responsible for policy development and direction for nuclear surety. AAC/NW is responsible for the technical aspects of nuclear surety.

2.13.1. Compiles a technology base and supports development of nuclear safety design and evaluation criteria for publication in AFI 91-107.

2.13.1. (AFMC) AAC/NW is the "center of expertise" for nuclear surety design and evaluation criteria in AFI 91-107, *Design, Evaluation, Troubleshooting and Maintenance*; AFMAN 91-118, *Safety*

Design and Evaluation Criteria for Nuclear Weapons System Hardware; and AFMAN 91-119, Safety Design and Evaluation Criteria for Nuclear Weapon System Software.

2.13.2. Evaluates the nuclear safety effects of all designs, manufacturing processes and practices, or modification of nuclear weapon systems or components for which AFMC has program management responsibility. This includes compliance with AFI 91-102, *Safety Studies, Operational Safety Reviews, and Safety Rules* and AFI 91-103, *Air Force Nuclear Safety Certification Program*.

2.13.2. (AFMC) AAC/NW evaluates the nuclear safety effects of all design, manufacturing processes and practices, or modifications of nuclear weapon systems, or components for which AFMC has program management responsibility. This includes compliance with AFI 91-102, *Nuclear Weapon System Safety Studies, Operational Safety Review, and Safety Rules* and AFI 91-103, *Air Force Nuclear Safety Certification Program*. The engineering organization, safety office, etc., within the program office/center is responsible for conducting nuclear surety impact statements (NSIS), nuclear certification plans (NCP), and nuclear surety evaluations (NSE) as defined in AFI 91-103. These products may be performed by engineering, safety, technical, etc., personnel within the contractor organization for program office/center requirements. Copies of these products will be provided to HQ AFMC/SEW.

2.13.3. Provides consultant and technical services to support the requirements of AFI 91-108.

2.13.3. (AFMC) AAC/NW provides consultation support and technical services for AFMC on requirements reflected in AFI 91-108, *Air Force Nuclear Weapons Intrinsic Radiation Safety Program*.

2.13.4. Publishes data on weapons configurations in the appropriate 11N-series TOs and EOD procedures in the 60-series TOs.

2.13.4. (AFMC) All Joint Nuclear Weapons Publication System (JNWPS) manuals that apply to the Air Force are included in the Air Force 11N and 60N series technical orders as authorized by the Secretary of the Air Force. AAC/NW is the Air Force executive agent for JNWPS and as such, staffs, coordinates, and approves publications for each JNWPS method and in accordance with Air Force directives to include compliance with all nuclear surety requirements and weapon system safety rules.

2.13.5. Reviews nuclear mishap reports pertaining to materiel or technical data deficiencies; takes corrective action, when appropriate; and provides reports and summaries as required by AFI 91-204. Provides the single point of contact within the Air Force for the management and coordination of nuclear weapon and associated equipment material defects and deficiency procedures as specified in T.O. 11N-5-1, *Unsatisfactory Reports*.

2.13.5. (AFMC) The AFMC organization responsible for program management reviews nuclear mishap reports pertaining to material or technical data deficiencies, takes corrective actions, when appropriate, and reports summary as required by AFI 91-204. AAC/NW reviews all nuclear mishap reports for nuclear surety impact and identifies any nuclear surety concerns to HQ AFSC/SEW and the applicable program management organization. AAC/NW will assist HQ AFSC/SEW and the program management organization in resolving any specific nuclear surety concern.

2.13.6. Verifies Air Logistic Centers have procedures to identify nuclear safety-certified modifications and replacements.

2.13.6. (AFMC) AAC/NW verifies Air Logistics Centers have a process and procedures in place to identify nuclear safety certified modifications and replacements.

2.13.7. Establishes an engineering liaison office with United States Air Forces in Europe (USAFE).

2.13.7. (AFMC) AAC/NW will maintain an engineering liaison office with United States Air Forces in Europe (USAFE). The office is OL-ELO, Ramstein AB, GE.

2.14. United States Air Forces in Europe (USAFE):

2.14.1. In addition to the MAJCOM responsibilities listed above, USAFE:

2.14.1.1. Assists allied personnel in the USAFE area of responsibility with setting up nuclear surety programs for ally-operated systems.

2.14.1.2. Verifies allied personnel comply with the nuclear weapon system safety rules for ally-operated systems.

2.14.1.3. Verifies allied personnel accomplish time-compliance technical orders (TCTOs) that apply to their nuclear support equipment and notifies the TCTO-issuing agency and HQ AFSC/SEW when TCTOs do not apply.

2.14.1.4. Verifies, through the Air Force custodial unit, that allied combat delivery vehicles meet approved standards for nuclear loading and delivery.

2.14.1.5. Verifies units report and investigate nuclear mishaps involving ally-operated systems.

2.14.2. With the AFMC Engineering Liaison Office:

2.14.2.1. Provides support for nuclear surety programs for ally-operated systems.

2.14.2.2. Provides pertinent nuclear weapon system safety rules to allied nations.

2.14.3. Ensures the design of ally-operated systems meet Air Force nuclear safety design criteria when allied nations have engineering responsibility.

2.14.4. Evaluates efforts for which USAFE has engineering responsibility; including support equipment, hardware, software, firmware, and procedures; against AFI 91-102, AFI 91-103, and AFI 91-107 requirements.

2.15. Air Education and Training Command (AETC). HQ AETC does not have a direct nuclear mission, but its training role is important to the Air Force Nuclear Weapons Surety Program's success. In addition to the applicable MAJCOM responsibilities listed above, AETC must:

2.15.1. Meet those training requirements directed by higher authority or requested by other MAJCOMs.

2.15.2. Establish a nuclear surety program tailored to AETC's unique role.

2.15.3. Include nuclear surety as an integral part of all training involving nuclear weapons, nuclear weapon systems, or critical components and in courses in which a significant percentage of the students will perform PRP-related duties.

2.15.4. Develop inspection standards and inspect the nuclear surety training program, as appropriate, during NAF SAVs.

2.16. Training:

2.16. (AFMC) Commanders at centers/wings must ensure individuals are properly trained before they work with nuclear weapons, nuclear weapon systems, or certified critical components; perform nuclear-related duties; or control entry no-lone zones.

2.16.1. Commanders and supervisors at all levels must ensure individuals receive initial nuclear surety training and annual nuclear surety refresher training before they work with nuclear weapons, nuclear weapon systems, or certified critical components; perform nuclear-related duties; or control entry into no-lone zones. At a minimum these individuals must receive initial training prior to performing duties and annual refresher training thereafter, not later than the end of the month in which the initial training was conducted. The MAJCOM will determine the appropriate level for approval of lesson plans used to conduct nuclear surety training. Individuals must complete a closed-book test with a minimum score of at least 80 percent. A test score of less than 80 percent requires retraining and retesting, with a different test, before that person may perform nuclear-related duties. Document annual nuclear surety training. Initial and annual training will include the following:

2.16.1. (AFMC) Initial and annual training must include, as a minimum, topics reflected in the basic instruction, paragraph [2.16](#). Initial and annual nuclear surety training must be documented and maintained in the appropriate records.

2.16.1.1. Importance of, and need for, a US nuclear capability.

2.16.1.2. Nuclear mishap prevention responsibilities of those personnel who work with nuclear weapons and components.

2.16.1.3. Possible adverse impact on US nuclear capability in the event of a serious nuclear mishap.

2.16.1.4. Security requirements.

2.16.1.5. Two-Person Concept and associated requirements and procedures.

2.16.1.6. PRP requirements.

2.16.1.7. Mishap and hazard reporting.

2.16.2. Additional topics commensurate with the unit's nuclear duties will also be trained (i.e., Safe Haven procedures, sealing of nuclear components, local situations that increase the risk of nuclear mishaps, nuclear weapon system safety rules, etc.).

2.16.2. (AFMC) Additional topics will include: PRP process, Intrinsic Radiation Program, Two-Person Concept, etc. Lesson plans and tests must be developed and tailored to the specific center/wing/unit's nuclear surety operations and activities.

2.16.3. Ensure nuclear surety training is provided to all PRP certifying officials.

2.16.3. (AFMC) Lesson plans, tests, etc., must be approved/disapproved by the wing/center WSM. A copy of the approved plans, tests, etc., must be sent to HQ AFMC/SEW.

2.17. Nuclear Surety Council:

2.17. (AFMC) The center/wing WSM may schedule, coordinate, or organize the Nuclear Surety Council as directed by center/wing commander.

2.17.1. As a minimum, the council must:

2.17.1. (AFMC) Unit/squadron commanders, WSMs, etc., should be represented or members of the council, as they are usually the certifying official for PRP.

2.17.1.1. Be chaired by the wing/group commander or the vice wing/group commander.

2.17.1.2. Include all members who are PRP certifying officials and the Base PRP Monitor.

2.17.1.3. Include, as advisors, functional experts who support the nuclear surety program.

2.17.1.4. Develop and implement a unit nuclear surety program.

2.17.2. As requested, the host or tenant units will provide attendees at unit nuclear surety councils.

2.17.2. (AFMC) Unit/squadron commanders must develop and implement unit nuclear surety program.

2.18. Nuclear Surety Awards. Use the awards program to recognize deserving individuals and provide incentive for integrating nuclear surety practices into daily activities. Nomination procedures and selection criteria for nuclear surety awards are found in AFI 36-2833, *Safety Awards*.

2.18. (AFMC) HQ AFMC/SEW uses the USAF Nuclear Surety Plaque as an award for recognizing the deserving center/wing/unit for outstanding nuclear surety practices and accomplishments. Nomination procedures and selection criteria are established according to AFI 36-2833, *Safety Awards*. Center/wing/unit nominations are received at HQ AFMC/SEW, where a selection board reviews nominations, and recommendations are then provided to HQ AFSC and AF/SE for approval/disapproval.

FRANCIS C. GIDEON, JR., Major General, USAF
Chief of Safety

Attachment 1**GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION*****References***

DoDD 5210.41, *Security Policy for Protecting Nuclear Weapons*

AFPD 91-1, *Nuclear Weapons and Systems Surety*

AFMAN 91-201, *Explosive Safety Standards*

AFI 21-204, *Nuclear Weapon Procedures*

AFI 25-201, *Support Agreement Procedures*

AFI 32-4001, *Disaster Preparedness Planning and Operations*

AFI 36-2104, *Nuclear Weapons Personnel Reliability Program*

AFI 36-2833, *Safety Awards*

AFI 37-139, *Records Disposition Schedule*

AFI 90-201, *Inspector General Activities*

AFI 91-102, *Nuclear Weapon System Safety Studies, Operational Safety Reviews, and Safety Rules*

AFI 91-103, *Air Force Nuclear Safety Certification Program*

AFI 91-107, *Design, Evaluation, Troubleshooting, and Maintenance Criteria for Nuclear Weapon Systems*

AFI 91-108, *Air Force Nuclear Weapons Intrinsic Radiation Safety Program*

AFI 91-204, *Safety Investigations and Reports*

T.O. 11N-5-1, *Unsatisfactory Reports*

T.O. 11N-20-7, *Nuclear Safety Criteria*

Abbreviations and Acronyms

AETC—Air Education and Training Command

AFMC—Air Force Materiel Command

AFSC—Air Force Safety Center

AFSC/SEP—Air Force Safety Center, Policy, Plans, and Programs Division

AFSC/SEW—Air Force Safety Center, Weapons, Space, and Nuclear Safety Division

DoD—Department of Defense

DRU—direct reporting unit

EOD—explosive ordnance disposal

FOA—forward operating agency

HQ USAF/IL—Headquarters US Air Force, Deputy Chief of Staff for Installations and Logistics

HQ USAF/SE—Headquarters US Air Force, Chief of Safety

HQ USAF/SG—Headquarters US Air Force, Surgeon General

HQ USAF/XO—Headquarters US Air Force, Deputy Chief of Staff, Plans and Operations

HQ USAF/XOF—Headquarters US Air Force, Chief of Security of Security Forces

MAJCOM—Major Command

MPF—Military Personnel Flight

NAF—Numbered Air Force

NSAP—Nuclear Surety Augmentation Program

NSI—nuclear surety inspection

NWSSG—Nuclear Weapon System Safety Group

OPDD—Operational Plan Data Document

OPR—office of primary responsibility

PAL—permissive action link

PNAF—Prime Nuclear Airlift Force

PRP—Personnel Reliability Program

RSO—Radiation Safety Officer

RSP—render safe procedure

SAF/AQ—Office of the Secretary of the Air Force, Office of the Assistant Secretary
(Acquisition)

SAF/AQS—Office of the Secretary of the Air Force, Office of the Assistant Secretary (Acquisition),
Director, Long-Range Power Projection

SAV—staff assistance visit

TCTO—Time Compliance Technical Order

TNSA—Technical Nuclear Safety Analysis

TO—technical order

UL—unauthorized launch

USAFE—US Air Forces in Europe

WSA—weapons storage area

WSM—weapons safety manager

WS3—weapons storage and security system

Terms

Abnormal Environment—An environment outside the levels specified for the normal environment described in the stockpile-to-target document. In an abnormal environment, the nuclear weapon or nuclear weapon system is not expected to retain full operational reliability. (USAF)

Accident—An unexpected event involving destruction of, or serious damage to, nuclear weapons, nuclear weapon systems, or nuclear components that result in an actual or potential threat to national security or to life and property. (USAF)

Accidental Motor Ignition —The unplanned initiation of propulsive burning of a missile stage motor, including the post-boost vehicle, from causes other than the propagation of a launch sequence. (USAF)

Air Force Nuclear Weapons Surety Program—Air Force policies, procedures, and safeguards used to comply with DoD Nuclear Weapon System Safety Standards. (USAF)

Aircraft Monitoring and Control—Equipment installed in aircraft to permit monitoring and control of safing, arming, and fuzing functions of nuclear weapon systems. (JP 1-02)

Ally-Operated Nuclear Weapon System—A nuclear weapon system used by an allied nation with US nuclear weapons that are in US Air Force custody. (USAF)

Arm/Disarm Device—A mechanical or electromechanical device that provides a positive interruption of the firing circuit to prevent initiation of an explosive or pyrotechnic train before the device's commanded closure. (USAF)

Arming—Operations that configure a nuclear weapon or nuclear weapon system so application of a single signal will start the action required for obtaining a nuclear detonation. (DoD)

As applied to explosives, weapons, and ammunition, the changing from a safe condition to a state of readiness for initiation. (JP 1-02)

As Low As Reasonably Achievable—A major philosophy of current radiation protection practice which requires that every reasonable effort be made to keep radiation exposures as far below the dose limits as practical when technical, economic, and social factors are taken into account. (USAF)

Authorization—The critical function that prevents unauthorized use of a nuclear weapon system. This function is executed by the weapon system operator's transmission of secure codes (released by National Command Authority direction) to the nuclear weapon system's authorization device or devices to allow prearming, arming, or launching of a nuclear weapon. (USAF)

Automata—Electronic machines, control devices, etc., capable of performing logical, computational, or repetitive routines designed to operate automatically in response to a predetermined set of instructions. (USAF)

Certification—A determination by appropriate government agencies that a nuclear weapon system is safe for use with nuclear weapons; that the nuclear weapons are compatible with the nuclear weapon system; and whether any operational restrictions will be placed on the nuclear weapon system to ensure safety and compatibility. This determination is required before the nuclear weapon system achieves operational status. (USAF)

The process through which all nuclear weapon-related requirements pertaining to the broad areas of safety, compatibility, and unit readiness are accomplished. (DoD)

Certification Effort (Software and Firmware)—The means for verifying that a component (hardware

or software) complies with AFI 91-107. (USAF)

Certified Critical Component—A critical component that has successfully completed operational certification according to approved technical order procedures. (USAF)

Code Component—Any device, assembly material, software, or information so designated by the National Security Agency. (USAF)

Cognizant Agent—A clandestine agent, with authorized access to a classified system, who conducts or supports an attack against the system. Also, a person whose normal duties afford the knowledge and opportunity to tamper with certified critical components, codes, or the nuclear command and control system of a nuclear weapon system. (USAF)

Combat Delivery Vehicle—A vehicle, with its installed equipment and components, used to deliver a nuclear weapon to a target. (USAF)

Command Disable—A feature which allows manual activation of the nonviolent disablement of critical weapon components. The command disable system may be internal or external to the weapon. (USAF)

Contribute To—This term is applied when an unauthorized launch (UL) study team determines a component would play an important part in an UL scenario but could not alone cause a launch. (USAF)

Credible Abnormal Environment—An abnormal environment that has a plausible and reasonable probability of occurrence under a given set of circumstances. (USAF)

Credible Threat or Scenario—A threat or scenario, fitting the assumptions and ground rules in AFI 91-106, *Unauthorized Launch and Launch Action Studies*, that a federal agency responsible for establishing policy with regard to the type vulnerability identified in the threat or scenario (i.e., National Security Agency when addressing code components) has determined to be credible. (USAF)

Critical—A term describing a function, circuit, or activity that directly controls the authorizing, prearming, arming, or launching or releasing of a nuclear weapon, or the targeting of a ground-launched nuclear weapon system. (USAF)

Critical Component—A component of a nuclear weapon system that if bypassed, activated, or tampered with could result in or contribute to deliberate or inadvertent authorizing, prearming, arming, or launch of a combat delivery vehicle carrying a nuclear weapon, or the targeting of a nuclear weapon to other than its planned target. HQ AFSC/SEW designates critical components. (USAF)

Critical Fault—Any nuclear weapon system malfunction that results in inadvertent application of control signals or power to the bomb, warhead, or missile propulsion system; degradation in the integrity of prearm, launch, or release primary safety features; unintentional issuance of critical function command signals; or inability to determine weapon system safe status. (USAF)

Current Limited—Monitor or test currents limited so that the maximum current which can be delivered to a nuclear weapon for monitoring or testing purposes will be less than required to operate the most sensitive component in the arming and fuzing sequence. (USAF)

Custody—The responsibility for the control of, transfer and movement of, and access to nuclear weapons and components. Custody also includes the maintenance of accountability for nuclear weapons and components. (DoD)

Design Decertification—Action by proper authority to remove a system or component from design certification. (USAF)

Direct Support EOD Unit—Units directly supporting nuclear weapon storage areas or a consolidated support base storing these systems, or an AMC primary divert-location. Unit personnel are assigned in PRP positions and are trained to perform all necessary EOD actions from site stabilization to site recovery.

Dynamic Load—An external force or combination of forces (i.e., g-loads, vibration loads, shock loads, and centrifugal loads) that result in acceleration of an object. (USAF)

Electrical Isolation—Separation of electrical circuits, signals, or data by physical isolation or the use of any property (i.e., time, phase, amplitude, or frequency) that distinguishes one electrical signal from all others to preclude ambiguity, interference, or altered information. (USAF)

Electro-explosive Device —An explosive or pyrotechnic component that initiates an explosive, burning, electrical, or mechanical train and is activated by the application of electrical energy. (JP 1-02)

Electromagnetic Compatibility—The ability of systems, equipment, and devices that utilize the electromagnetic spectrum to operate in their intended operational environments without suffering unacceptable degradation or causing unintentional degradation because of electromagnetic radiation or response. It involves the application of sound electromagnetic spectrum management; system, equipment, and device design configuration that ensures interference-free operation; and clear concepts and doctrines that maximize operational effectiveness. See also electromagnetic spectrum; electronic warfare; spectrum management. (JP 1-02)

Electromagnetic Interference—Any electromagnetic disturbance that interrupts, obstructs, or otherwise degrades or limits the effective performance of electronics and electrical equipment. It can be induced intentionally, as in some forms of electronic warfare, or unintentionally, as a result of spurious emissions and responses, intermodulation products, and the like. (JP 1-02)

Electromagnetic Pulse—The electromagnetic radiation from a nuclear explosion caused by Compton-recoil electrons and photoelectrons from photons scattered in the materials of the nuclear device or in the surrounding medium. The resulting electric and magnetic fields may couple with electrical and electronic systems to produce damaging current and voltage surges. May also be caused by nonnuclear means. (JP 1-02)

Electromagnetic Radiation—Radiation made up of oscillating electric and magnetic fields and propagated with the speed of light. Includes gamma radiation, X-rays, ultraviolet, visible, and infrared radiation, and radar and radio waves. (JP 1-02)

Emergency—An unexpected occurrence or set of unexpected circumstances in which personnel or equipment unavailability due to accident, natural event, or combat, may demand immediate action that may require extraordinary measures to protect, handle, service, transport, or employ a nuclear weapon. (DoD)

Engineering Review—A review of the nuclear safety engineering evaluation and program documentation by an Air Force engineering agency independent of the organization performing the engineering evaluation. (USAF)

Explosive Ordnance Disposal Procedures—Those particular courses or modes of action taken by EOD personnel for access to, diagnosis, rendering safe, recovery, and final disposal of explosive ordnance or any hazardous material associated with an EOD incident. (JP 1-02)

Access Procedures—Those actions taken to locate exactly and to gain access to unexploded explosive

ordnance. (DoD)

Diagnostic Procedures—Those actions taken to identify and evaluate unexploded explosive ordnance. (DoD)

Render-Safe Procedures—The portion of the EOD procedures involving the application of special EOD methods and tools to provide for the interruption of functions or separation of essential components of unexploded explosive ordnance to prevent an unacceptable detonation. (DoD)

Recovery Procedures—Those actions taken to recover unexploded explosive ordnance. (DoD)

Final Disposal Procedures—The final disposal of explosive ordnance that may include demolition or burning in place, removal to a disposal area, or other appropriate means. (DoD)

Facility Lifting and Suspension Systems—Equipment (i.e., a hoist, crane, or suspended load frame) installed in a facility and used to lift or support nuclear weapons. (USAF)

Fail-Safe—A characteristic of a fuze system, or part thereof, designed to result in a dud round when one or more safety features malfunction. A design feature of a nuclear weapon system or component that ensures a critical function or weapon damage will not occur because of a failure in the system or component. (USAF)

Firmware—Combination or executable computer programs and data (software) stored in any form of read-only memory that will be unalterable during program execution. (USAF)

First-Level Interface Software—Software that controls the critical functions of a nuclear weapon system. (USAF)

Hardware—Generic term dealing with physical items as distinguished from its capability or function such as tools, implements, instruments, devices, sets, fittings, trimmings, assemblies, subassemblies, components, and parts. The term is often used in regard to the stage of development, as in the passage of a device or component from the design stage into the hardware stage as the finished object. (JP 1-02)

In data automation, the physical equipment or devices forming computer and peripheral components. See also “Software”. (JP 1-02)

Hardwire—A dedicated discrete electrical circuit. (USAF)

Inadvertent Programmed Launch—The inadvertent entry into terminal countdown or launch countdown and the resultant launch of a missile to a predetermined target. (USAF)

Incident—An unexpected event, not constituting an accident, that involves a nuclear weapon, nuclear weapon system, or nuclear component and results in:

An increase in the risk of nuclear or high-explosion or radioactive contamination. (USAF)

Errors committed in the assembly, testing, loading, or transporting of equipment, or the malfunctioning of equipment and material that may lead to unintentional operation of any part of the weapon arming and firing sequence. (USAF)

Significant damage to nuclear weapons or nuclear components caused by any natural occurrence, unfavorable environment, or other conditions. (USAF)

Independent Verification and Validation—The analysis and test of computer software by an organization that is separate from the development contractor or organization. (USAF)

Indirect Supporting EOD Unit—Units that are not defined as Direct Supporting Units. Unit personnel maintain technical data and are trained to perform those actions necessary to stabilize an incident site. Unit personnel can perform an initial evaluation of the accident or incident, and perform emergency render safe procedures.

Informational Storage Media—Documents, tapes, disks, cards, plugs, memories, and other devices used to store information. (USAF)

Intrinsic Radiation—Ionizing radiation emitted through the weapon surface or directly from exposed components of nuclear weapons. (USAF)

Ionizing Radiation—Electromagnetic or particulate radiation capable of causing ionization in its passage through matter. Alpha, beta, gamma, X-rays, and neutrons are examples of ionizing radiation. (USAF)

Jettison—The selective release of stores from an aircraft other than for normal attack. (JP 1-02)

Launch—The transition from static repose to dynamic flight of a missile. (JP 1-02)

Launch Action Study—An analysis of a specific weapon system component to determine the actions necessary to cause the component to contribute to an unauthorized launch. (USAF)

Launch Action Threat—A description of how an individual component can be tampered with to achieve a specific unauthorized result. (USAF)

Launch Activation Path—The path by which information and energy flow to effect a missile launch. (USAF)

Launch Control Point—The control center from which system operators control, monitor, and launch a ground-launched missile. (USAF)

Launch Point—The geographical area or facility from which a ground-launched missile is launched. (USAF)

Military Characteristics—Those characteristics of equipment upon which depends its ability to perform desired military functions. Military characteristics include physical and operational characteristics but not technical characteristics. (JP 1-02)

Modifications—Physical or functional configuration changes to equipment or software. (USAF)

Monitor Current—A limited current introduced into a nuclear weapon to determine the functional state of selected components. (USAF)

Multiplexed System—A signal transmission system in which two or more signals share one transmission path. (USAF)

No-Lone Zone—An area where the Two-Person Concept must be enforced because it contains a nuclear weapon, nuclear weapon system, or certified critical component. (USAF)

Noncombat Delivery Vehicle—Any vehicle, other than combat vehicles, used to move nuclear weapons. (USAF)

Nonsensitive Task—Any Nuclear Safety Cross-Check Analysis (NSCCA) activity in which no opportunity exists for an individual to affect the outcome of the NSCCA, or where a subsequent review or analysis exists that would reveal any act of omission or commission affecting the NSCCA outcome. (USAF)

Nonspecialized Equipment—Equipment used with nuclear weapons but not specifically designed for that purpose. (USAF)

Normal Environment—The expected logistical and operational environments defined in the stockpile-to-target sequence document that the nuclear weapon system is required to survive without degrading operational reliability. (USAF)

Nuclear Cargo—A nuclear weapon or nuclear component (except limited life components) prepared for nuclear logistics movement. (USAF)

Nuclear Command and Control System—Hardware, software, and firmware components required for proper authorization-to-launch sequence. (USAF)

Nuclear Component—Weapon component composed of fissionable or fusible materials that contribute substantially to nuclear energy released during detonation. (USAF)

Nuclear Consent Function—A function implemented by a deliberate act that provides two-person control over the release system unlock and nuclear weapon prearm functions. (USAF)

Nuclear Cross-Check Identified Software—Includes all first-level interface software and certain second-level interface software identified by HQ AFSC/SEW (the Nuclear Weapon System Safety Group may recommend software) as cross-check identified software. (USAF)

Nuclear Logistic Movement—The transport of nuclear weapons in connection with supply or maintenance operations. Under certain specified conditions, combat aircraft may be used for such movements. (JP 1-02)

Nuclear Operating Command—The major command responsible for operating, maintaining, and providing security for the nuclear weapon system. (USAF)

Nuclear Safety-Certified Procedures—Procedures approved for use with nuclear weapons, nuclear safety-certified equipment, or nuclear weapon systems and published in Air Force technical orders or technical publications. (USAF)

Nuclear Safety Certified Software—Software that has received nuclear safety design certification by HQ AFSC/SEW. (USAF)

Nuclear Safety Criteria—Design and evaluation criteria for ensuring nuclear safety is a basic system engineering and procedural requirement in nuclear weapon and logistics systems. (USAF)

Nuclear Safety Cross-Check Analysis—An analysis by an organization that is independent of the software developer to ensure critical software does not contain improper design, programming, fabrication, or application that could contribute to:

Unauthorized or inadvertent authorization, prearming, arming, or launching or releasing of a nuclear weapon or nuclear weapon system. (USAF)

Premature or unsafe operation of a nuclear weapon system. (USAF)

Delivery of a nuclear weapon outside the specified boundary of the planned target. (USAF)

Unauthorized, improper, or erroneous display of status or classified information that could degrade nuclear surety. (USAF)

Improper handling of classified cryptographic codes, invalid verification, or the retrieval of such codes by unauthorized persons in a manner that could degrade nuclear surety. (USAF)

Nuclear Safety Design Certification—A determination by HQ AFSC/SEW that all applicable nuclear safety criteria for a given hardware or software design have been met and the design is authorized for use with nuclear weapons. Also referred to as "nuclear safety certification" or "design certification." (USAF)

Nuclear Safety Discrepancy Report—A discrepancy report that references the program material or output in which the discrepancy was detected and provides a detailed description of the problem with reference to the nuclear safety objective violated. (USAF)

Nuclear Surety Impact Statement—A description and evaluation of the potential nuclear surety impact a proposed modification or test program may have on an assembled weapon system or its subsystems. (USAF)

Nuclear Weapon—A complete assembly (i.e., implosion type, gun type, or thermonuclear type) in its intended ultimate configuration which, upon completion of the prescribed arming, fusing, and firing sequence, is capable of producing the intended nuclear reaction and release of energy. (JP 1-02)

Nuclear Weapon System—A combat delivery vehicle with its nuclear weapon or weapons and associated support equipment, noncombat delivery vehicles, facilities, and services. (USAF)

Nuclear Weapon System Safety Group—The NWSSG is composed of representatives from applicable Air Force major commands, Combatant Commands, Air Force Security Forces Center, Department of Energy, and Defense Threat Reduction Agency and is chaired by an appointee from HQ AFSC/SEW. It conducts all nuclear weapon system safety studies and operational safety reviews to evaluate Air Force nuclear weapon systems and ensure the DoD Nuclear Weapon System Safety Standards are met in weapon system design and operations. (USAF)

Nuclear Weapon System Safety Rules—Secretary of Defense-approved procedural safeguards governing all operations with nuclear weapons or nuclear weapon systems. (USAF)

Nuclear Weapons Surety—Materiel, personnel, and procedures which contribute to the security, safety, and reliability of nuclear weapons and to the assurance that there will be no nuclear weapon accidents, incidents, unauthorized weapon detonations, or degradation in performance at the target. (DoD)

Operational Certification—The process of verifying a system or critical component is functioning as design certified and all credible threats and scenarios are mitigated. (USAF)

Operational Decertification—Action by proper authority to remove a system or component from operational use. (USAF)

Operational Plan Data Document—A document that describes normal nuclear weapon system operations in the stockpile-to-target sequence during peacetime and periods of increased tension. The OPDD serves as a source document for the nuclear weapon system safety rules. (USAF)

Opportunity The time and physical proximity needed to tamper with or damage a nuclear weapon, nuclear weapon system, or certified critical component. (USAF)

Permissive Action Link—A family of devices and subsystems designed to reduce the possibility of obtaining nuclear detonation from a nuclear warhead without the use (insertion) of a controlled numerical code. (DoD)

Personal Dosimeter—A device used to monitor the ionizing radiation exposure of an individual. (USAF)

Physical Isolation—The physical separation of wiring, parts, modules, assemblies, and similar items to

preclude physical contact or interaction so as to prevent common malfunctions and activation of critical functions in all environments. (USAF)

Positive Measure—A design feature, procedure, safety rule, or accident prevention or mitigation measure that works to reduce the likelihood, severity, or consequence of an accidental or deliberate threat involving a nuclear weapon or nuclear weapon system. An example of a specific positive measure would be a permissive action link designed to prohibit the arming of the weapon, except when properly authorized. An example of a general positive measure would be the presence of a certified firefighting capability at an operational air base. (USAF)

Pream Command Signal—A signal to the weapon that the personnel controlling the weapon want it to function and produce a nuclear detonation. (USAF)

Preaming—Operations that configure a nuclear weapon system so that arming, firing, launching, or releasing will start the sequence necessary to produce a nuclear detonation. (DoD)

Prime Nuclear Airlift Force—Those aircrews, aircraft, and other functions provided for peacetime support of logistical airlift of nuclear weapons and nuclear components. (USAF)

Radiation Safety Officer—The functional title assigned to an individual designated by the commander to manage a radiation safety program and provide advice on the hazards associated with radiation and the effectiveness of measures to control these hazards. The following functional titles are not intended to denote either a commissioned status or a job classification within the Air Force:

Base RSO—A person designated by the installation commander to conduct the base-wide radiation safety program and assist the unit RSO in maintaining a comprehensive radiation safety program. This individual will usually be the base bioenvironmental engineer or health physicist, if assigned, but may be a senior bioenvironmental engineering technician. (USAF)

Unit RSO—A person designated by the unit commander to act as the single focal point for unit radiation safety matters and coordinate radiation protection activities with the base RSO. Each operational unit that maintains or stores nuclear weapons must have a unit RSO. (USAF)

Radioactive Material—Any material or combination of materials that spontaneously emit alpha, beta, gamma, X-ray, or neutron radiation. (USAF)

Release—In air armament, release is the intentional separation of a free-fall aircraft store from its suspension equipment for purposes of employment of the store. (JP 1-02)

Separation of a missile from a carrier aircraft with the intended result being programmed flight to target. (USAF)

Reliability —The ability of a system and system parts to perform their mission without failure, degradation, or demand on the support system. (USAF)

Reversion—The process or event of returning to the original state, phase, or condition. (USAF)

Safe and Arm Device—A device that provides electrical and mechanical interruption of the firing circuits or mechanical interruption between the initiator and the subsequent explosive or pyrotechnic train. (USAF)

Safe Haven—Designated areas to which noncombatants of the US Government's responsibility, and commercial vehicles and materiel, may be evacuated during a domestic or other valid emergency. (JP 1-02)

Temporary storage provided Department of Energy classified shipment transporters at Department of Defense facilities in order to ensure safety and security of nuclear material and nonnuclear classified material. Also includes parking for commercial vehicles containing Class A or Class B explosives. (JP 1-02)

Scrolling—In a multifunction control and display system, the replacement of the active nuclear weapon system function with a nonnuclear function. (USAF)

Second-Level Interface Software—Software that may interact with first-level interface software but does not control any critical functions of a nuclear weapon system. (USAF)

Security (Internal)—Design features internal to the nuclear weapon system or nuclear weapon that prevent unauthorized use (i.e., use control). (USAF)

Security (Physical)—The part of security concerned with physical measures designed to safeguard personnel; to prevent unauthorized access to equipment, installations, material and documents; and to safeguard them against espionage, sabotage, damage, and theft. (DoD)

Sensitive Task—Nuclear Safety Cross-Check Analysis activity in which an individual could cause or allow unauthorized programming to be introduced into a nuclear weapon system. (USAF)

Significant Nuclear Yield—The energy released through nuclear fission or fusion that is equivalent to or greater than the energy released by detonation of four pounds of TNT. (USAF)

Software—A set of computer programs, procedures, and associated documentation concerned with the operation of a data processing system; e.g., compilers, library routines, manuals, and circuit diagrams. (JP 1-02)

Software Advisory Group—A forum of interested parties to discuss the software nuclear safety design certification effort and provide a consensus of resolutions on nuclear safety concerns. (USAF)

Specialized Equipment—Equipment designed specifically for use with nuclear weapons. (USAF)

Split-Handling—A stringent procedure used to maintain a launch function separation that was intentionally designed into two or more different critical components. This procedure prevents a single individual or Two-Person Concept team from having access to the entire launch function. (USAF)

Split-Knowledge—The separation of information contained in the complete certified critical component so an individual or Two-Person Concept team is denied knowledge of the total information. (USAF)

Static Load—A load imposed during normal operations (in normal environments) in a static state. (USAF)

Stockpile-to-Target Sequence—The order of events involved in removing a nuclear weapon from storage and assembling, testing, transporting, and delivering it on the target. (JP 1-02)

A document that defines the logistical and employment concepts and related physical environments involved in the delivery of a nuclear weapon from the stockpile to the target. It may also define the logistical flow involved in moving nuclear weapons to and from the stockpile for quality assurance testing, modification and retrofit, and the recycling of limited life components. (JP 1-02)

Stores Management System—The portion of the aircraft system that provides weapon control, release, and monitor functions. (USAF)

Support Equipment—Includes all equipment required to perform the support function, except that

which is an integral part of the mission equipment. It does not include any of the equipment required to perform mission operation functions. Support equipment should be interpreted as tools; test equipment; automatic test equipment (when used in a support function); organizational, field, and depot support equipment; and related computer programs and software. (USAF)

Tamper—To knowingly perform an incorrect act or unauthorized procedure involving a nuclear weapon, nuclear weapon system, or certified critical component. (USAF)

Tamper Detection Indicators—A sealing method that provides evidence in the event a critical component has been tampered with or inadvertently activated. (USAF)

Targeting—Operations that involve identifying specific target sets, transferring target data to a guidance computer, and following the programmed flight path to the specified target. (USAF)

Technical Nuclear Safety Analysis—An independent technical analysis of a nuclear weapon system and its associated operational procedures. The TNSA provides the Nuclear Weapon System Safety Group with an independent opinion as to whether the weapon system's design safety and security features, in conjunction with its operational procedures, satisfy the DoD Nuclear Weapon System Safety Standards. (USAF)

Third-Party Agent—Any individual who does not meet the criteria of a cognizant agent. (USAF)

Time-Division Multiplexing—The transmission of information from several signal channels through one communication system with different channel samples staggered in time to form a composite pulse train. (USAF)

Two-Person Concept—Designed to ensure that a lone individual is denied access to nuclear weapons, nuclear weapon systems or critical components, never allowing the opportunity for tampering, damage or an unauthorized act to go undetected. The Two-Person concept requires the presence at all times of at least two authorized persons, each certified under the Personnel Reliability Program (PRP), knowledgeable in the task to be performed, familiar with applicable safety and security requirements and each capable of promptly detecting an incorrect act or improper procedure with respect to the task to be performed. Both members must have completed annual nuclear surety and PRP training. **NOTE:** Also known as Two-Person Rule. (JP 1-02)

Unauthorized Launch—A deliberate unauthorized act that causes any movement (resulting from the direct impulse of a propulsion subsystem) of a nuclear weapon mated to a missile. The UL categories are:

Type 0 Launch—Ignition of a propulsive stage or engine that results in missile movement but without the missile exiting the launch platform due to physical restraints. (USAF)

Type 1 Launch—Ignition of a propulsive stage or engine that results in missile launch from the launch platform but with an inactive guidance system. (USAF)

Type 2 Launch—Missile launch with an active guidance system that results in powered flight to a preprogrammed target but without a nuclear yield. (USAF)

Type 3 Launch—Missile launch with an active guidance system that results in powered flight to a preprogrammed target with a nuclear yield. (USAF)

Unauthorized Launch Report—A documented analysis of a nuclear weapon system's susceptibility to unauthorized launch. (USAF)

Unauthorized Launch Scenario—A complete account of how an unauthorized launch can be achieved

by using specific launch action threats. The scenario may include one or more launch action threats. It will describe the procedures the agent needs to follow; the tools needed for each step of the procedure; and the normal operating conditions that must be overcome. (USAF)

Unique Signal—A digital or analog signal that operates only one specific and corresponding critical function by allowing the receiver to discriminate this signal from all other signals in the nuclear weapon system and from those signals that may be generated accidentally or applied from outside the nuclear weapon system. (USAF)

Use Control—The control of unauthorized use or detonation of a nuclear weapon. Includes passive and active protection, and disablement systems.

Volatile Memory—A storage medium that loses information when power is removed from the system. (USAF)

Weapons Safety Manager—An individual who manages a base, wing, or equivalent safety program consisting of explosives safety, missile safety, nuclear surety, or any combination of these. (USAF)

Attachment 2**NUCLEAR SURETY AUGMENTATION PROGRAM**

A2.1. Purpose and Scope. HQ AFSC/SEW provides assistance to the MAJCOM/SE on request. AFSC personnel may augment MAJCOM inspections, staff assistance efforts, or special interest evaluations relating to nuclear surety at any level within the command.

A2.2. Coordination. The MAJCOM safety office will forward requests to HQ AFSC/SEW. Include a proposed schedule and locations to be visited. HQ AFSC/SEW will respond with the level of support that can be provided and proposed team composition. The MAJCOM is responsible for making any other required notifications.

Attachment 3**ENTIRE TEXT OF IC 2000-1****SUMMARY OF REVISIONS**

This change deletes paragraph 2.4.9., and clarifies the review requirements in paragraph **2.11.14.**

2.4.9. Delete

2.11.14. Review all locally developed checklists, instructions, operating procedures, and plans that impact nuclear surety. For locally developed workcards, checklists, job guides and page supplements for nuclear munitions follow guidance in T.O. 00-5-1.