

SITE SAFETY LOGISTICS PLAN

FOR

NEW 51 STORY RESIDENTIAL BLDG

AT

11 HOYT STREET
BROOKLYN, NY 11201

B.E.S.T. SQUAD FILING SET
DATE: MAY 4, 2018
(REVIEWED UNDER 2014 CODE)

#	PAGE NO.	DRAWING TITLE	SUBMITTED	APPROVED
1	SSP-000.03	COVER SHEET	5/4/2018	
2	SSP-001.03	GENERAL INFORMATION & TYPICAL SAFETY NOTES	5/4/2018	
3	SSP-002.00	TYPICAL SAFETY DETAILS	8/31/2017	7/13/2017
4	SSP-003.00	SHANTY LOCATION PLAN	12/20/2017	12/27/2017
5	SSP-090.01	TIEBACKS INSTALLATION PHASE 1 - GROUND FL DEMO SHOWN	8/31/2017	7/13/2017
6	SSP-091.01	TIEBACKS INSTALLATION PHASE 2 - GROUND FL DEMO SHOWN	8/31/2017	7/13/2017
7	SSP-100.01	EXCAVATION PHASE SITE SAFETY PLAN	8/31/2017	7/13/2017
8	SSP-101.01	FOUNDATION PHASE SITE SAFETY PLAN	8/31/2017	7/13/2017
9	SSP-102.00	EXCAVATION/FOUNDATION PHASE (SPECIAL OPERATIONS) FOUNDATION SHOWN SSP	8/31/2017	7/13/2017
10	SSP-110.01	SUPERSTRUCTURE PHASE BELOW 75' (6TH FLOOR SHOWN) SITE SAFETY PLAN	5/4/2018	
11	SSP-120.01	SUPERSTRUCTURE PHASE ABOVE 75' (MAIN ROOF SHOWN) SITE SAFETY PLAN	5/4/2018	
12	SSP-130.01	SUPERSTRUCTURE PHASE -TOWER CRANE ERECTION & DISASSEMBLY (MAIN ROOF SHOWN) SITE SAFETY PLAN	5/4/2018	
13	SSP-200.00	HORIZONTAL NETTING & COCOON LOCATIONS PLAN & TYPICAL DETAILS	12/20/2017	12/27/2017
14	SSP-300.00	EAST & NORTH FACADE ELEVATIONS (SUPERSTRUCTURE PHASES)	12/20/2017	12/27/2017
15	SSP-310.00	WEST & SOUTH FACADE ELEVATIONS (SUPERSTRUCTURE PHASES)	12/20/2017	12/27/2017

Site Safety Plan

11 HOYT STREET

New 51 Story Building

DESIGNER



CR SAFETY
construction &
reality safety group

226 East Merrick Road
Valley Stream, NY 11580
(516) 256-0317

OWNER

11 HOYT OWNER, LP (C/O TISHMAN SPEYER)
45 ROCKEFELLER PLAZA,
NEW YORK, NY 10111
212-715-0390)

CONTRACTOR



TRITON
CONSTRUCTION

TRITON CONSTRUCTION COMPANY
30 EAST 33RD STREET 11th Floor
New York, NY 10016
(212) 388-5700

REVISIONS

#:	DATE:	REVISION:
___	6-19-17	BEST SUBMISSION
___	8-31-17	BEST REVISION
___	12-20-17	BEST REVISION
___	5-4-18	BEST REVISION
___	___	___
___	___	___
___	___	___
___	___	___
___	___	___

PROJECT

JOB # - 321197058

LOCATION INFO

D.O.B. ADDRESS: 11 HOYT STREET,
BROOKLYN, NY 11201

BLOCK: 157

LOT: 1

ZONING DISTRICT: C5-4

MAP: 16C

BIN #: 3329438

COMMUNITY BOARD: 302

HEIGHT: TBD STORIES: 51

BLDG USE: RESIDENTIAL

JOB #: 321197058



DRAWING NAME

COVER SHEET

SEAL



APPROVED
AMENDED PLAN
05/04/2018
BEST SSP

DATE: 4 MAY, 2018
REVIEWED BY: WA
DRAWN BY: ES
SCALE: N/A

DATE: 4 MAY, 2018

REVIEWED BY: WA

DRAWN BY: ES


SCALE: N/A

SSP-000.03

11 HOYT STREET - SITE SAFETY - Draft 1-17-17.dwg

© CRSQ 2017

It is a violation of the law to alter this document in hard copy or electronic format (the "document") in any way. Use or modifications to this document is at the sole risk and liability of the user. The user shall, to the fullest extent of the law, hold CRSQ harmless from any claims, liabilities or damages including legal fees that may be incurred as a result of any unauthorized or improper use or modification of this document.



LEGEND

	8'H PLYWOOD CONSTRUCTION FENCE
	GUARDRAILS (DETAIL 1.5)
	4' H PLYWOOD W/FULL HEIGHT WIRE MESH ON TOP
	D.O.T. APPROVED JERSEY BARRIERS
	D.O.T. APPROVED MOVABLE TIMBER BARRIERS
	FLAGMAN (AS REQUIRED FOR DELIVERIES)
	VIABLE MEANS OF EGRESS
	SIAMESE CONNECTION WITH RED LIGHT
	STANDPIPE RISER
	TRAFFIC LIGHT
	FIRE HYDRANT
	STREET LIGHT
	SIDEWALK SHED
	15'-0" HIGH SIDEWALK SHED
	ROOFTOP PROTECTION
	OVERHEAD PROTECTION
	MATERIAL LAYDOWN
	PROPERTY LINE
	CONTROL ACCESS ZONE

PROPOSED SIGNAGE

	REQUIRED CONSTRUCTION SIGNAGE
	SIDEWALK CLOSED
	PLEASE USE WALKWAY
	LANE CLOSED
	PLEASE MERGE RIGHT
	SIDEWALK CLOSED
	PLEASE USE OTHER SIDE

EXISTING SIGNAGE

	NO STANDING AT ANYTIME
--	------------------------

EQUIPMENT LIST

TOWER CRANE	WASHOUT BOX
CONCRETE TRUCKS	KNUCKLE BOOM TRUCK
GENERATORS	DELIVERY TRUCK
CONCRETE MIXERS	FORK LIFTS
CONCRETE PUMPS	PERSONAL LIFTS
HOIST	STORAGE CAGES
PORTA-SANS	SLEDS
GUARDBOOTH	BOBCATS

NOTES

- (2) VIABLE MEANS OF EGRESS TO BE MAINTAINED AT ALL TIMES.
- SHORING, SHEETING & BRACING AS PER APPROVED SUPPORT OF EXCAVATION DRAWINGS.
- ALL RAMPS TO ADHERE TO ALL REQUIREMENTS OF NYC BC 3315.
- LOCATION OF RAMPS & EGRESS STAIRS/LADDERS MAY VARY DUE TO SITE LOGISTICS NEEDS.
- ALL TRAFFIC BARRIERS IN THE STREET MUST COMPLY WITH DOT REGULATIONS AND MANUFACTURES SPECIFICATIONS. NO CRANE OPERATIONS TO START UNTIL THE SITE SAFETY PLAN IS IN COMPLIANCE WITH THE LATEST APPROVED CN, OW "LIMITED USE", & MASTER RIGGER OPERATIONS.
- CONTROLLED ACCESS ZONE ONLY WHEN OVERHEAD WORK IS IN PROGRESS AND WILL BE PHASED AS NEEDED ON THE AREA WHERE OVERHEAD WORK IS TAKING PLACE.
- LIGHTED STAIRWAYS TO COMPLY WITH SECTION 3303.11.
- STANDPIPE TO COMPLY WITH BC 905 AND NYC BUILDING CODE SECTION 3303.8.
- HOIST ON SITE TO BE USED AS ELEVATOR IN READINESS FOR FDNY.
- MATERIAL STORED ADJACENT TO A SIDEWALK, WALKWAY, OR PATHWAY THAT REMAINS OPEN TO THE PUBLIC SHALL NOT BE PILED HIGHER THAN 3 FEET (914 mm), OR WHERE A SOLID FENCE OR BARRIER IS PROVIDED, TO WITHIN ONE FOOT (305mm) OF THE TOP OF SUCH FENCE OR BARRIER.

REVISIONS

Site Safety Plan

11 HOYT STREET

New 51 Story Building

DESIGNER

CR SAFETY
construction & safety group

226 East Merrick Road
Valley Stream, NY 11580
(516) 256-0317

OWNER

11 HOYT OWNER, LP (C/O TISHMAN SPEYER)
45 ROCKEFELLER PLAZA,
NEW YORK, NY 10111
212-715-0390)

CONTRACTOR

TRITON CONSTRUCTION

TRITON CONSTRUCTION COMPANY
30 EAST 33RD STREET 11th Floor
New York, NY 10016
(212) 388-5700

REVISIONS

#:	DATE:	REVISION:
—	6-19-17	BEST SUBMISSION
—	8-31-17	BEST REVISION
—	12-20-17	BEST REVISION
—	5-4-18	BEST REVISION

PROJECT

JOB # - 321197058

LOCATION INFO

D.O.B. ADDRESS: 11 HOYT STREET, BROOKLYN, NY 11201

BLOCK: 157
LOT: 1
ZONING DISTRICT: C5-4
MAP #: 16C
BIN #: 3329438
COMMUNITY BOARD: 302
HEIGHT: TBD STORIES: 51
BLDG USE: RESIDENTIAL
JOB #: 321197058

DRAWING NAME

SUPERSTRUCTURE PHASE BELOW 75'(6TH FL SHOWN) SITE SAFETY PLAN


SEAL

John Young, RA
APPROVED
AMENDED PLAN
05/04/2018
BEST SSP

DATE: 4 MAY, 2018
REVIEWED BY: WA
DRAWN BY: ES
SCALE: SCALER
DWG NUMBER: SSP-110.01
CADD FILE NO.: 11HOYT STREET - SITE SAFETY - Draft 1-17-17.dwg

© CRSO 2017
It is a violation of the law to alter this document in hard copy or electronic format (the "document") in any way. Use or modifications to this document is at the sole risk and liability of the user. The user shall, to the fullest extent of the law, hold CRSO harmless from any claims, liabilities or damages including legal fees that may be incurred as a result of any unauthorized or improper use or modification of this document.

REFER TO SSP-001 FOR MATERIAL HANDLING NOTES



LEGEND

	8'H PLYWOOD CONSTRUCTION FENCE
	GUARDRAILS (DETAIL 1.5)
	4' H PLYWOOD W/FULL HEIGHT WIRE MESH ON TOP
	D.O.T. APPROVED JERSEY BARRIERS
	D.O.T. APPROVED MOVABLE TIMBER BARRIERS
	FLAGMAN (AS REQUIRED FOR DELIVERIES)
	VIABLE MEANS OF EGRESS
	SIAMESE CONNECTION WITH RED LIGHT
	STANDPIPE RISER
	TRAFFIC LIGHT
	FIRE HYDRANT
	STREET LIGHT
	SIDEWALK SHED
	15'-0" HIGH SIDEWALK SHED
	ROOFTOP PROTECTION
	OVERHEAD PROTECTION
	MATERIAL LAYDOWN
	PROPERTY LINE
	CONTROL ACCESS ZONE

PROPOSED SIGNAGE

	REQUIRED CONSTRUCTION SIGNAGE
	SIDEWALK CLOSED
	PLEASE USE WALKWAY
	LANE CLOSED
	PLEASE MERGE RIGHT
	SIDEWALK CLOSED
	PLEASE USE OTHER SIDE

EXISTING SIGNAGE

	NO STANDING AT ANYTIME
--	------------------------

EQUIPMENT LIST

TOWER CRANE	WASHOUT BOX
CONCRETE TRUCKS	KNUCKLE BOOM TRUCK
GENERATORS	DELIVERY TRUCK
CONCRETE MIXERS	FORK LIFTS
CONCRETE PUMPS	PERSONAL LIFTS
HOIST	STORAGE CAGES
PORTA-SANS	SLEDS
GUARDBOOTH	BOBCATS

NOTES

- (2) VIABLE MEANS OF EGRESS TO BE MAINTAINED AT ALL TIMES.
- SHORING, SHEETING & BRACING AS PER APPROVED SUPPORT OF EXCAVATION DRAWINGS.
- ALL RAMP TO ADHERE TO ALL REQUIREMENTS OF NYC BC 3315.
- LOCATION OF RAMPS & EGRESS STAIRS/LADDERS MAY VARY DUE TO SITE LOGISTICS NEEDS.
- ALL TRAFFIC BARRIERS IN THE STREET MUST COMPLY WITH DOT REGULATIONS AND MANUFACTURES SPECIFICATIONS.
- NO CRANE OPERATIONS TO START UNTIL THE SITE SAFETY PLAN IS IN COMPLIANCE WITH THE LATEST APPROVED CN, OW "LIMITED USE", & MASTER RIGGER OPERATIONS.
- CONTROLLED ACCESS ZONE ONLY WHEN OVERHEAD WORK IS IN PROGRESS AND WILL BE PHASED AS NEEDED ON THE AREA WHERE OVERHEAD WORK IS TAKING PLACE.
- LIGHTED STAIRWAYS TO COMPLY WITH SECTION 3303.11.
- STANDPIPE TO COMPLY WITH BC 905 AND NYC BUILDING CODE SECTION 3303.8.
- HOIST ON SITE TO BE USED AS ELEVATOR IN READINESS FOR FDNY.
- MATERIAL STORED ADJACENT TO A SIDEWALK, WALKWAY, OR PATHWAY THAT REMAINS OPEN TO THE PUBLIC SHALL NOT BE PILED HIGHER THAN 3 FEET (914 mm), OR WHERE A SOLID FENCE OR BARRIER IS PROVIDED, TO WITHIN ONE FOOT (305mm) OF THE TOP OF SUCH FENCE OR BARRIER.

REVISIONS

	REVISED FENCE AND MOVED PEDESTRIAN TO SIDEWALK SHED. ADDED SWING/SLIDING & MAN GATES. ADDED ELECTRICAL PANEL, STAIR AND OFFICE TRAILER
	REVISED 30' W SLIDING GATE TO 40' WIDE
	RELOCATED MAN GATE AND TURNSTILES SYSTEM
	ADDED MEDIC STATION, STNY & EVMU
	REVISED LOADING DOCK
	REVISED FENCE

Site Safety Plan

11 HOYT STREET

New 51 Story Building

DESIGNER

CR SAFETY
construction & safety group

226 East Merrick Road
Valley Stream, NY 11580
(516) 256-0317

OWNER

11 HOYT OWNER, LP (C/O TISHMAN SPEYER)
45 ROCKEFELLER PLAZA,
NEW YORK, NY 10111
212-715-0390)

CONTRACTOR

TRITON CONSTRUCTION
TRITON CONSTRUCTION COMPANY
30 EAST 33RD STREET 11th Floor
New York, NY 10016
(212) 388-5700

REVISIONS

#:	DATE:	REVISION:
1	6-19-17	BEST SUBMISSION
2	8-31-17	BEST REVISION
3	12-20-17	BEST REVISION
4	5-4-18	BEST REVISION

PROJECT

JOB # - 321197058

LOCATION INFO

D.O.B. ADDRESS: 11 HOYT STREET, BROOKLYN, NY 11201

BLOCK: 157
LOT: 1
ZONING DISTRICT: C5-4
MAP: 16C
BIN #: 3329438
COMMUNITY BOARD: 302
HEIGHT: TBD **STORIES:** 51
BLDG USE: RESIDENTIAL
JOB #: 321197058

DRAWING NAME

SUPERSTRUCTURE PHASE ABOVE 75' (MAIN ROOF SHOWN) SITE SAFETY PLAN

SEAL

John Young, RA
APPROVED
AMENDED PLAN
05/04/2018
BEST SSP

DATE: 4 MAY, 2018
REVIEWED BY: WA
DRAWN BY: ES
SCALE: SCALER
DWG NUMBER: SSP-120.01
CARD FILE NO.: 11HOYT STREET - SITE SAFETY - Draft 1-17-17.dwg

© CRSO 2017
It is a violation of the law to alter this document in hard copy or electronic format (the "document") in any way. Use or modifications to this document is at the sole risk and liability of the user. The user shall, to the fullest extent of the law, hold CRSO harmless from any claims, liabilities or damages including legal fees that may be incurred as a result of any unauthorized or improper use or modification of this document.

REFER TO SSP-001 FOR MATERIAL HANDLING NOTES

Site Safety Plan	
<h1 style="margin: 0;">11 HOYT STREET</h1>	
New 51 Story Building	
DESIGNER	
 construction & reality safety group 226 East Merrick Road Valley Stream, NY 11580 (516) 256-0317	
OWNER	
11 HOYT OWNER, LP (C/O TISHMAN SPEYER) 45 ROCKEFELLER PLAZA, NEW YORK, NY 10111 212-715-0390)	
CONTRACTOR	
 TRITON CONSTRUCTION COMPANY 30 EAST 33RD STREET 11th Floor New York, NY 10016 (212) 388-5700	
REVISIONS	
#:	DATE: REVISION:
_____	6-19-17 BEST SUBMISSION
_____	8-31-17 BEST REVISION
_____	12-28-17 BEST REVISION
_____	5-4-18 BEST REVISION

PROJECT	
<h2 style="margin: 0;">JOB # - 321197058</h2>	
LOCATION INFO	
D.O.B. ADDRESS: 11 HOYT STREET, BROOKLYN, NY 11201	
BLOCK: 157	
LOT: 1	
ZONING DISTRICT: C5-4	
MAP: 16C	
BIN #: 3329438	
COMMUNITY BOARD: 302	
HEIGHT: TBD STORIES: 51	
BLDG USE: RESIDENTIAL	
JOB #: 321197058	
 North	
	
DRAWING NAME	
SUPERSTRUCTURE PHASE TOWER CRANE ERECTION & DISASSEMBLY (MAIN ROOF SHOWN) SITE SAFETY PLAN	
SEAL	DATE: 4 MAY, 2018
	REVIEWED BY: WA
	DRAWN BY: ES
	SCALE: SCALAR
	DWG NUMBER: 
	CHECK FILE NO. 11 HOYT STREET - SITE SAFETY - Draft 1-17-17.dwg

© CRS&G 2017
It is a violation of the law to alter this document in hard copy or electronic form (the "document") in any way. Use or modifications to this document is at the sole risk and liability of the user. This seal shall, to the fullest extent of the law, hold CRS&G harmless from any claims, liabilities or damages including legal fees that may be incurred as a result of any unauthorized or improper use or modification of this document.