

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	***			Cubic Feet	***			CUBIC METERS	***			CONTAINER
					Length	Width	Height		Length	Width	Height		WEIGHT	WEIGHT	WEIGHT	
T9003B-BOP-014	Absolyte IIP Valve Regulated Lead Acid (VRLA) Battery	2	4100002	1	41	27	24	15.4	5.8	0.7	0.6	0.4	450.0	204.1	0.2	
T9003B-BOP-015	Absolyte IIP Valve Regulated Lead Acid (VRLA) Battery	4	4100002	1	37	36	23	17.7	8.5	0.9	0.6	0.5	750.0	340.2	0.3	
T9003B-BOP-016	Absolyte IIP Valve Regulated Lead Acid (VRLA) Battery	4	4100002	1	37	36	23	17.7	8.5	0.9	0.6	0.4	720.0	326.6	0.3	
T9003B-BOP-017	Box Hardware for Batteries includes all series connectors , hardware accessories and t-Beam to achieve installation	1	BS-100/200	1	41	18	17	7.3	1.3	0.5	0.4	0.2	130.0	59.0	0.1	
T9003B-BOP-018	GNB Battery Charger 130 VDC , 480 VAC Three Phase 60 HZ Input	1	GSCR130050FE	1	59	41	33	46.2	36.2	1.0	0.8	1.2	630.0	285.8	0.3	
T9003B-BOP-022	GNB Battery Charger (24 VDC-TCP Power) S/L#8460637/7424 70A1 IA	1	GSCR024T1560FE	1	42	32	60	46.7	61.9	0.8	1.5	1.2	700.0	317.5	0.3	
T9003B-BOP-023	GNB Battery Charger (24 VDC-TCP Power) S/L#8460637/7424 70A1 IA	1	GSCR024T1560FE	1	42	32	60	46.7	61.9	0.8	1.5	1.2	700.0	317.5	0.3	
T9003B-BOP-024	GNB Battery Charger (24 VDC-TCP Power) S/L#8460637/7424 70A1 IA	1	GSCR024T1560FE	1	42	32	60	46.7	61.9	0.8	1.5	1.2	700.0	317.5	0.3	
T9003B-BOP-025	GNB Battery Charger (24 VDC-TCP Power) S/L#8460637/7424 70A1 IA	1	GSCR024T1560FE	1	42	32	60	46.7	61.9	0.8	1.5	1.2	700.0	317.5	0.3	
T9003B-BOP-026	Battery Charger (24 VDC-Fire System Power) S/L#8460637/7424 70B IA	1	GSCR024T1660FE GSCR024T020FE	1	32	23	19	8.1	2.0	0.6	0.5	0.2	170.0	77.1	0.1	
	Kit-Accessory ABS GP - Consisting of :	1	ND													
	1-Manuel I/O Absolyte GP		Z99003599													
	2-Lift Strap 1.50" x 47"		Z07108646002													
	4-Lift Shackle		Z07411442													
	1-NPLT GNB Generic Battery Installation		R01109458001													
	2-Warning Label ABS GP/GX		R04420673001													
	1-Normal ABS Cell Stickers I-30		R07109713001													
	1-Grease NO-OX-ID 1/2 PT.		X14076001001													
	1-Pin Drift STL		Z05109560001													
	1-Manuel 1 Page Absolyte GP		Z66ABS1PIO													
	1-Cable Tie		K12067663													
	1-MSDS Sheet AGPELE		Z99MSDSAGPELE													
	1-MSDS Sheet AGPVO		Z99MSDSAGPVO													
	Kit-Term. Plate ABSGP Side LP - Consisting of :	1	DR417003A													
	2-Top Plate Support Outchannel Bracket ABSIIP		S11401177001													
	2-Top Plate LP ABSGP Wrap Ext. Post		L01420698001													
	2-Support Plate Backing		S11410889001													
	2-Insulation ABSII Tray Shield		L31410911001													
	2-Cover ABSIIP Terminal Plate Insul.		L31400834													
	1-Kit-Terminal Plate Hardware		K17417003P													
	1-Drawing IIP/GP Side Terminal Plate Installation		Z66417003													
	1-Drawing ABSIIP MET Hardware Template		Z66413339													
	Kit-Term. Plate ABSGP Side LP - Consisting of :	1	DR417003A													
	2-Top Plate Support Outchannel Bracket ABSIIP		S11401177001													
	2-Top Plate LP ABSGP Wrap Ext. Post		L01420698001													
	2-Support Plate Backing		S11410889001													
	2-Insulation ABSII Tray Shield		L31410911001													
	2-Cover ABSIIP Terminal Plate Insul.		L31400834													
	1-Kit-Terminal Plate Hardware		K17417003P													
	1-Drawing IIP/GP Side Terminal Plate Installation		Z66417003													
	1-Drawing ABSIIP MET Hardware Template		Z66413339													
	1-Kit-Accessory ABS GP-Consisting of :	1	ND													
	1-Manuel I/O Absolyte GP		Z99003599													
	2-Lift Strap 1.50" x 47"		Z07108646002													
	4-Lift Shackle		Z07411442													
	1-NPLT GNB Generic Battery Installation		R01109458001													
	2-Warning Label ABS GP/GX		R04420673001													
	1-Normal ABS Cell Stickers I-30		R07109713001													
	1-Grease NO-OX-ID 1/2 PT.		X14076001001													
	1-Pin Drift STL		Z05109560001													
	1-Manuel 1 Page Absolyte GP		Z66ABS1PIO													

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-027	1-Cable Tie		K12067663													
	1-MSDS Sheet AGPELE		Z99MSDSAGPELE													
	1-MSDS Sheet AGPVO		Z99MSDSAGPVO													
	1-Kit-Accessory ABS GP-Consisting of :	1	ND													
	1-Manuel I/O Absolyte GP		Z99003599	1	38	39	41	35.2	32.5	1.0	1.0	0.9	1900.0	861.8	0.9	
	2-Lift Strap 1.50" x 47"		Z07108646002													
	4-Lft Shackle		Z07411442													
	1-NPLT GNB Generic Battery Installation		R01109458001													
	2-Warning Label ABS GP/GX		R04420673001													
	1-Normal ABS Cell Stickers I-30		R07109713001													
	1-Grease NO-OX-ID 1/2 PT.		X14076001001													
	1-Pin Drift STL		Z05109560001													
	1-Manual 1 Page Absolyte GP		Z66ABS1PIO													
	1-Cable Tie		K12067663													
	1-MSDS Sheet AGPELE		Z99MSDSAGPELE													
	1-MSDS Sheet AGPVO		Z99MSDSAGPVO													
	Kit-Term. Plate ABSGP Side LP - Consisting of :	1	DR417003A													
	2-Top Plate Support Outchannel Bracket ABSIIP		S11401177001													
	2-Top Plate LP ABSGP Wrap Ext. Post		L01420698001													
	2-Support Plate Backing		S11410889001													
	2-Insulation ABSII Tray Shield		L31410911001													
	2-Cover ABSIIP Terminal Plate Insul.		L31400834													
	1-Kit-Terminal Plate Hardware		K17417003P													
	1-Drawing IIP/GP Side Terminal Plate Installation		Z66417003													
	1-Drawing ABSIIP MET Hardware Template		Z66413339													
	Kit-090A I-Beam Consisting of :	1	BM417028													
	2-SPRT I-Beam 090A		S06400948002													
	20-Leveling Shims 2.00 x 2.00 x .03"		K10109622002													
	1- I Beam Hardware		K17417026P													
	Kit-090A I-Beam Consisting of :	1	BM417028													
	2-SPRT I-Beam 090A		S06400948002													
	20-Leveling Shims 2.00 x 2.00 x .03"		K10109622002													
	1- I Beam Hardware		K17417026P													
	Kit-050G I-Beam Consisting of :	1	BM417026													
	2-SPRT I-Beam 050A		S06400948001													
	20-Leveling Shims 2.00 x 2.00 x .03"		K10109622002													
	1- I Beam Hardware		K17417026P													
	Bolts 1/4 x 1	72	Bolt													
	Washer 1/4	72	Washer													
	Bolts 3/8 x 1-1/2	12	Bolt													
	Nuts 3/8	12	Nut													
	Plastic Legs with Set Screws	24	J18ABSCOV													
	Clear Plastic Shields	6	N/A													
	Metal Connector	18	L03109209010													
	Metal Connector	4	L03410820803													
	Metal Connector	10	L03109209003													
	Metal Connector	5	L03109209001													
	Metal Connector	2	L03410820001													
	Black Plastic Kick Plates	3	N/A													
	GNB Absolyte IIP Valve Regulated Lead Acid (VRLA)	4	12-90G09													
	Battery String															
T9003B-BOP-029	GNB Absolyte IIP Valve Regulated Lead Acid Battery (VRLA)	2	12-60G05	1	37	36	23	17.7	8.5	0.9	0.6	0.5	410.0	186.0	0.2	
T9003B-BOP-030	3"Ball Valve 600# Tag#243-026 , #243-024 , #243-027 , #243-008 , #243-005 , #243-029 , #243-006 , #243-003	8	243													
	4"Ball Valve Tag#251-001 , #251-002 , #251-008 , #251-009 , #251-015 , #251-019 , #251-020 150#	7	251													
	3"Ball Valve 150# Tag#252-001 , #252-005	2	252													
	4"Ball Valve 150# Tag#254-004	1	254													
	3/4"Ball Valve Socket Weld 800# Tag#201-010	1	201													
	1" Ball Valve Socket Weld 800#Tag#203-002 , #203-003	2	203													
	3/4"Ball Valve Socket Weld 800# Tag#211-010	1	211													
	1" Ball Valve Socket Weld 800#Tag#213-002	1	213													
	1" Ball Valve Socket Weld 800# Tag#221-009	1	221	1	55	41	29	29.2	15.3	1.0	0.6	0.7	1480.0	674.3	0.7	

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
	1" Ball Valve Socket Weld 800# Tag#231-009	1	231													
	1" Ball Valve Socket Weld 800# Tag#244-037, #244-038	2	244													
	3/4" Ball Valve Socket Weld 800# Tag#279-002, #279-004, #279-008, #279-009, #279-015, #279-018, #279-020, #279-022	8	279													
	1" Ball Valve Socket Weld 800# Tag#282-006	1	282													
	1-1/2" Ball Valve Socket Weld 800# Tag#254-007	1	254													
	1-1/2" Ball Valve Socket Weld 800# Tag#255-012	1	255													
	1-1/2" Ball Valve Socket Weld 800# Tag#271-013	1	271													
	1-1/2" Ball Valve Socket Weld 800# Tag#274-009	1	274													
	1" Ball Valve Socket Weld 800# Tag#276-013	1	276													
9003B-BOP-040	CP34 CLAMPS, GRD ROD, SIL BRZ, STD DUTY, 1/4 IN, #8 SOL-#2 STR DUTY, 1/4 IN., #8 SOL-#2 STR	50	247368F	1	134	18	17	23.7	4.2	0.5	0.4	0.6	830.0	376.6	0.4	
	613400 RODS, GRD, 1/4 X 10, CU PTD	45														
	5 - 158-DC 0003@X "QT" 102726 - 3" THREADED HUBS	5														
	160-DC 0004@X "QT" 102726 - 4" THREADED HUBS	12														
	101-S 0005@X "QT" 102726 - 1/2" UL STEEL CONDUITS	500														
	105-S 0006@X "QT" 102726 - 1-1/2" UL STEEL CONDUITS	100														
	106-S 0007@X "QT" 102726 - 2" UL STEEL CONDUITS	200														
	108-S 0008@X "QT" 102726 - 3" UL CONDUIT LOCKNUTS	25														
	110-S 0009@X "QT" 102726 - 4" UL CONDUIT LOCKNUTS	500														
9003B-BOP-041	383-DC 0010@X "QT" 102726 - 1" GRND. BUSH. INS.	250	247368F	1	50	46	29	38.6	29.8	1.2	0.7	1.0	740.0	335.7	0.3	
	385-DC 0011@X "QT" 102726 - 1 1/2" GRND. BUSH. INS.	20														
	386-DC 0012@X "QT" 102726 - 2" GRND. BUSH. INS.	140														
	388-DC 0013@X "QT" 102726 - 3" GRND. BUSH. INS.	50														
	390-DC 0014@X "QT" 102726 - 4" GRND. BRUSH. INS.	260														
	475-SLT 0015@X "QT" 102726 - 2" FE LT CONN.	10														
	435-SLT 0016@X "QT" 102726 - 2" FE LT CONN.	10														
	437-SLT 0018@X "QT" 102726 - 3" MALL LT CONNECTO	6														
9003B-BOP-042	E997N 4 UL END BELLS	100														
	E943N 4 UL ADAPTS M CT	100														
	E997L 3 UL END BELLS	50														
	E942L 3 UL ADAPT F CT	40														
	E943L 3 UL ADAPTS M CT	40	247368F	1	51	36	50	53.1	55.3	0.9	1.3	1.3	530.0	240.4	0.2	
	E997J 2 UL END BELLS	40														
	E942J 2 UL ADAPTS F CT	40														
	E943J 2 UL ADAPTS M CT	40														
	E942N 4 UL ADAPTS F CT	100														
9003B-BOP-043	1 1/4 X 6 S80 A106B BLK SMLS NPL TBE (ITEM #95)	10														
	1 X 3 S80 A106B BLK SMLS NPL TBE (ITEM #96)	30														
	1 X 6 S80 A106B BLK SMLS NPT TBE (ITEM #97)	30														
	1/4 X 3 S80 A 106B BLK SMLS NPL TBE (ITEM #98)	20														
	1/4 X 3 S40 A/SA312 T304/304L SMLS NPL PBE (ITEM #99)	10														
	1/4 X 3 S80 A106B BLK SMLS NPL TBE (ITEM #101)	10	247368F	1	21	21	32	8.2	3.2	0.5	0.8	0.2	225.0	102.1	0.1	
	1/4 X 6 S80 A106B BLK SMLS NPL TBE (ITEM #102)	10														
	1 1/4 X 1 S40 A403 WP304/304L SP95 CONC SWG PBE (ITEM #104)	5														
	1 X 1/4 S40 A403 WP304/304L SP95 CONC SWG PBE (ITEM #105)	5														
	2 X 1 1/4 S40 A403 WP304/304L SP95 CONC SWG BBE (ITEM #107)	5														
	2 X 1 1/4 S80 A234WPB SP95 BLK CONC SWG BXT (ITEM #109)	5														
	1/4 SA105 BLK RND PLUGS (ITEM #129)	20														
9003B-BOP-044	477-SLT 0017@X "QT" 102726 - 3" MALL 90 DEG. LT CO	3	247368F	1	27	27	14	5.9	1.3	0.7	0.4	0.2	110.0	49.9	0.0	
9003B-BOP-045	477-SLT - 781747024770 - 3" MALL 90 DEG. LT CONNS	4	247368F	1	27	27	14	5.9	1.3	0.7	0.4	0.2	115.0	52.2	0.1	
	477-SLT - 781747024770 - 3" MALL 90 DEG. LT CONNS	2														
9003B-BOP-046	153-DC 0001@X "QT" 102726 - 1" THREADED HUBS	50	247368F	1	27	27	14	5.9	1.3	0.7	0.4	0.2	125.0	56.7	0.1	
	156-DC 0002@X "QT" 102726 - 2" THREADED HUBS	25														
	2" GASKETS, 1/8" THK, ELASTOMERIC, EPDM, 60 DURAMETER (150# RING) GASKET	50														
	3" GASKETS, 1/8" THK, ELASTOMERIC, EPDM, 60 DURAMETER (150# RING) GASKET	35														
	4" GASKETS, 1/8" THK, ELASTOMERIC, EPDM, 60 DURAMETER (150# RING) GASKET	35														
	1-1/4" GASKETS, 1/8" THK, 150#, COMPRESSED INORGANIC FIBER (GARLOCK IFG-5500, OR EQ.)	15														
	GASKET 150#															
	1-1/2" GASKETS, 600# 1/8" THK, GRAPHITE FILL SPIRAL WOUND W/SS GAUGE RING, 304SS WINDING & INNER RING GASKET 600#	17														
	1" GASKETS, 1/8" THK, 150#, COMPRESSED INORGANIC FIBER (GARLOCK IFG-5500, OR EQ.) GASKET 150#	10														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
9003B-BOP-047	1" GASKETS, 1/8" THK, 300#, COMPRESSED INORGANIC FIBER, (GARLOCK IFG-5500, OR EQ.) GASKET 300#	7														
	1" GASKETS, 600# 1/8" THK, GRAPHITE FILL SPIRAL WOUND W/SS GAUGE RING, 304SS WINDING & INNER RING GASKET 600#	6														
	16" GASKETS, 1/8" THK, 300#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 300#	3														
	2 1/2" GASKET, 1/8" THK, COMPRESSED INORGANIC FIBER, (GARLOCK IFG-5500, OR EQ.) GASKET 150#	1														
	2 1/2" GASKETS, 1/8" THK, 150#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 150#	2														
	2" GASKETS, 1/8" THK, COMPRESSED INORGANIC FIBER, (GARLOCK IFG-5500 OR EQ.) GASKET 150#	25														
	2" GASKETS, 1/8" THK, 150#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 150#	42														
	2" GASKETS, 1/8" THK, 300#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 300#	2														
	2" GASKETS, 600# 1/8" THK, GRAPHITE FILL SPIRAL WOUND W/SS GAUGE RING, 304SS WINDING & INNER RING GASKET 600#	6														
	3" GASKETS, 1/8" THK, COMPRESSED INORGANIC FIBER, (GARLOCK IFG-5500, OR EQ.) GASKET 150#	27	247368F	1	33	33	20	12.6	4.8	0.8	0.5	0.3	280.0	127.0	0.1	
	3" GASKETS, 1/8" THK, 150#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 150#	12														
	3" GASKETS, 1/8" THK, 300#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEX TYPE CGI) GASKET 300#	10														
	3" GASKETS, 600# 1/8" THK, GRAPHITE FILL SPIRAL WOUND W/SS GAUGE RING, 304SS WINDING & INNER RING GASKET 600#	6														
	3" GASKETS, 600# RF, 1/8" THK GRAPHITE FILL SPIRAL WOUND W/CS GAUGE RING, 304SS WINDINGS GASKET 600#	2														
	0.75 GASKET, 1/8" THK, COMPRESSED INORGANIC FIBER, (GARLOCK IFG-5500 OR EQ.) GASKET 150#	1														
	0.75 GASKETS, 1/8" THK, 300#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 300#	2														
	FIBER, (GARLOCK IFG-5500 OR EQ.) GASKET 150#	18														
	4" GASKETS, 1/8" THK, 150#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 150#	19														
	4" GASKET, 1/8" THK, 300#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 300#	9														
	4" GASKET, 600# RF, 1/8" THK GRAPHITE FILL SPIRAL WOUND W/CS GAUGE RING, 304SS WINDINGS GASKET 600#	6														
	6" GASKET, 1/8" THK, 150#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CG) GASKET 150#	1														
	6" GASKETS, 1/8" THK, 300#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 300#	24														
	8" GASKET, 1/8" THK, 150#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 150#	1														
	8" GASKETS, 1/8" THK, 300#, GRAPHITE FILL SPIRAL W/SS GAUGE RING, 304SS WINDINGS & INNER RING (FLEXITALIC TYPE CGI) GASKET 300#	2														
9003B-BOP-048	NEMA 4 PUMP CONTROL AND ALARM PANEL - B/E-LD	1														
	FOUR FLOAT SS OIL LEVEL SENSOR (HTF-3D-30E-26E-18A)	1	247368F	1	58	34	29	33.1	18.9	0.9	0.7	0.8	450.0	204.1	0.2	
	THREE FLOAT SS WATER LEVEL SENSOR (HTF-2C-42A-32A-22A)	1														
	3" PARTIAL-LUG STYLE BUTTERFLY VALVE W/MANUAL OPERATOR	1														
9003B-BOP-049	MODEL R-HTC 2000 OIL WATER SEPARATOR ON SKIDS APPL: ABOVE GROUND - TYPE: SINGLE WALL - WIDTH: 5' HEIGHT - 5' LENGTH - 14' EXT. COAT: FINISH WHITE - FITTINGS: SEPARATOR INCLUDES TWO 4" EPOXYURETHANE BEAMS - SKIDS WITH THREE ANCHOR BOLT HOLES EACH	1														
	HAIGHT 10UR GEAR-TYPE OIL REMOVAL PUMP (MOUNTED W/SUCTION PIPING) INSTALLED ON OIL WATER SEPARATOR WITH SUCTION PIPING BY HIGHLAND	1	247368F	1	193	70	83	648.9	2181.8	1.8	2.1	16.5	6720.0	3048.1	3.0	
	FLYGT CP3068 SUMBERSIBLE WATER PUMP WITH 253 LMP & GUIDE RAIL SYS - BASE ELBOW AND GUIDE RAILS TO BE INSTALLED AT FACTORY BY HIGHLAND WITH PUMP ITSELF SHIPPED LOOSE	1														
	3" SWING CHECK VALVE (INSTALLED) INSTALLED IN WATER PUMP DISCHARGE PIPING	1														
		6														
	36.58 1" X 0.133" (S40S) SMLS A312.304/304L PE SRL ID: 1010031															
	426.27 1" X 0.133" (S40S) SMLS A312.304/304L PE SRL ID: 1010031	65														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
9003B-BOP-050	35.51 1" X 0.179 (S/80S) SMLS A312 304/304L PE SRL ID: 1010033	5														
	126.77 1 1/2" X 0.145 (S/40S) SMLS A312 304/304L PE SRL ID: 1010029	22														
	218.91 1 1/2" X 0.200" (S/80S) SMLS A312 304/304L PE SRL ID: 1010030	34	247368F	1	298	89	61	936.3	2941.5	2.3	1.5	23.8	28460.0	12909.2	12.9	20' - S/N TTNU-285500-3, SEAL #AC-715929
	402.07 2" X 0.154 (S/40S) SMS A312 304/304L PE SRL ID: 1010034	62														
	67.06 2" X 0.218 (S/80S) SMLS A312 304/304L PE SRL ID: 1010035	10														
	180.92 3" X 0.120 (S/10S) SMLS A312 304/304L PE SRL ID: 1010039	30														
	213.45 3" X 0.216 (S/40S) SMLS A312 304/304L PE SRL ID: 1010041	33														
	92.11 4" X 0.120 (S10S) SMLS A312 304/304L PE SRL ID: 1010042	14														
9003B-BOP-051	49015-010 4" SCH 40 NM CONDUIT 10' (570 FT. PER BDL), (18 BDLS.)	10260	247368F	1	480	96	102	2720.0	15413.3	2.4	2.6	69.1	31910.0	14474.1	14.5	1 - 40' - S/N MLCU-
9003B-BOP-052	49015-010 4" SCH. 40 NM CONDUIT 10' - 14 BDLS.	7908														
	49015-010 4" SCH. 40 NM CONDUIT 10'	2280	247368F	1	480	96	102	2720.0	15413.3	2.4	2.6	69.1	31650.0	14356.2	14.4	40' - S/N TTNU-511652-1, SEAL #AC-715916
	49013-010 3" SCH. 40 NM CONDUIT 10'	500														
	49011-010 2" SCH. 40 NM CONDUIT 10'	1400														
9003B-BOP-053	516.9 - FT. - 6" PIPE S/10S SMLS. SS, ASTM A-312 TP304; A312 T304 (26 PCS.)	26														
	36.58 1" X 0.133 (S/40S) SMLS A312 304/304L PE SRL ID: 1010031	5														
	426.27 1" X 0.133" (S/40S) SMLS A312 304/304L PE SRL ID: 1010031	65														
	35.51 1" X 0.179 (S/80S) SMLS A312 304/304L PE SRL ID: 1010033	5														
	126.77 1 1/2" X 0.145 (S/40S) SMLS A312 304/304L PE SRL ID: 1010029	22														
	218.91 1 1/2" X 0.200" (S/80S) SMLS A312 304/304L PE SRL ID: 1010030	34	247368F	1	480	96	102	2720.0	15413.3	2.4	2.6	69.1	46730.0	21196.4	21.2	1 - 40' - S/N GATU-416472-1, SEAL #AC-715923
	ID: 1010034PCS. - 402.07 2" X 0.154 (S/40S) SMS A312 304/304L PE SRL	62														
	PCS. - 67.06 2" X 0.218 (S/80S) SMLS A312 304/304L PE SRL ID: 1010035	10														
	180.92 3" X 0.120 (S/10S) SMLS A312 304/304L PE SRL ID: 1010039	30														
	213.45 3" X 0.216 (S/40S) SMLS A312 304/304L PE SRL ID: 1010041	33														
	92.11 4" X 0.120 (S10S) SMLS A312 304/304L PE SRL ID: 1010042	14														
9003B-BOP-054	2,640 - FT. - MVE335001 350MCM 15KV EP/PVC 220M 133%TS	2,640	247368F	1	73	58	73	178.9	438.3	1.5	1.9	4.5	5345.0	2424.5	2.4	20' - S/N TTNU-285500-3, SEAL #AC-715929
9003B-BOP-055	2,000 - FT. - MVE350001 500MCM 15KV EP/PVC 220M 133%TS	2,000	247368F	1	66	40	66	100.8	154.1	1.0	1.7	2.6	5070.0	2299.7	2.3	20' - S/N TTNU-285500-3, SEAL #AC-715929
9003B-BOP-056	20,000 - FT. - M712ST-01 #12/1C (7STR) XHHW-2 600V BLK	20,000														
	2,800 - FT. - M708ST-01 #8/1C (7STR) XHHW-2 600V BLK	2,800	247368F	1	53	53	58	94.3	167.7	1.3	1.5	2.4	4605.0	2088.8	2.1	20' - S/N TTNU-285500-3, SEAL #AC-715929
	5,000 - FT. - BST19S4/0 1000 - P.O. #2078483	5,000														
9003B-BOP-057	2,400 - FT. - M708ST-01 #8/1C (7STR) XHHW-2 600V BLK	2,400														
	2,500 - FT. - M704ST-01 #4/1C (7STR) XHHW-2 600V BLK	2,500	247368F	1	53	53	58	94.3	167.7	1.3	1.5	2.4	4485.0	2034.4	2.0	
	5,000 - FT. - BST19S4/0 - P.O. #2078483	5,000														
9003B-BOP-058	10,000 - FT. - M712ST-01 #12/1C (7STR) XHHW-2 600V BLK	10,000														
	991 - FT. - XHHW1/OBK - P.O. #2078483	991	247368F	1	77	42	58	108.6	153.0	1.1	1.5	2.8	3970.0	1800.8	1.8	
	3,060 - FT. - XHHW250BK - P.O. #2078483	3,060														
9003B-BOP-059	1,000 - FT. - 592915/M7500ST-01 500 CU XHHW-2 BLK LOT #33799474	1000														
	1,000 - FT. - 592915/M7500ST-01 500 CU XHHW-2 BLK LOT #95766716	1000	247368F	1	85	33	50	81.2	77.5	0.8	1.3	2.1	3830.0	1737.3	1.7	
9003B-BOP-060	500 - FT. - MVE21/001 #1/0 5KV EPR/PVC 115ML 133% TS	500														
	750 - FT. - MVE31/001 #1/0 15KV EPR/PVC 220ML 133%TS	750	247368F	1	56	56	73	132.5	313.4	1.4	1.9	3.4	1575.0	714.4	0.7	
9003B-BOP-061	300 - FT. - MVE21/001 #1/0 5KV EPR/PVC 115ML 133% TS	300														
	1,850 - FT. - MVE30201 #2 15KV EPR/PVC 220ML 133% TS	1850	247368F	1	56	56	73	132.5	313.4	1.4	1.9	3.4	2395.0	1086.4	1.1	
9003B-BOP-062	1,400 - FT. - MVE20601 #6 5KV EPR/PVC 115ML 133% TS	1400														
	1,600 - FT. - MVE30201 #2 15KV EPR/PVC 220ML 133% TS	1600	247368F	1	60	60	75	156.3	406.9	1.5	1.9	4.0	2440.0	1106.8	1.1	
	3,000 - FT. - M710ST-01 #10/1C (7STR) XHHW-2 600V BLK	3000														
9003B-BOP-063	15,000 - FT. - M712ST-01 #12/1C (7STR) XHHW-2 600V BLK	15000														
	1,385 - FT. - M71/OST-01 #1/0-1C (19STR) XHHW-2 600V BLK	1385	247368F	1	55	55	91	169.3	461.4	1.4	2.3	4.0	2720.0	1233.8	1.2	
	2,340 - FT. - M7250ST-01 #250/1C (37STR) XHHW-2 600V BLK	2340														
9003B-BOP-064	500 - FT. - MVE20201 #2 5KV EPR/PVC 115ML 133% TS	500														
	1,324 - FT. - M71/OST-01 #1/0-1C (19STR) XHHW-2 600V BLK	1324	247368F	1	77	41	39	71.3	65.9	1.0	1.0	1.8	1270.0	576.1	0.6	
9003B-BOP-065	1,500 - FT. - MVE250001 500MCM 5KV EPR/PVC 115M 133% TS	1500	247368F	1	66	43	66	108.4	178.0	1.1	1.7	2.8	3665.0	1612.5	1.6	20' - S/N TTNU-285500-3, SEAL #AC-715929
	T00060 3" X 150' WMP-VR 1537 TAPE	1														
	T00090 1-1/2" X 180' DF 514 TAPES	5														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (57 SF/RL) @ 36" X 19.00' ENDWALL EW 1	57														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (57 SF/RL) @36" X 19.00' ENDWALL EW 2	57														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
9003B-BOP-066	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (216 SF/RL) @ 48" X 54.00' ENDWALL CUT 3 @ 18 EW 1	216														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (216 SF/RL) @ 48" X 54.00' ENDWALL CUT 3 @ 18 EW 2	216														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (280 SF/RL) @ 48" X 70.00' ROOF CUT 2 @ 35 ROOF 1	280														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (136 SF/RL) @ 48" X 34.00' SIDEWALL CUT 2 @ 17 SW 1	136														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (136 SF/RL) @ 48" X 34.00' SIDEWALL CUT 2 @ 17 SW 2	136														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (216 SF/RL) @ 72" X 36.00' ENDWALL CUT 2 @ 18 EW 1	216														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (114 SF/RL) @ 72" X 19.00' ENDWALL EW 1	114														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (216 SF/RL) @ 72" X 36.00' ENDWALL CUT 2 @ 18 EW 2	216														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (114 SF/RL) @ 72" X 19.00' ENDWALL EW 2	114														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (210 SF/RL) @ 72" X 35.00' ROOF ROOF 1	210														
	M030 3" THK MBI WMP-VR / 1-6" TAB 9 RLS (210 SF/RL) @ 72" X 35.00' ROOF ROOF 1	1890														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (102 SF/RL) @ 72" X 17.00' SIDEWALL SW 1	102														
	M030 3" THK MBI WMP-VR / 1-6" TAB 9 RLS (102 SF/RL) @ 72" X 17.00' SIDEWALL SW 1	918														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (102 SF/RL) @ 72" X 17.00' SIDEWALL SW 2	102														
	M030 3" THK MBI WMP-VR / 1-6" TAB 9 RLS (102 SF/RL) @ 72" X 17.00' SIDEWALL SW 2	918														
	T00060 3" X 150' WMP-VR 1537 TAPE	1														
	T00090 1-1/2" X 180' DF 514 TAPE	1														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (51 SF/RL) @ 36" X 17.00' ENDWALL EW 1	51														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (51 SF/RL) @ 36" X 17.00' ENDWALL EW 2	51														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (51 SF/RL) @ 36" X 17.00' ROOF ROOF 1	51														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (45 SF/RL) @ 36" X 15.00' SIDEWALL SW 1	45														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (48 SF/RL) @ 36" X 16.00' SIDEWALL SW 2	48														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (192 SF/RL) @ 48" X 48.00' ENDWALL EW 1 CUT 3 @ 16	192														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (192 SF/RL) @ 48" X 48.00' ENDWALL EW 2	192														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (204 SF/RL) @ 48" X 51.00' ROOF ROOF 1 CUT 3 @ 17	204														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (180 SF/RL) @ 48" X 45.00' SIDEWALL SW 1 CUT 3 @ 15	180														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (192 SF/RL) @ 48" X 48.00' SIDEWALL SW 2 CUT 3 @ 16	192														
	M030 3" THK MBI WMP-VR / 1-6" TAB 2 RLS (102 SF/RL) @ 72" X 17.00' ROOF ROOF 1	204														
	M030 3" THK MBI WMP-VR / 1-6" TAB 2 RLS (90 SF/RL) @ 72" X 15.00' SIDEWALL SW 1	180														
	M030 3" THK MBI WMP-VR / 1-6" TAB 2 RLS (96 SF/RL) @ 72" X 16.00' SIDEWALL SW 2	192														
	T00090 1-1/2" X 180' DF 514 TAPE	5														
	T00060 3" X 150' WMP-VR 1537 TAPE	1														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (54 SF/RL) @ 36" X 18.00' ENDWALL EW 1	54														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (54 SF/RL) @ 36" X 18.00' ENDWALL EW 2	54														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (111 SF/RL) @ 36" X 37.00' ROOF ROOF 1	111														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (51 SF/RL) @ 36" X 17.00' SIDEWALL SW 1	51														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (144 SF/RL) @ 48" X 36.00' ENDWALL EW 1 CUT 2 @ 18	144														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (144 SF/RL) @ 48" X 36.00' ENDWALL EW 2 CUT 2 @ 18	144														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (296 SF/RL) @ 48" X 74.00' ROOF ROOF 1 CUT 2 @ 37	296														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (148 SF/RL) @ 48" X 37.00' ROOF ROOF 1	148														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (204 SF/RL) @ 48" X 51.00' SIDEWALL SW 1 CUT 3 @ 17	204	247368F	1	480	96	102	2720.0	15413.3	2.4	2.6	69.1	13310.0	6037.3	6.0	40' - S/N NOSU- 445411-1, SEAL #AC- 715909
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (204 SF/RL) @ 48" X 51.00' SIDEWALL SW 2 CUT 3 @ 17	204														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (216 SF/RL) @ 72" X 36.00' ENDWALL EW 1 CUT 2 @ 18	216														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (228 SF/RL) @ 72" X 38.00' ENDWALL EW 1 CUT 2 @ 19	228														
	M030 3" THK MBI WMP-VR / 1-6" TAB 9 RLS (222 SF/RL) @ 72" X 37.00' ROOF ROOF 1	1998														
	M030 3" THK MBI WMP-VR / 1-6" TAB 9 RLS (102 SF/RL) @ 72" X 17.00' SIDEWALL SW 1	918														
	M030 3" THK MBI WMP-VR / 1-6" TAB 9 RLS (102 SF/RL) @ 72" X 17.00' SIDEWALL SW 2	918														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (228 SF/RL) @ 72" X 38.00' ENDWALL EW 2 CUT 2 @ 19	228														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (216 SF/RL) @ 72" X 36.00' ENDWALL EW 2 CUT 2 @ 18	216														
	T00060 3" X 150' WMP-VR 1537 TAPE	1														
	T00090 1-1/2" X 180' DR 514 TAPE	1														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (45 SF/RL) @ 36" X 15.00' ENDWALL EW 1	45														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (45 SF/RL) @ 36" X 15.00' ENDWALL EW 2	45														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (56 SF/RL) @ 48" X 14.00' ENDWALL EW 1	56														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (56 SF/RL) @ 48" X 14.00' ENDWALL EW 2	56														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (120 SF/RL) @ 48" X 30.00' ROOF CUT 2 @ 15	120														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (104 SF/RL) @ 48" X 26.00' SIDEWALL SW 1 CUT 2 @ 13	104														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (84 SF/RL) @ 72" X 14.00' ENDWALL EW 1	84														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (84 SF/RL) @ 72" X 14.00' ENDWALL EW 2	84														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (90 SF/RL) @ 72" X 15.00' ROOF ROOF 1	90														
	M030 3" THK MBI WMP-VR / 1-6" TAB 3 RLS (90 SF/RL) @ 72" X 15.00' ROOF ROOF 1	270														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (78 SF/RL) @ 72" X 13.00' SIDEWALL SW 1	78														
	M030 3" THK MBI WMP-VR / 1-6" TAB 3 RLS (78 SF/RL) @ 72" X 13.00' SIDEWALL SW 1	234														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (78 SF/RL) @ 72" X 13.00' SIDEWALL SW 2	78														
	M030 3" THK MBI WMP-VR / 1-6" TAB 3 RLS (78 SF/RL) @ 72" X 13.00' SIDEWALL SW 2	234														
	M030 3" THK MBI WMP-VR / 1-6" TAB 1 RLS (104 SF/RL) @ 48" X 26.00' SIDEWALL CUT 2 @ 13	104														
	K168929 DOOR - M650-0603008080STONSML DOOR, M650, 6' 0" X 8' 0", STON, STL, SML	1														
	K168840 HDWR-M65006000800STLSML HDWR, M650, 6' 0" X 8' 0", STL, SML, STD MINI LATCH	1														
	GUIDM808000M GUID, M650, 8' 0" PR., STL, SML STEEL MOUNT	1														
	K168012 DOOR - M650-0803008080STONSML DOOR, M650, 8' 0" X 8' 0", STON, STL, SML	1														
	K168841 HDWR-M65008000800STLSML HDWR, M650, 8' 0" X 8' 0", STL, SML STD MINI LATCH	1														
	GUIDM808000M GUID, M650, 8' 0" PR., STL, SML STEEL MOUNT	1														
	K168014 DOOR-M650-080301004STONSML DOOR, M650, 8' 0" X 10' 0", STON, STL, SML	1														
	HDWR-M65008001000STLSML HDWR, M650, 8' 0" X 10' 0", STL, SML STD MINI LATCH	1														
	PR - GUIDM810000M GUID, M650, 10' 0" PR., STL, SML STEEL MOUNT	1														
	K168029 DOOR - C2000120401205STONSBB DOOR, C2000, 12' 0" X 12' 0", STON, STL, SBB	1														
	168843 HDWR-C200012001200STLSBB HDWR, C2000, 12' 0" X 12' 0", STL, SBB SLIDE BOLT BOTTOM BAR LO	1														
	PR - GUIDC612000C GUID, C2000, 12' 0" PR., STL, SBB STEEL MOUNT	1														
	PR - K168844 100567-010000 PLATE, MTG, 1 LARGE, 1 SMALL (RED)	1														
	100236-010000 CHAIN HOIST KIT, RD, 4.4:1 RDCH	1														
	K168032 DOOR - C2000120401401STONSBB DOOR, C2000, 12' 0" X 14' 0", STON, STL, SBB	1														
	168845 HDWR-C200012001400STLSBB HDWR, C2000, 12' 0" X 14' 0", STL, SBB SLIDE BOLT BOTTOM BAR LO	1														
	GUIDC614000C GUID, C2000, 14' 0" PR., STL, SBB STEEL MOUNT	1														
	K168846 100567-010000 PLATE, MTG, 1 LARGE, 1 SMALL (RED)	1														
	100236-010000 CHAIN HOIST KIT, RD, 4.4:1 RDCH	1														
T9003B-BOP-1001	SIDEWALL PANELS, "PBR", DESERT SAND - LENGTH 13' - 3 1/4"	33														
	SIDEWALL PANELS, "PBR", DESERT SAND - LENGTH 1' - 2"	3														
	ROOF PANEL, "PBR", DESERT SAND - LENGTH 15' - 11"	1	247368A	1	196	44	17	84.8	36.7	1.1	0.4	2.2	4000.0	1814.4	1.8	
	ROOF PANELS, "PBR", DESERT SAND (EACH PANEL PKG. TO BEAR U.L. STICKER FOR CONSTRUCTION NUMBER #161 AND #167) LENGTH 16' - 10"	46														
T9003B-BOP-1002	ENDWALL PANELS, "PBR", DESERT SAND - LENGTH 17' - 2 1/4"	3														
	ENDWALL PANELS, "PBR", DESERT SAND - LENGTH 17' - 1 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - LENGTH 16' - 10 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - LENGTH 16' - 7 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - LENGTH 16' - 4 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - LENGTH 16' - 1 1/4"	4														
	SIDEWALL PANELS, "PBR", DESERT SAND - LENGTH 13' - 3 1/4"	10	24736A	1	212	45	17	93.9	41.6	1.1	0.4	2.4	3310.0	1501.4	1.5	
	PARTITION PANELS, "PBR", POLAR WHITE - LENGTH 17' - 1 1/4"	3														
	PARTITION PANELS, "PBR", POLAR WHITE - LENGTH 17' - 0"	4														
	PARTITION PANELS, "PBR", POLAR WHITE - LENGTH 16' - 9"	4														
	PARTITION PANELS, "PBR", POLAR WHITE - LENGTH 16' - 6"	4														
	PARTITION PANELS, "PBR", POLAR WHITE - LENGTH 16' - 3"	4														
	PARTITION PANELS, "PBR", POLAR WHITE - LENGTH 16' - 0"	4														
T9003B-BOP-1003	"R" RIDGE CAPS, 1:12, DESERT SAND - EACH PANEL PACKAGE TO BEAR U.L. STICKER FOR CONSTRUCTION NUMBER #	23														
	RM34001-DS - LENGTH 2' - 10"		24736A	1	97	44	17	42.0	18.2	1.1	0.4	1.1	1975.0	895.8	0.9	
	LINER PANELS, "PBR", POLAR WHITE - LENGTH 7' - 8"	53														
	- 3' X 3' PBR WALL LIGHTS, CONTINUOUS - MWH2 -	2														
	JAMB STIFFENERS - NCI PART F164 - MTR1 LENGTH 4' - 10"	8														
	DOWNSPOUT STRAPS, 18 GA. PAINTED, L STONE - HW2993LS/HW2993	6														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS14550 LENGTH 12' - 1 1/4"	2														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS8625 LENGTH 7' - 2 1/4"	6														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS4900 LENGTH 4' - 1"	8														
	- FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS14675 - LENGTH 12' - 2 1/4"	1														
	FRAMED OPENING HEAD TRIMS PBR, PBA D SAND - F481-DS5075 - LENGTH 4' - 2 1/4"	4														
	FRAMED OPENING HEAD TRIMS PBR, PBA D SAND - F481-DS4100 - LENGTH 3' - 5"	3														
	OUTSIDE CORNER TRIMS, PBR & PBA PANEL DS - F830-DS19200 - LENGTH 16' - 0"	4														
	BASE TRIMS, MASONRY WALL, DESERT SAND - F846-DS - LENGTH 20' - 2"	10														
	BASE TRIMS, MASONRY WALL, DESERT SAND -F846-DS12200 - LENGTH 10' - 2"	2														
	FRAMED OPENING SILL TRIMS, DESERT SAND -F848-DS5075 - LENGTH 4' - 2 1/4"	4														
	GUTTER SUPPORT STRAPS FOR PBR PANEL, DSSN - F893-DS - LENGTH 1' - 0"	50														
	MW STD. RAKE TRIM PEAK BOXES, PBR ROOF LS ROOF SLOPE IS 1:12; ATTACH MESCO LOGO - F160MS-BLS - LENGTH 2' - 1"	2														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-1004	FLAT EAVE TRIMS, LIGHT STONE ROOF SLOPE IS 1:12 - F2955-BLS - LENGTH 20' - 2"	4														
	FLAT EAVE TRIMS, LIGHT STONE ROOF SLOPE IS 1:12 - F2955-BLS18200 - LENGTH 15' - 2"	4														
	DOWNSPOUTS, 4 X 5 ROLL-FORMED LIGHT STONE - F313-LS - LENGTH 14' - 6"	6														
	KICK-OUTS, 4 X 5 ROLL FORMED, 72 DEGREES - F321-LS/F321 - LENGTH 1' - 4"	6														
	MW STANDARD GUTTERS, PBR ROOF, SQUARE CUT ROOF SLOPE IS 1:12 - F760-BLS - LENGTH 20' - 2"	4	24736A	1	265	42	32	206.1	160.3	1.1	0.8	5.2	2290.0	1038.7	1.0	
	MW STANDARD GUTTERS, PBR ROOF, MITER LH ROOF SLOPE IS 1:12 - F760L-BLS18200 -LENGTH 15' - 2"	2														
	MW STANDARD GUTTERS, PBR ROOF, MITER RH ROOF SLOPE IS 1:12 - F760R-BLS18200 - LENGTH 15' - 2"	2														
	MW STD. GUTTER END CAPS, PBR, LH, L STONE ROOF SLOPE IS 1:12 - F761L-BLS - LENGTH 0' - 5 3/16"	2														
	MW STD. GUTTER END CAPS, PBR, RH, L STONE ROOF SLOPE IS 1:12 - F761R-BLS - LENGTH 0' - 5 3/16"	2														
	MW STD. RAKE TRIMS, PBR ROOF, SQ. CUT LTST - F764-LS10700 LENGTH 8' - 11"	4														
	MW STD. RAKE TRIMS, PBR ROOF, MITER LH LS - F764L-LS10700 LENGTH 8' - 11"	2														
	MW STD. RAKE TRIMS, PBR ROOF, MITER RH LS - F764R-LS10700 LENGTH 8' - 11"	2														
	- JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW9200 - LENGTH 7' - 8"	14														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW8475 - LENGTH 7' - 0 3/4"	6														
	LINER TERMINATION TRIMS, PBR PANEL, DWHT - F82-PW9200 LENGTH 7' - 8"	8														
	PARTITION ROOF TRIMS, FOR 8' PURLINS DWHT - F94-PW24000/94 LENGTH 20' - 0"	4														
	PARTITION WALL TRIMS, FOR 8' GIRTS, DWHT - F95-PW19200/F95 LENGTH 16' - 0"	4														
	HEAD TRIMS, POLAR WHITE - F1090-PW8475 - LENGTH 7' - 0 3/4"	3														
	PANEL CAP TRIMS, POLAR WHITE - F571-PW LENGTH 14' - 0"	17														
	INSIDE CORNER TRIMS, PBR PANEL, P WHITE - F800-PW9200 LENGTH 7' - 8"	4														
T9003B-BOP-1005	1/2 X 1-1/4 A307, HEX HEAD BOLTS, PLATED - B410A/617-00011/HW356	570														
	1/2 X 1-1/4 A307, FINNECK BOLTS, PLATED - B410F/617-00446	160														
	5/8 X 1-1/4 A325, HEX HEAD BOLTS, PLATED - B510B/617-00197	16														
	5/8 X 1-3/4 A325, HEX HEAD BOLTS, PLATED - B514B/617-00101	14														
	3/4 X 1-3/4 A325, HEX HEAD BOLTS, PLATED - B614B/617-00087	26														
	3/4 X 2-1/2 A325, HEX HEAD BOLTS, PLATED - B620B/617-00089	51														
	1/2" NUTS, A307, HEX PLATED - N4A/HW356	730														
	5/8" NUTS, A563 HEX, PLATED - NSB	29														
	3/4" NUTS, A563 HEX, PLATED - N8B/HW361	75														
	12A - 12 - 14 X 1 DRILLERS, PANCAKE - FS12APL -	500														
	#14A POP RIVETS, 1/8 DIA. X 3/8, L STONE - FS14ALS/#14A	250														
	#14 POP RIVETS, 1/8 DIA. X 3/16, D SAND - FS14DS	500														
	#14 POP RIVETS, 1/8 DIA. X 3/16, L STONE - FS14LS	500														
	#14 POP RIVETS, 1/8 DIA. X 3/16, P WHITE - FS14PW	500														
	#17A - 12 - 14 X 1 1/4 DRILLERS DESERT SAND - FS17ADS/641-01319/#17A	1500														
	#17A - 12 - 14 X 1 1/4 DRILLERS - POLAR WHITE - FS17APW/641-01341/#17	750														
	#17 - 12 - 14 X 1 DRILLERS, POLAR WHITE - FS17PW	1750	24736A	1	50	48	36	50.0	50.0	1.2	0.9	1.3	990.0	449.1	0.4	
	#1A - 12 - 14 X 1 DRILLERS NW - FS1APL	250														
	#1 - 1/4 - 14 X 1 DRILLERS, DESERT SAND - FS1DS	250														
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, D-SAND - FS3DS/641-00498/#3	1508														
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, L STONE - FS3LS/641-00519/#3	250														
	#4A - 1/4 - 14 X 7/8 LAP TEKS, DESERT SAND - FS4ADS/641-01385/#4A	1000														
	#4A - 1/4 - 14 X 7/8 LAP TEKS, POLAR WHITE - FS4APW/641-01409/#4A	750														
	B273Z - 1/4 - 14 X 7/8 LL LAP TEKS, D SAND - FS4DS/641-00278/#4	1260														
	#4 - 1/4 - 14 X 7/8 LL LAP TEKS, L STONE - FS4LS/641-00288/#4	500														
	6A - 12 - 24 X 1 1/4 DRILLERS, NW - FS6APL	250														
	GROMMETS, 1/4-6-32 X 1", WHITE - HW399 - LENGTH 0' - 1"	164														
	CLOSURES INSIDE PBR, 1" WIDE - HW459 - LENGTH 3' - 0"	49														
	ROLLS, 3/32" X 1/2" TAPE SEALANTS, 50' - HW507	36														
	SEALANT, TUBES, URETHANE, WHITE - HW540/HW540	24														
	CLOSURES OUTSIDE PBR, 1" WIDE - HW4027 - LENGTH 3' - 0"	97														
	CLIPS, GIRT - CG14/631-00470	66														
	CLIPS, VERTICAL MEMBER - CV5	20														
	FLUSH GIRT CLOSURES - 14GA. X 1-15/16 X 1-4 - FGC1 LENGTH 1' - 4"	39														
T9003B-BOP-1006	LOT - SEE ATTACHED DOOR #3 - MWH3(3) - 3070 DOOR FRAMES (3) - 200025X DOORS	1														
	MR136PFEF - 26D - LHR-SSC/KAX16 DOOR HANDLES	3	24736A	1	92	45	28	67.1	48.9	1.1	0.7	1.7	935.0	424.1	0.4	
	DC100152 - DOOR CLOSERS	3														
	BUILT UP ENDWALL RAFTERS, RED PRIMER - MFR5 LENGTH 16' - 6 7/16"	2														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
9003B-BOP-1007	BUILT UP ENDWALL RAFTERS, RED PRIMER - MFR7 LENGTH 16' - 6 7/16"	2														
	RIGID FRAME COLUMNS, RED PRIMER - RC-1 LENGTH 15' - 3 3/4"	4														
	RIGID FRAME COLUMNS, RED PRIMER - RC-12 LENGTH 15' - 3 3/4"	2														
	RIGID FRAME RAFTERS, RED PRIMER - RR-3 LENGTH 15' - 5 5/8"	4														
	RIGID FRAME RAFTER, RED PRIMER - RR-14 LENGTH 15' - 5 5/8"	6														
	RIGID FRAME RAFTER, RED PRIMER - RR-16 LENGTH 15' - 5 5/8"	1														
	LS EAVESTRUTS, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4HH - EL224504BH - LENGTH 18' - 8 1/2"	4														
	LS EAVESTRUTS, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4HH - FLANGE HOLES @ 5", 17' - 6 1/2"	2														
	LENGTH 17' - 11 1/2"															
	LS EAVESTRUTS, 1:12, 8 X 3 3/8 X 5, ANID = W083EL4HH - FLANGE HOLES @ 5", 12' - 0 1/2" - EL149504BH - A LENGTH 12' - 5 1/4"	2														
	ENDWALL COLUMNS, 8C X 3-1/2", RED PRIMER SEE SHOP DRAWING - EC1J14 - LENGTH 14' - 7 11/16"	4														
	ENDWALL COLUMNS, 8 X 3-1/2, RED PRIMER SEE SHOP DRAWING - EC2A14 - LENGTH 15' - 11 3/16"	2														
	1 - ENDWALL COLUMNS, 8C X 3-1/2", RED PRIMER SEE SHOP DRAWING - EC3J14 - LENGTH 15' - 2 7/8"	1														
	3 - CEES, 8C X 2 1/2", RED PRIMER - NO HOLES - CH24000H6 - LENGTH 20' - 0"	3														
	HEADER, 8C X 3-1/2", RED PRIMER HOLES @ 2", 11' - 10" - HZ14400J4 - LENGTH 12' - 0"	1														
	HEADERS, 8C X 3-1/2", RED PRIMER HOLES @ 2", 3' - 10" - HZ4800J4 - LENGTH 4' - 0"	4	24736A	1	240	96	49	653.3	1778.5	2.4	1.2	16.6	13930.0	6318.5	6.3	20' PLATFORM #ACXU-000265-3
	JAMBS, 8C X 3-1/2", RED PRIMER HOLES @ 2", 3' - 3 3/4", 12' - 10' - 7' - 1 1/4" - JZ15600J4 - LENGTH 13' - 0"	2														
	JAMB, 8C X 3-1/2", RED PRIMER - SEE STANDARD SHOP DRAWING JZXXXG - JZ15600J4 - LENGTH 12' - 11"	1														
	JAMBS, 8C X 3-1/2", RED PRIMER HOLES @ 2", 5' - 0 1/4" - JZ6224J4 - LENGTH 5' - 2 1/4"	6														
	JAMBS, 8C X 3-1/2", RED PRIMER HOLES @ 2", 3' - 3 1/4", 5' - 0 1/4" - JZ6226J4 - LENGTH 5' - 2 1/4"	2														
	GIRT HEADERS 08" DEPTH, RED PRIMER - GH08-6500 - LENGTH 4' - 7"	4														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z3SS - GZ216753S - LENGTH 18' - 0 3/4"	12														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z3SS - GZ211633S - LENGTH 17' - 7 5/8"	4														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z3GG - GZ31753G - LENGTH 2' - 7 3/4"	2														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z3GG - GZ27883G - LENGTH 2' - 3 7/8"	3														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z4SS - GZ178004S - LENGTH 14' - 10"	12														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z4RR - ADD HOLES @ 2' - 7 3/4", 16' - 9 3/4" - PZ233504R - C LENGTH 19' - 5 1/4"	10														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z4RR - ADD HOLES @ 2' - 7 3/4", 11' - 3 3/4" - PZ167504R-C LENGTH 13' - 11 1/2"	10														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ180636S - LENGTH 15' - 0 5/8"	6														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ145636S - LENGTH 12' - 1 5/8"	6														
T9003B-BOP-1008	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH428500/RB08-0285 LENGTH 23' - 9"	4														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH426300/RB08-0263 LENGTH 21' - 11"	2														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH425300/RB08-0253 LENGTH 21' - 1"	2	24736A	1	307	29	17	87.6	25.0	0.7	0.4	2.2	3760.0	1705.5	1.7	
	SHEETING ANGLES, 4 X 4 X 16 GA. L, RED PRM - RA2-240 - LENGTH 20' - 0"	32														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - FB4-3412 - LENGTH 2' - 10 1/4"	18														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - FB4-3308 - LENGTH 2' - 9 1/4"	8														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE RED PRIMER - ANID = W082Z4RR - PZ260504R - LENGTH 21' - 8 3/4"	17														
	ANGLES, 3 X 3 X 16 GA. L, RED PRIMER - L24000X6 - LENGTH 20' - 0"	8														
	ANGLES, 3 X 3 X 16 GA. L, RED PRIMER - L4100X6 - LENGTH 3' - 5"	3														
	ONE LOT OF LOUVERS (SEE DOOR FORM #5)	4	24736A	1	57	44	63	91.4	146.7	1.1	1.6	2.3	705.0	319.8	0.3	
T9003B-BOP-1009	K168929 DOOR - M650-060300808STONSML DOOR, M650, 6' 0" X 8' 0", STON, STL, SML	1														
	K168840 HDWR-M65006000800STLSML HDWR, M650, 6'0" X 8'0", STL, SML, STD MINI LATCH	1														
	GUIDM808000M GUID, M650, 8'0" PR., STL, SML STEEL MOUNT	1														
	K168012 DOOR - M650-080300808STONSML DOOR, M650, 8'0" X 8'0", STON, STL, SML	1														
	K168841 HDWR-M65008000800STLSML HDWR, M650, 8'0" X 8'0", STL, SML STD MINI LATCH	1														
	GUIDM808000M GUID, M650, 8'0" PR., STL, SML STEEL MOUNT	1														
	K168014 DOOR-M650-080301004STONSML DOOR, M650, 8'0" X 10'0", STON, STL, SML	1														
	HDWR-M65008001000STLSML HDWR, M650, 8'0" X 10'0", STL, SML STD MINI LATCH	1														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-1010	PR - GUIDM810000M GUID, M650, 10'0" PR, STL, SML STEEL MOUNT	1														
	K168029 DOOR - C2000120401205STONSBB DOOR, C2000, 12'0" X 12'0", STON, STL, SBB	1														
	K168843 HDWR-C200012001200STLSBB HDWR, C2000, 12'0" X 12'0", STL, SBB SLIDE BOLT BOTTOM BAR LOCK	1	24736A	1	183	43	49	223.1	272.1	1.1	1.2	5.7	1640.0	743.9	0.7	40' CONTAINER S/N NOSU-44541-1
	PR - GUIDC612000C GUID, C2000, 12'0" PR, STL, SBB STEEL MOUNT	1														
	PR - K168844 100567-010000 PLATE, MTG, 1 LARGE, 1 SMALL (RED)	1														
	100236-010000 CHAIN HOIST KIT, RD, 4.4:1 RDCH	1														
	K168032 DOOR - C2000120401401STONSBB DOOR, C2000, 12'0" X 14'0", STON, STL, SBB	1														
	K168845 HDWR-C200012001400STLSBB HDWR, C2000, 12'0" X 14'0", STL, SBB SLIDE BOLT BOTTOM BAR LOCK	1														
	GUIDC614000C GUID, C2000, 14'0" PR, STL, SBB STEEL MOUNT	1														
	K168846 100567-010000 PLATE, MTG, 1 LARGE, 1 SMALL (RED)	1														
T9003B-BOP-2001	100236-010000 CHAIN HOIST KIT, RD, 4.4:1 RDCH	1														
	100099-000000 CRATING	1														
T9003B-BOP-2001	"R" RIDGE CAPS, 1:12, DESERT SAND - EACH PANEL PACKAGE TO BEAR U.L. STICKER FOR CONSTRUCTION NUMBER # RM36001-DS/633-00146 LENGTH 3' - 0"	10	24736B	1	117	44	17	50.6	21.9	1.1	0.4	1.3	1130.0	512.6	0.5	
	ROOF PANELS, "PBR", DESERT SAND - EACH PANEL PACKAGE TO BEAR U.L. STICKER FOR CONSTRUCTION NUMBER #161 AND #167 "PBR" - LENGTH 9' - 3"	21														
T9003B-BOP-2002	DOWNSPOUT STRAPS, 16 GA. PAINTED, L STONE - HW2993LS/HW2993 - LENGTH 0' - 9 1/2"	4														
	GUTTER SUPPORT STRAPS FOR PBR PANEL, DSSN - F893-DS LENGTH 1' - 0"	24														
	MW STD. RAKE TRIM PEAK BOXES, PBR ROOF LS ROOF SLOPE IS 1:12; ATTACH MESCO LOGO - F160MS-BLS - LENGTH 2' - 1"	2														
	FLAT EAVE TRIMS, LIGHT STONE ROOF SLOPE IS 1:12 - F2955-BLS19400 - LENGTH 16' - 2"	4														
	DOWNSPOUTS, 4 X 5 ROLL FORMED LIGHT STONE - F313-LS LENGTH 14' - 6"	4														
	KICK-OUTS, 4 X 5 ROLL-FORMED, 72 DEGREES - F321-LS/F321 LENGTH 1' - 4"	4														
	OPEN WALL EAVE COVERS, 10' LOW EAVESTRUT ROOF SLOPE IS 0:12 - F561-XLS/F561 - LENGTH 20' - 2"	4														
	OPEN WALL EAVE COVERS, 10' LOW EAVESTRUT ROOF SLOPE IS 1:12 - F581-BLS19400/F581 - LENGTH 16' - 2"	4	24736B	1	268	24	24	89.3	29.8	0.6	0.6	2.3	1550.0	703.1	0.7	
	MW STANDARD GUTTERS, PBR ROOF, MITER LH ROOF SLOPE IS 1:12 - F760L-BLS19400 - LENGTH 16' - 2"	2														
	MW STANDARD GUTTERS, PBR ROOF, MITER RH ROOF SLOPE IS 1:12 - F760R-BLS19400 - LENGTH 16' - 2"	2														
T9003B-BOP-2003	MW STD. GUTTER END CAPS, PBR, LH, L STONE ROOF SLOPE IS 1:12 - F761L-BLS - LENGTH 0' - 5 3/16"	2														
	MW STD. GUTTER END CAPS, PBR, RH, L STONE ROOF SLOPE IS 1:12 - F761R-BLS - LENGTH 0' - 5 3/16"	2														
	MW STD. RAKE TRIMS, PBR ROOF, SQ. CUT LTST - F764-LS6800 - LENGTH 8' - 8"	8														
	16 - CLIPS, UTILITY - CU10	16														
	X 1-1/4 A307, HEX HEAD BOLTS, PLATED - B410A/617-00011/HW356	60														
	5/8 X 1-3/4 A325, HEX HEAD BOLTS, PLATED - B514B/617-00101	19														
	1/4 X 1-3/4 A325, HEX HEAD BOLTS, PLATED - B614B/617-00087	17														
	1/4 X 2-1/2 A325, HEX HEAD BOLTS, PLATED - B620B/617-00089	68														
	1/2" NUTS, A307, HEX PLATED - N4A/HW356	60														
	5/8" NUTS, A563 HEX, PLATED - N5B	19														
T9003B-BOP-2003	3/4" NUTS, A563 HEX, PLATED - N6B/HW361	83														
	#14A POP RIVETS, 1/8 DIA. X 3/8, L STONE - FS14ALS/#14A	250														
	#14 POP RIVETS, 1/8 DIA. X 3/16, L STONE - FS14LS	500														
	#1A - 12 - 14 X 1 DRILLERS, NW - FS1APL	250														
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, D SAND - FS3DS/641-00498/#3	750														
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, L STONE - FS3LS/641-00519/#3	250	24736B	1	50	49	28	39.7	31.5	1.2	0.7	1.0	500.0	226.8	0.2	
	#4A 1/4 - 14 X 7/8 LAP TEKS, DESERT SAND - FS4ADS/641-01385/#4A	250														
	#4A 1/4 - 14 X 7/8 LAP TEKS, LIGHT STONE - FS4ALS/641-01398/#4A	250														
	#4 1/4 - 14 X 7/8 LL LAP TEKS, D SAND - FS4DS/641-00278/#4	500														
	#4 1/4 - 14 X 7/8 LL LAP TEKS, L STONE - FS4LS/641-00288/#4	250														
T9003B-BOP-2003	6 - 12 - 24 X 1 1/4 DRILLERS, FS6PL	250														
	CLOSURES INSIDE PBR, 1" WIDE - HW455 - LENGTH 3' - 0"	21														
	ROLLS 3/32" X 1/2" TAPE SEALANT, 50' - HW507	11														
	SEALANT, TUBE, URETHANE, WHITE - HW540/HW540	1														
	SEALANT, TUBE, URETHANE, WHITE - SL-TWH/625-00004/ HW540	1														
	CABLE BRACING ASSEMBLIES, 5/16" LENGTH GIVEN IS "SHIPPING LENGTH" - XCB534000/CB05-0340 LENGTH 28' - 4"	4														
	100236-010000 CHAIN HOIST KIT, RD, 4.4:1 RDCH	1														
	100099-000000 CRATING	1														
	RIGID FRAME COLUMNS, RED PRIMER - RC-100 LENGTH 13' - 2 9/16"	4														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-2004	RIGID FRAME COLUMNS, RED PRIMER - RC-104 LENGTH 12' - 9 1/4"	4	24736B	1	292	42	38	269.7	249.1	1.1	1.0	6.9	3750.0	1701.0	1.7	
	RIGID FRAME RAFTERS, RED PRIMER - RR-103 LENGTH 8' - 3 1/16"	4														
	RIGID FRAME RAFTERS, RED PRIMER - RR-106 LENGTH 24' - 1"	2														
T9003B-BOP-2005	LS EAVESTRUTS, 1:12, 10 X 3 3/8 X 5, RDPR - ANID = W103EL4JJ - EL3B4BJ - LENGTH 29' - 11 1/4"	2	24736B	1	365	29	17	104.1	29.7	0.7	0.4	2.6	2610.0	1183.9	1.2	
	CAP CHANNELS, 10", RED PRIMER - SEE STANDARD SHOP DRAWING CCH12000M6 - CCH12000M6 LENGTH 10' - 0"	4														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - F84-3404 - LENGTH 2' - 10 1/4"	8														
	PURLINES, 10 X 2 1/8 X 2 3/8 ZEE, RED PRM - ANID = W102Z2RR - P2300W2R - LENGTH 29' - 11 1/4"	7														
	"R" RIDGE CAPS, 1:12, DESERT SAND - RM36001-DS/633-00146 - LENGTH 3' - 0"	5														
T9003B-BOP-3001	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 13' - 2 1/4"	2	247368C	1	190	44	17	82.2	35.6	1.1	0.4	2.1	3000.0	1360.8	1.4	
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 13' - 0 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 12' - 9 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 12' - 6 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 12' - 3 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 12' - 0 1/4"	4														
	SIDEWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 9' - 3 1/4"	9														
	SIDEWALL PANEL, "PBR", DESERT SAND - "PBR" LENGTH 1' - 2"	1														
	- ROOF PANELS, "PBR", DESERT SAND - "PBR" LENGTH 15' - 4"	11														
	ROOF PANEL, "PBR", DESERT SAND - "PBR" LENGTH 13' - 2 1/4"	1														
	LINER PANELS, "PBR", POLAR WHITE - "PBR" LENGTH 7' - 8"	31														
	DOWNSPOUT STRAPS, 18 GA. PAINTED, L STONE - HW2993L/SHW2993 - LENGTH 0' - 9 1/4"	4														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS9750 - LENGTH 8' - 1 1/4"	2														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS8625 - LENGTH 7' - 2 1/4"	2														
T9003B-BOP-3002	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS9875 - LENGTH 8' - 2 1/4"	1	247368C	1	268	24	24	89.3	29.8	0.6	0.6	2.3	1180.0	535.2	0.6	
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS4100 - LENGTH 3' - 5"	1														
	OUTSIDE CORNER TRIMS, PBR & PBA PANEL DS - F830-D14400 LENGTH 12' - 0"	4														
	BASE TRIMS, MASONRY WALL, DESERT SAND - F846-DS - LENGTH 20' - 2"	6														
	GUTTER SUPPORT STRAPS FOR PBR PANEL, DSSN - F893-DS LENGTH 1' - 0"	12														
	MW STD. RAKE TRIM PEAK BOXES, PBR ROOF LS ROOF SLOPE IS 1:12; ATTACH MESCO LOGO F160MS-BLS - LENGTH 2' - 1"	2														
	FLAT EAVE TRIMS, LIGHT STONE ROOF SLOPE IS 1:12 - F2955-BLS9200 LENGTH 7' - 8"	4														
	DOWNSPOUTS, 4 X 5 ROLL-FORMED LIGHT STONE - F320-LS/F320 - LENGTH 10' - 6"	4														
	KICK-OUTS, 4 X 5 ROLL-FORMED, 72 DEGREE - F321-LS/F321 - LENGTH 1' - 4"	4														
	MW STANDARD GUTTERS, PBR ROOF, MITER LH ROOF SLOPE IS 1:12 - F760L-BLS9200 - LENGTH 7' - 8"	2														
	MW STANDARD GUTTERS, PBR ROOF, MITER RH ROOF SLOPE IS 1:12 - F760R-BLS9200 - LENGTH 7' - 8"	2														
	MW STD. GUTTER END CAPS, PBR, LH, L STONE ROOF SLOPE IS 1:12 - F761L-BLS - LENGTH 0' - 5 3/16"	2														
	MW STD. GUTTER END CAPS, PBR, RH, L STONE ROOF SLOPE IS 1:12 - F761R-BLS - LENGTH 0' - 5 3/16"	2														
	MW STD. RAKE TRIM, PBR ROOF, SQ. CUT LTST - F764-LS10400 - LENGTH 8' - 8"	4														
	MW STD. RAKE TRIMS, PBR ROOF, MITER LH LS - F764L-LS10400 - LENGTH 8' - 8"	2														
	MW STD. RAKE TRIMS, PBR ROOF, MITER RH LS - F764R-LS10400 - LENGTH 8' - 8"	2														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - BFL22-PW9600 - LENGTH 8' - 0"	10														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - BFL22-PW8475 - LENGTH 7' - 0 1/4"	2														
	HEAD TRIM, POLAR WHITE - BFL1090-PW4100 - LENGTH 3' - 5"	1														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW8625 - LENGTH 7' - 2 1/4"	2														
	FRAMED OPENING HEAD TRIM PBR, PBA, DWHT - F481-PW4100 - LENGTH 3' - 5"	1														
	PANEL CAP TRIMS, POLAR WHITE - F571-PW - LENGTH 14' - 0"	7														
	1/2 X 1-1/4 A307, HEX HEAD BOLTS, PLATED - B410A/617-00011/HW356	170														
	1/2 X 1-1/4 A307, FINNECK BOLTS, PLATED - B410F/617-00446	60														
	5/8 X 1-1/4 A325, HEX HEAD BOLTS, PLATED - B510B/617-00197	11														
	5/8 X 1-3/4 A325, HEX HEAD BOLTS, PLATED - B514B/617-00101	7														
	1/2 X 2-1/2 A325, HEX HEAD BOLTS, PLATED - B620B/617-00089	19														
	1/2" NUTS, A307 HEX, PLATED - N4A/HW356	220														
	5/8" NUTS, A563 HEX, PLATED - N5B	17														
	1/2" NUTS, A563 HEX, PLATED - N8B/HW361	19														
	#12A - 12 - 14 X 1 DRILLERS, PANCAKE - FS12APL	250														
	#14A POP RIVETS, 1/8 DIA. X 3/8, L STONE - FS14ALS/#14A	250														
	#14 POP RIVETS, 1/8 X 3/16, D-SAND - FS14DS	250														
	#14 POP RIVETS, 1/8 DIA. X 3/16, L STONE - FS14LS	250														
	#14 POP RIVETS, 1/8 DIA. X 3/16, P-WHITE - FS14PW	500														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-3003	#17A 12 - 14 X 1 1/4 DRILLERS DESERT SAND - FS17ADS/641-01319/#17A	1000														
	#17A 12 - 14 X 1 1/4 DRILLERS POLAR WHITE - FS17APW/641-01341/#17A	250														
	#17 - 12 - 14 X 1 DRILLERS, POLAR WHITE - FS17PW	500														
	#1A - 12 - 14 X 1 DRILLERS, NW - FS1APL	250	2473680	1	50	49	28	39.7	31.5	1.2	0.7	1.0	595.0	269.9	0.3	
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, D SAND - FS3DS/641-00498/#3	250														
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, L STONE - FS3LS/641-00519/#3	250														
	#4A 1/4 - 14 X 7/8 LAP TEKS, DESERT SAND - FS4ADS/641-01385/#4A	500														
	#4A 1/4 - 14 X 7/8 LAP TEKS, POLAR WHITE - FS4APW/641-01409/#4A	250														
	#4 1/4 - 14 X 7/8 LL LAP TEKS, D SAND - FS4DS/641-00278/#4	250														
	#4 1/4 - 14 X 7/8 LL LAP TEKS, L STONE - FS4LS/641-00288/#4	500														
	CLOSURES INSIDE PBR, 1" WIDE - HW455 LENGTH 3' - 0"	12														
	ROLLS 3/32" X 1/4" TAPE SEALANTS, 50' - HW507	10														
	SEALANT, TUBES, URETHANE, WHITE - HW540/HW540	2														
	CLOSURES OUTSIDE PBR, 1" WIDE - HW4027 - LENGTH 3' - 0"	36														
	3' X 3' - 0 WALLITES - MWH10	10														
	5/8" F436 HARDENED FLATWASHERS, PLATED - WA5F	10														
T9003B-BOP-3004	5/8" PLATED WASHERS, PLATED - WA5P	6														
	CLIPS, GIRT CG14/631-00470	36														
	CLIPS, VERTICAL MEMBER - CV5	4														
	FLUSH GIRT CLOSURES - 14GA X 1-15/16 X 1-4 - FGC1 LENGTH 1' - 4"	12														
	LS EAVESTRUTS, 1-12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4HH - FLANGE HOLES @ 5", 12' - 6 1/2" - EL155504BH-A - LENGTH 12' - 11 1/2"	2														
	ENDWALL COLUMNS, 8C X 3 1/2", RED PRIMER - SEE SHOP DRAWING - EC2J14 - LENGTH 11' - 6 3/16"	2														
	ENDWALL COLUMNS, 8 X 3-1/2, RED PRIMER - SEE SHOP DRAWING - EC3A14 - LENGTH 10' - 3 3/16"	2														
	HEADERS, 8C X 3-1/2", RED PRIMER - HOLES @ 2", 7' - 10" - H29600J4 - LENGTH 8' - 0"	1														
	JAMBS, 8C X 3-1/2", RED PRIMER - HOLES @ 2", 3'-3 1/4", 7' - 1 1/4", 8'-8" - JZ10800J4 - LENGTH 8' - 10"	2														
	CAP CHANNELS, 8", RED PRIMER - SEE STANDARD SHOP DRAWING CCH19200K6 - CCH19200K6 - LENGTH 16' - 0"	4														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE RED PRIMER ANID = W082Z4SS - PZ155504S - LENGTH 12' - 11 1/2"	6	247368C	1	204	82	37	358.2	628.9	2.1	0.9	9.1	4530.0	2054.8	2.1	
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER ANID = W082Z6SS - GZ172266S - LENGTH 14' - 4 1/4"	8														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER ANID = W082Z6GG - ADD HOLES @ 5 1/4", 12' - 5 1/4" - GZ155506G-A - LENGTH 12' - 11 1/2"	4														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER ANID = W082Z6GG - ADD HOLES @ 5 1/4", 1' - 8" GZ25756G-A - LENGTH 2' - 1 1/4"	4														
	RIGID FRAME COLUMNS, RED PRIMER - RC-1 LENGTH 11' - 3 1/4"	2														
	RIGID FRAME RAFTER, RED PRIMER - RR-3 LENGTH 9' - 5"	1														
T9003B-BOP-3005	END FRAME RAFTERS, RED PRIMER - SEE SHOP DRAWING ER1E14 - LENGTH 16' - 0 3/8"	2														
	END FRAME RAFTERS, RED PRIMER - SEE SHOP DRAWING ER2E14 - LENGTH 16' - 0 3/8"	2														
	SHEETING ANGLES, 4 X 4 X 16 GA. L, RED PRM - RA2-240	15														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - FB4-3412 - LENGTH 2' - 10 3/4"	8														
	ANGLE, 3 X 3 X 16 GA. L, RED PRIMER - L4100X6 LENGTH 3' - 5"	1														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH422300/RB08-0223 LENGTH 18' - 7"	6														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH421500/RB08-0215 - LENGTH 17' - 11"	2	247368C	1	307	19	17	57.4	10.7	0.5	0.4	1.6	1400.0	635.0	0.6	
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH417400/RB08-0174	2														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 17' - 3 1/4"	6														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 17' - 0 1/4"	4														
T9003B-BOP-4001	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 16' - 9 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 16' - 6 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 16' - 3 1/4"	4														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 16' - 0 1/4"	4														
	SIDEWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 15' - 11 1/4"	7	247368D	1	214	44	17	92.6	40.1	1.1	0.4	2.4	4490.0	2036.6	2.0	
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" LENGTH 17' - 2 1/4"	9														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" LENGTH 16' - 11 1/4"	8														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" LENGTH 16' - 8 1/4"	8														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" LENGTH 16' - 5 1/4"	8														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" LENGTH 16' - 2 1/4"	8														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-4002	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" LENGTH 15' - 11 1/2"	8														
	SIDEWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 15' - 11 1/2"	19														
	SIDEWALL PANELS, "PBR", DESERT SAND - "PBR" LENGTH 13' - 3 1/2"	17														
	ROOF PANELS, "PBR", DESERT SAND - EACH PANEL PACKAGE TO BEAR U.L. STICKER FOR CONSTRUCTION NUMBER #161 AND #167 - "PBR" LENGTH 16' - 10"	46	247368D	1	208	45	17	92.1	40.8	1.1	0.4	2.3	4500.0	2041.2	2.0	
	ROOF PANEL, "PBR", DESERT SAND - "PBR" - LENGTH 16' - 9"	1														
T9003B-BOP-4003	"R" RIDGE CAPS, 1:12, DESERT SAND - EACH PANEL PACKAGE TO BEAR U.L. STICKER FOR CONSTRUCTION NUMBER # RM34001-DS LENGTH 2' - 10"	23														
	CONSTRUCTION NUMBER # RM34001-DS LENGTH 2' - 10"		247368D	1	97	44	17	42.0	18.2	1.1	0.4	1.1	2140.0	970.7	1.0	
	LINER PANELS, "PBR", POLAR WHITE - "PBR" - LENGTH 7' - 8"	68														
T9003B-BOP-4004	3' X 3' PER WALL LIGHTS, CONTINUOUS - MWH402	21														
	1/4 X 1-1/4 A307, HEX HEAD BOLTS, PLATED - B410A/617-00011/HW356	610														
	1/4 X 1-1/4 A325, HEX HEAD BOLTS, PLATED - B410B/617-00082/HW363	13														
	1/2 X 1-1/4 A307, FINNECK BOLTS, PLATED - B410F/617-00446	280														
	5/8 X 1-1/4 A325, HEX HEAD BOLTS, PLATED - B510B/617-00197	18														
	5/8 X 1-3/4 A325, HEX HEAD BOLTS, PLATED - B514B/617-00101	14														
	3/4 X 1-3/4 A325, HEX HEAD BOLTS, PLATED - B614B/617-00087	18														
	3/4 X 2-1/2 A325, HEX HEAD BOLTS, PLATED - B620B/617-00089	35														
	1/2" NUTS, A307 HEX, PLATED - N4A/HW356	880														
	1/2" NUTS, A563 HEX, PLATED - N4B/HW363	13														
	5/8" NUTS, A563 HEX, PLATED - N5B	31														
	3/4" NUTS, A563 HEX, PLATED - N6B/HW361	51														
	#12A - 12 - 14 X 1 DRILLERS, PANCAKE - FS12APL	500														
	#14 POP RIVET, 1/8 DIA. X 3/8, L STONE - FS14ALS/#14A	250														
	#14 POP RIVET, 1/8 DIA. X 3/16, D SAND - FS14DS	750														
	#14 POP RIVET, 1/8 DIA. X 3/16, L STONE - FS14LS	500														
	#14 POP RIVET, 1/8 DIA. X 3/16, P WHITE - FS14PW	750														
	#17A 12 - 14 X 1 1/4 DRILLERS - DESERT SAND - FS17ADS/641-01319/#17A	2250	247368D	1	50	49	31	44.0	38.6	1.2	0.8	1.1	1135.0	514.8	0.5	
	#17A - 12 - 14 X 1 1/4 DRILLERS, POLAR WHITE - FS17APW/641-01341/#17A	1250														
	#17 - 12 - 14 X 1 DRILLERS, POLAR WHITE - FS17P	1250														
	1A - 12 - 14 X 1 DRILLERS, NW - FS1APL	250														
	#1 1/4 - 14 X 1 DRILLERS, DESERT SAND - FS1DS	250														
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, D SAND - FS3DS/641-00498/#3	1500														
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, L STONE - FS3LS/641-00519/#3	250														
	#4A 1/4 - 14 X 7/8 LAP TEKS, DESERT SAND - FS4ADS/641-01385/#4A	1250														
	#4A 1/4 - 14 X 7/8 LAP TEKS, POLAR WHITE - FS4APW/641-01409/#4A	1500														
	#4 1/4 - 14 X 7/8 LL LAP TEKS, D SAND - FS4DS/641-00278/#4	1250														
	#4 1/4 - 14 X 7/8 LL LAP TEKS, L STONE - FS4LS/641-00288/#4	750														
	#6A 12 - 24 X 1 1/4 DRILLERS, NW - FS6APL	250														
	GROMMETS, 1/4-6-32 X 1", WHITE - HW399	184														
	CLIPS, GIRT - CG20	4														
	CLIPS, GIRT - CG14/631-00470	110														
	CLIPS, VERTICAL MEMBER - CV5	28														
	FLUSH GIRT CLOSURES - 14GA X 1-15/16 X 1-4 - FGC1 LENGTH 1' - 4"	44														
T9003B-BOP-4005	CLOSURES INSIDE PBR, 1" WIDE - HW455 - LENGTH 3' - 0"	49														
	ROLLS 3/32" X 1/4" TAPE SEALANTS, 50' - HW507	32														
	SEALANT, TUBES, URETHANE, WHITE - HW540/HW540	30	247368D	1	50	49	39	55.3	61.2	1.2	1.0	1.4	675.0	306.2	0.3	
	CLOSURES OUTSIDE PBR, 1" WIDE - HW4027	125														
	DC100162 DOOR CLOSERS	10														
T9003B-BOP-4006	MR136-26D CONFIG DOOR HANDLES	10														
T9003B-BOP-4006	SEE ATTACHED DOOR FORM #5 - MWH404 - D200025X DOORS	10	247368D	1	94	45	36	88.1	82.6	1.1	0.9	2.2	1260.0	571.5	0.6	
T9003B-BOP-4007	8070 DOOR FRAMES	2														
	3070 DOOR FRAMES	6	247368D	1	93	45	29	70.2	53.0	1.1	0.7	1.8	950.0	449.1	0.4	
	WINDOW JAMB STIFFENER TRIM STD. NCI PART #F164 - MTR407	8														
	DOWNSPOUT STRAPS, 18 GA. PAINTED, L STONE - HW2993LS/HW2993 - LENGTH 0' - 9 1/2"	6														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS16950 - LENGTH 14' - 1 1/2"	2														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS8625 - LENGTH 7' - 2 1/4"	16														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS3700 - LENGTH 3' - 1"	8														
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS14675 - LENGTH 12' - 2 1/4"	1														
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS7700 - LENGTH 6' - 5"	2														
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS5075 - LENGTH 4' - 2 1/4"	4														
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS4100 - LENGTH 3' - 5"	6														
	OUTSIDE CORNER TRIMS, PBR & PBA PANEL DS - F830-DS19200 - LENGTH 16' - 0"	4														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-4008	BASE TRIMS, MASONRY WALL, DESERT SAND - F846-DS - LENGTH 20' - 2"	10														
	BASE TRIMS, MASONRY WALL, DESERT SAND - F846-DS12200 - LENGTH 10' - 2"	2														
	FRAMED OPENING SILL TRIMS, DESERT SAND - F846-DS5075 - LENGTH 4' - 2 3/4"	4														
	GUTTER SUPPORT STRAPS FOR PBR PANEL, DSSN - F893-DS - LENGTH 1' - 0"	50														
	RAKE TRIM PEAK BOX, PBR ROOF LS ROOF SLOPE IS 1:12; ATTACH MESCO LOGO - F160MS-BLS - LENC	2														
	FLAT EAVE TRIMS, LIGHT STONE ROOF SLOPE IS 1:12 - F2955-BLS - LENGTH 20' - 2"	4														
	FLAT EAVE TRIMS, LIGHT STONE ROOF SLOPE IS 1:12 - F2955-BLS18800 - LENGTH 15' - 8"	4														
	DOWNSPOUTS, 4 X 5 ROLL-FORMED LIGHT STONE - F313-LS - LENGTH 14' - 6"	6	247368D	1	267	44	24	163.2	99.7	1.1	0.6	4.1	2400.0	1088.6	1.1	
	KICK-OUTS, 4 X 5 ROLL-FORMED, 72 DEGREES - F321-LS/F321 - LENGTH 1' - 4"	6														
	MW STANDARD GUTTERS, PBR ROOF, SQUARE CUT ROOF SLOPE IS 1:12 - F760-BLS - LENGTH 20' - 2"	4														
	MW STANDARD GUTTERS, PBR ROOF, MITER LH ROOF SLOPE IS 1:12 - F760L-BLS18800 - LENGTH 15' - 1	2														
	W STANDARD GUTTERS, PBR ROOF, MITER RH ROOF SLOPE IS 1:12 - F760R-BLS18800 - LENGTH 15' -	2														
	MW STD. GUTTER END CAPS, PBR, LH, L STONE ROOF SLOPE IS 1:12 - F761L-BLS - LENGTH 0' - 5 3/16"	2														
	MW STD. GUTTER END CAPS, PBR, L STONE ROOF SLOPE IS 1:12 - F761R-BLS - LENGTH 0' - 5 3/16"	2														
	MW STD. RAKE TRIMS, PBR ROOF, SQ. CUT LTST - F764L-LS11300 - LENGTH 9' - 5"	4														
	MW STD. RAKE TRIMS, PBR ROOF, MITER LH LS - F764L-LS11300 - LENGTH 9' - 5"	2														
	MW STD. RAKE TRIMS, PBR ROOF, MITER RH LS - F764R-LS11300 - LENGTH 9' - 5"	2														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW9200 - LENGTH 7' - 8"	10														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW8475 - LENGTH 7' - 0 3/4"	16														
	PARTITION ROOF TRIMS, FOR 8" PURLINE DWHT - F94-PW24000/F94 - LENGTH 20' - 0"	8														
	PARTITION WALL TRIMS, FOR 8" GIRTS, DWHT - F95-PW19200/F95 - LENGTH 16' - 0"	8														
	FRAMED OPENING HEAD TRIMS PBR, PBA, DWHT - F481-PW7700 - LENGTH 6' - 5"	2														
	FRAMED OPENING HEAT TRIMS PBR, PBA, DWHT - F481-PW4100 - LENGTH 3' - 5"	6														
	PANEL CAP TRIMS, POLAR WHITE - F571-PW - LENGTH 14' - 0"	16														
	INSIDE CORNER TRIMS, PBR PANEL, P WHITE - F800-PW9200 - LENGTH 7' - 8"	4														
T9003B-BOP-4009	BUILT UP ENDWALL RAFTERS, RED PRIMER - SEE SHOP DRAWING - MFR409 - LENGTH 17' - 6 7/16"	2														
	BUILT UP ENDWALL RAFTER, RED PRIMER - SEE SHOP DRAWING - MFR411 - LENGTH 17' - 6 7/16"	1														
	BUILT UP ENDWALL RAFTER, RED PRIMER - SEE SHOP DRAWING - MFR413 - LENGTH 17' - 6 7/16"	1														
	RIGID FRAME COLUMNS, RED PRIMER - SEE SHOP DRAWING - RC-400 - LENGTH 15' - 3 3/4"	2														
	RIGID FRAME COLUMNS, RED PRIMER - SEE SHOP DRAWING - RC-404 - LENGTH 15' - 3 3/4"	2														
	RIGID FRAME RAFTERS, RED PRIMER - SEE SHOP DRAWING - RR402 - LENGTH 16' - 2 11/16"	2														
	RIGID FRAME RAFTERS, RED PRIMER - SEE SHOP DRAWING - RR-406 - LENGTH 16' - 2 11/16"	2														
	LS EAVESTRUTS, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4HH, FLANGE HOLES @ 5", 14' - 8 1/2" -	2														
	EL181504BH-A - LENGTH 15' - 1 1/2"	2														
	ENDWALL COLUMNS, 8C X 3-1/2", RED PRIMER - SEE SHOP DRAWING - EC1J14 -	2														
	LENGTH 14' - 7 11/16"	2														
	ENDWALL COLUMNS, 8 X 3 3/4", RED PRIMER - SEE SHOP DRAWING - EC2A14 - LENGTH 15' - 0 1/4"	2														
	ENDWALL COLUMNS, 8C X 3-1/2", RED PRIMER - SEE SHOP DRAWING - EC3J14 -	2														
	LENGTH 14' - 7 11/16"	2														
	ENDWALL COLUMNS, 8C X 3 3/4", RED PRIMER - SEE SHOP DRAWING - EC4J14 - LENGTH 15' - 0 7/8"	2														
	CEES, 8C X 2-1/2", RED PRIMER - ADD HOLES @ 1 3/4", 4' - 0 1/4" - CH5000H4 - LENGTH 4' - 2"	4														
	CEES, 8C X 2-1/2", RED PRIMER - ADD HOLES @ 1 3/4", 3' - 3 5/16" - CH4107H4 - LENGTH 3' - 5 1/16"	8	247368D	1	240	96	52	693.3	2003.0	2.4	1.3	17.6	11970.0	5429.5	5.4	20' PLATFORM - S/N ACXU-000033
	CEES, 8C X 2-1/2", RED PRIMER - NO HOLES - CH24000H6 - LENGTH 20' - 0"	5														
	HEADER, 8C X 3-1/2", RED PRIMER - HOLES @ 2", 11' - 10" - HZ14400J4 - LENGTH 12' - 0"	1														
	HEADERS, 8C X 3-1/2", RED PRIMER - HOLES @ 2", 3' - 10" - HZ4800J4 - LENGTH 4' - 0"	4														
	JAMB, 8C X 3-1/2", RED PRIMER - SEE STANDARD SHOP DRAWING JZXXG - JZ17960J4 - LENGTH 14' -	1														
	11 5/8"	1														
	JAMBS, 8C X 3-1/2", RED PRIMER - HOLES @ 2", 3' - 3 3/4", 7' - 1 3/4", 11' - 4 3/4", 12' - 11 3/4", 14' - 6"	2														
	JZ17600J4 - LENGTH 14' - 8"	2														
	JAMBS, 8C X 3-1/2", RED PRIMER HOLES @ 2", 5' - 7 3/4" - JZ6975J4 - LENGTH 5' - 9 3/4"	8														
	GIRT HEADERS 08" DEPTH, RED PRIMER - GH08-5500 - LENGTH 4' - 7"	4														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z4SS - GZ190004S - LENGTH 15' - 10"	12														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE RED PRIMER - ANID = W082Z4IRR - ADD HOLES @ 2' - 7 3/4", 13' - 11 3/4"	8														
	PZ199504R-C - LENGTH 16' - 7 1/4"	8														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ189636S - LENGTH 15' - 9 5/8"	12														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ177636S - LENGTH 14' - 9 5/8"	7														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ97756S - LENGTH 8' - 1 3/4"	4														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ93886S - LENGTH 7' - 9 7/8"	4														
	W8X18 SUPPORT BEAM, RED PRIMER - SEE SHOP DRAWING - MHR408 - LENGTH 28' - 7 3/4"	1														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROOF 1/2" DIA. 6" RH	5														
	THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH435800/RB08-0358 - LENGTH 29' - 10"	5														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-4010	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH RHREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH435000/RB08-0350 LENGTH 29' - 2"	5														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH434900/RB08- 0349 LENGTH 29' - 1"	2														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH434400/RB08- 0344 LENGTH 28' - 8"	2														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH426200/RB08-0262 LENGTH 21' - 10"	4														
	VESTRUTS, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4HH - FLANGE HOLES @ 5", 28" - 6 1/2" LENGTH 28'	2	247368D	1	391	40	24	217.2	120.7	1.0	0.6	5.5	7970.0	3615.1	3.6	
	LS EAVESTRUTS, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4HH - EL297504BH LENGTH 24' - 9 1/2"	2														
	SHEETING ANGLES, 4 X 4 X 16 GA. L, RED PRM - RA2-240 LENGTH 20' - 0"	31														
	SHEETING ANGLE, 4 X 4 X 16 GA. L, RED PRM - RA2-28 LENGTH 2' - 4"	1														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - FB4-4100 LENGTH 3' - 5"	4														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - FB4-3600 LENGTH 3' - 0"	8														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - FB4-3308 LENGTH 2' - 9 1/2"	8														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z2SS - GZ343632S LENGTH 28' - 7 5/8"	5														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z2SS - GZ289752S LENGTH 24' - 1 1/2"	7														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE RED PRIMER - ANID = W082Z3VV - ADD HOLES @ 2' - 7 1/4", 29' - 5 1/4" PZ385503V-C LENGTH 32' - 1 1/2"	9														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE RED PRIMER - ANID = W082Z4VV - ADD HOLES @ 1' - 3 1/4", 1' - 7 3/4", 2' - 9 1/4", 3' - 9 1/4", 25' - 7 1/4", 26' - 7 1/4", 27' - 9 1/4", 28' - 1 1/2" - PZ353504V-J LENGTH 29' - 5 1/2"	8														
	ANGLES, 3 X 3 X 16 GA. L, RED PRIMER - L24000X6 - LENGTH 20' - 0"	8														
	ANGLES, 3 X 3 X 16 GA. L, RED PRIMER - L7700X6 - LENGTH 6' - 5"	2														
	ANGLES, 3 X 3 X 16 GA. L, RED PRIMER - L4100X6 - LENGTH 3' - 5"	6														
T9003B-BOP-4011	SEE SHIPPER #4 FOR 4030 INFO - 4' X 3' WINDOWS	4	247368D	1	69	20	56	44.7	29.0	0.5	1.4	1.1	540.0	244.9	0.2	
T9003B-BOP-5001	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" - LENGTH 15' - 1 1/2"	3														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" - LENGTH 14' - 10 1/2"	2														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" - LENGTH 14' - 7 1/2"	2														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" - LENGTH 14' - 4 1/2"	2														
	ENDWALL PANELS, "PBR", DESERT SAND - "PBR" - LENGTH 14' - 1 1/2"	2														
	SIDEWALL PANELS, "PBR", DESERT SAND - "PBR" - LENGTH 12' - 6 1/2"	10														
	SIDEWALL PANELS, "PBR", DESERT SAND - "PBR" - LENGTH 11' - 3 1/2"	9														
	ROOF PANELS, "PBR", DESERT SAND - EACH PANEL PACKAGE TO BEAR U.L. STICKER FOR CONSTRUCTION NUMBER #161 AND #167 "PBR" LENGTH 15' - 6"	10	247368E	1	192	44	17	83.1	36.0	1.1	0.4	2.1	3350.0	1519.5	1.5	
	LINER PANELS, "PBR", POLAR WHITE - "PBR" - LENGTH 7' - 8"	27														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" - LENGTH 16' - 0"	3														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" - LENGTH 14' - 9"	2														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" - LENGTH 14' - 6"	2														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" - LENGTH 14' - 3"	2														
	PARTITION PANELS, "PBR", POLAR WHITE - "PBR" - LENGTH 14' - 0"	2														
	SEE ATTACHED BUY-OUT - PBR WALL LITE - MWH502	20														
	DOWNSPOUT STRAPS, 18 GA. PAINTED, L STONE - HW2993LS/HW2993 - LENGTH 0' - 9 1/2"	2														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS12150 - LENGTH 10' - 1 1/2"	2														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS9750 - LENGTH 8' - 1 1/2"	2														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS8625 - LENGTH 7' - 2 1/4"	4														
	JAMB TRIMS, PBR PANEL, DESERT SAND - F22-DS4900 - LENGTH 4' - 1"	4														
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS9875 - LENGTH 8' - 2 1/2"	1														
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS7700 - LENGTH 6' - 5"	1														
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS7475 - LENGTH 6' - 2 3/4"	1														
	FRAMED OPENING HEAD TRIMS PBR, PBA D SAND - F481-DS5075 - LENGTH 4' - 2 3/4"	2														
	FRAMED OPENING HEAD TRIM PBR, PBA D SAND - F481-DS4100 - LENGTH 3' - 5"	1														
	OUTSIDE CORNER TRIMS, PBR & PBA PANEL DS - F830-DS18300 - LENGTH 15' - 3"	2														
	OUTSIDE CORNER TRIM, PBR & PBA PANEL DS - F830-DS16800 - LENGTH 14' - 0"	2														
	BASE TRIMS, MASONRY WALL, DESERT SAND - F846-DS - LENGTH 20' - 2"	4														
	BASE TRIMS, MASONRY WALL, DESERT SAND - F846-DS12200 - LENGTH 10' - 2"	2														
	FRAMED OPENING SILL TRIMS, DESERT SAND - F848-DS5075 - LENGTH 4' - 2 1/2"	2														
	GUTTER SUPPORT STRAPS FOR PBR PANEL, DSSN - F893-DS - LENGTH 1' - 0"	12														
	FLAT EAVE TRIMS, LIGHT STONE ROOF SLOPE IS 1:12 - F2955-BLS17600 - LENGTH 14' - 8"	2														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-6002	DOWNSPOUTS, 4 X 5 ROLL-FORMED LIGHT STONE - F313-LS - LENGTH 14' - 6"	2														
	KICK-OUTS, 4 X 5 ROLL-FORMED, 72 DEGREES - F321-LS/F321 LENGTH 1' - 4"	2														
	MW STANDARD GUTTER, PBR ROOF, MITER LH ROOF SLOPE IS 1:12 - F760L-BLS17600 - LENGTH 14' - 8"	1														
	MW STANDARD GUTTER, PBR ROOF, MITER RH ROOF SLOPE IS 1:12 - F760R-BLS17600 - LENGTH 14' - 8"	1														
	MW STD. GUTTER END CAPS, PBR, LH, L STONE ROOF SLOPE IS 1:12 - F761L-BLS - LENGTH 0' - 5 3/16"	1														
	MW STD. GUTTER END CAPS, PBR, RH, L STONE ROOF SLOPE IS 1:12 - F761R-BLS - LENGTH 0' - 5 3/16"	1	247368E	1	268	24	24	89.3	29.8	0.6	0.6	2.3	1280.0	580.6	0.6	
	MW STD. RAKE TRIMS, PBR ROOF, MITER LH LS - F764L-LS10400 - LENGTH 8' - 8"	2														
	MW STD. RAKE TRIMS, PBR ROOF, MITER RH LS - F764R-LS10400 - LENGTH 8' - 8"	2														
	MW STD. HI SIDE EAVE TRIM, PBR ROOF, LH ROOF SLOPE IS 1:12 - F768L-BLS17600 - LENGTH 14' - 8"	1														
	MW STD. HI SIDE EAVE TRIM, PBR ROOF, RH ROOF SLOPE IS 1:12 - F768R-BLS17600 - LENGTH 14' - 8"	1														
	MW STD. HI SIDE EAVE TRIM, END CAP, PBR, LH ROOF SLOPE IS 1:12 - F769L-BLS - LENGTH 0' - 8 1/4"	1														
	MW STD. HI SIDE EAVE TRIM, END CAP, PBR, RH ROOF SLOPE IS 1:12 - F769R-BLS - LENGTH 0' - 8 1/4"	1														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW9200 - LENGTH 7' - 8"	14														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW8625 - LENGTH 7' - 2 1/4"	4														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW8200 - LENGTH 6' - 10"	2														
	JAMB TRIMS, PBR PANEL, POLAR WHITE - F22-PW4900 - LENGTH 4' - 1"	2														
	LINER TERMINATION TRIMS, PBR PANEL, DWHT - F82-PW9200 - LENGTH 7' - 8"	8														
	PARTITION ROOF TRIMS, FOR 8" PURLINE DWHT - F94-PW18300/F94 - LENGTH 15' - 3"	2														
	PARTITION WALL TRIMS, FOR 8" GIRTS, DWHT - F95-PW18300/F95 - LENGTH 15' - 3"	2														
	PARTITION WALL TRIMS, FOR 8" GIRTS, DWHT - F95-PW16800/F95 - LENGTH 14' - 0"	2														
	FRAMED OPENING HEAD TRIM PBR, PBA, DWHT - F481-PW7700 - LENGTH 6' - 5"	1														
	FRAMED OPENING HEAD TRIM PBR, PBA, DWHT - F481-PW4100 - LENGTH 3' - 5"	1														
	PANEL CAP TRIMS, POLAR WHITE - F571-PW - LENGTH 14' - 0"	6														
	PANEL CAP TRIMS, POLAR WHITE - F571-PW12200 - LENGTH 10' - 2"	2														
	INSIDE CORNER TRIMS, PBR PANEL, P WHITE - F800-PW9200 - LENGTH 7' - 8"	4														
	FRAMED OPENING SILL TRIM, POLAR WHITE - F848-PW5075 - LENGTH 4' - 2 3/4"	1														
T9003B-BOP-6003	1/2 X 1-1/4 A307, HEX HEAD BOLTS, PLATED - B410A/617-00011/HW356	230														
	1/2 X 1-1/4 A307, FINNECK BOLTS, PLATED - B410F/617-00446	170														
	5/8 X 1-1/2 A325, HEX HEAD BOLTS, PLATED - B512B/617-00198	10														
	1/4 X 2-1/2 A325, HEX HEAD BOLTS, PLATED - B620B/617-00089	68														
	1/2" NUTS, A307 HEX, PLATED - N4A/HW356	400														
	5/8" NUTS, A563 HEX, PLATED - N5B	10														
	3/4" NUTS, A563 HEX, PLATED - N6B/HW361	67														
	#12A - 12 - 14 X 1 DRILLERS, PANCAKE - FS12APL	250														
	#14A POP RIVETS, 1/8 DIA. X 3/8, L STONE - FS14ALS/#14A	250														
	#14 POP RIVETS, 1/8 DIA. X 3/16, D STAND - FS14DS	500														
	#14 POP RIVETS, 1/8 DIA. X 3/16, L STONE - FS14LS	250														
	#14 POP RIVETS, 1/8 DIA. X 3/16, P WHITE - FS14PW	750														
	#17A - 12 - 14 X 1 1/4 DRILLERS - DESERT SAND - FS17ADS/641-01319/#17A	1000														
	#17A - 12 - 14 X 1 1/4 DRILLERS - POLAR WHITE - FS17APW/641-01341/#17A	1000														
	#17 - 12 - 14 X 1 DRILLERS, POLAR WHITE - FS17PW	600														
	#1A - 12 - 14 X 1 DRILLERS, NW - FS1APL	250	247368E	1	49	48	27	36.8	27.6	1.2	0.7	0.9	715.0	324.3	0.3	
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, D SAND - FS3DS/641-00498/#3	500														
	#3 - 12 - 14 X 1 1/4 LL DRILLERS, L STONE - FS3LS/641-00519/#3	250														
	#4A 1/4 - 14 X 7/8 LAP TEKS, DESERT SAND - FS4ADS/641-01385/#4A	750														
	#4A - 14 X 7/8 LAP TEKS, POLAR WHITE - FS4APW/641-01409/#4A	500														
	#4 - 1/4 - 14 X 7/8 LL LAP TEKS, D SAND - FS4DS/641-00278/#4	500														
	#4 - 1/4 - 14 X 7/8 LL LAP TEKS, L STONE - FS4LS/641-00288/#4	500														
	GROMMETS, 1/4-6-32 X 1", WHITE - HW399 LENGTH 0' - 1"	200														
	CLOSURES INSIDE PBR, 1" WIDE - HW465 LENGTH 3' - 0"	10														
	ROLLS 3/32" X 1/2" TAPE SEALANT, 50' - HW507	9														
	SEALANT, TUBES, URETHANE, WHITE - HW540/HW540	2														
	CLOSURES OUTSIDE PBR, 1" WIDE - HW4027 - LENGTH 3' - 0"	41														
	CLIPS, GIRT - CG708	8														
	CLIPS, GIRT - CG14/631-00470	20														
	CLIPS, VERTICAL MEMBER - CV5	16														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
T9003B-BOP-5004	FLUSH GIRT CLOSURES - 14GA X 1-15/16 X 1-4 - FGC1 LENGTH 1' - 4"	18														
	GIRT CLIPS, RED PRIMER - SEE SHOP DRAWING - MCL1	2														
T9003B-BOP-5004	SEE ATTACHED BUY-OUT - MWH504 (1) - 3070 DOOR FRAME (1) - 200025X DOOR	1	247368E	1	94	46	26	65.1	45.0	1.2	0.7	1.7	810.0	367.4	0.4	
	SEE ATTACHED BUY-OUT - MWH505 (1) - 6070 DOOR FRAME (2) - 200025X DOORS	1														
9003B-BOP-5005	RIGID FRAME COLUMN, RED PRIMER - RC-500 LENGTH 14' - 6 11/16"	1														
	RIGID FRAME COLUMNS, RED PRIMER - RC-502 LENGTH 13' - 3 3/4"	2														
9003B-BOP-5005	RIGID FRAME COLUMN, RED PRIMER - RC-506 LENGTH 14' - 6 11/16"	1														
	RIGID FRAME COLUMN, RED PRIMER - RC-508 LENGTH 13' - 3 3/4"	1														
9003B-BOP-5005	RIGID FRAME COLUMN, RED PRIMER - RC-510 LENGTH 14' - 6 11/16"	1														
	RIGID FRAME COLUMNS, RED PRIMER - RC-512 LENGTH 14' - 2"	2														
9003B-BOP-5005	RIGID FRAME RAFTERS, RED PRIMER - RR-504 LENGTH 13' - 2 9/16"	3														
	RIGID FRAME RAFTER, RED PRIMER - RR-514 LENGTH 12' - 10"	1														
9003B-BOP-5005	HS EAVESTRUT, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EH4JJ - EH206504BJ LENGTH 17' - 2 1/4"	1														
	HS EAVESTRUT, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EH4JJ - EH116504BJ LENGTH 9' - 8 1/4"	1														
9003B-BOP-5005	LS EAVESTRUT, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4JJ - EL206504BJ LENGTH 17' - 2 1/4"	1														
	LS EAVESTRUT, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4JJ - EL116504BJ LENGTH 9' - 8 1/4"	1														
9003B-BOP-5005	HEADER, 8C X 3 1/4", RED PRIMER - HOLES @ 2", 7' - 10" HZ9600J4 - LENGTH 8' - 0"	1														
	HEADER, 8C X 3 1/4", RED PRIMER - HOLES @ 2", 5' - 10" HZ7200J4 - LENGTH 6' - 0"	1														
9003B-BOP-5005	HEADERS, 8C X 3-1/2", RED PRIMER - HOLES @ 2", 3' - 10" HZ4800J4 - LENGTH 4' - 0"	2														
	JAMBS, 8C X 3-1/2", RED PRIMER - HOLES @ 2", 3' - 3 3/4", 7' - 1 3/4", 11' - 11" - JZ14500J4	4	247368E	1	240	96	38	506.7	1069.6	2.4	1.0	12.9	8820.0	4000.7	4.0	20' PLATFORM - S/N OTEU-122337-2
9003B-BOP-5005	JAMB, 8C X 3 1/4", RED PRIMER - HOLES @ 2", 11' - 10" JZ14500J4 LENGTH 12' - 1"	1														
	JAMBS, 8C X 3 1/4", RED PRIMER - HOLES @ 2", 7' - 2 1/4" JZ6825J4 - LENGTH 7' - 4 1/4"	2														
9003B-BOP-5005	JAMBS, 8C X 3-1/2", RED PRIMER - HOLES @ 2", 3' - 3 3/4", 4' - 7 3/4" - JZ5775J4 - LENGTH 4' - 9 3/4"	2														
	GIRT HEADERS 08" DEPTH, RED PRIMER - GH08-6500 LENGTH 4' - 7"	2														
9003B-BOP-5005	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z3SS - GZ154503S LENGTH 12' - 10 1/4"	3														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z3PP, ADD HOLES @ 1 3/4", 2 3/4", 3 3/4", 9 7/8", 10 7/8", 11 7/8" - GZ13633P-R LENGTH 1' - 1 5/8"	6														
9003B-BOP-5005	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE RED PRIMER - ANID = W082Z4RR - PZ224504R LENGTH 18' - 8 1/4"	4														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE RED PRIMER - ANID = W082Z4RR - PZ134504R LENGTH 11' - 2 1/4"	3														
9003B-BOP-5005	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ180756S LENGTH 16' - 0 3/4"	4														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ171266S LENGTH 14' - 3 1/4"	4														
9003B-BOP-5005	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ163006S LENGTH 13' - 7"	2														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6GG - GZ158506G LENGTH 13' - 2 1/4"	3														
9003B-BOP-5005	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6SS - GZ90756S LENGTH 7' - 6 3/4"	6														
	GIRTS, 8 X 2 1/8 X 2 3/8 ZEE, RED PRIMER - ANID = W082Z6PP - ADD HOLES @ 1 3/4", 2 3/4", 3 3/4", 9 7/8", 10 7/8", 11 7/8" - GZ13636P-R LENGTH 1' - 1 5/8"	6														
9003B-BOP-5006	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" RID. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH424600/RB08-0246 LENGTH 20' - 6"	2														
	X-BRACE ASSEMBLIES, 1/2" ROD, RED PRIMER - EACH ASSEMBLY INCLUDES: 1 - ROD 1/2" DIA. 6" RH THREADS BOTH ENDS 2 - FLATWASHERS, 2 HILLSIDE WASHERS AND 2 - A563 NUTS - XH417700/RB08- 0177 LENGTH 14' - 9"	7														
9003B-BOP-5006	GIRTS, 8C X 2-1/2", RED PRIMER - ANID = W082C4PP - ADD HOLES @ 1 3/4", 2 3/4", 3 3/4", 9 7/8", 10 7/8", 11 7/8" - GZ1363H4P-R LENGTH 1' - 1 5/8"	2														
	CEE, 8C X 2-1/2", RED PRIMER - NO HOLES - CH24000H6 LENGTH 20' - 0"	1	247368E	1	310	22	17	67.1	14.5	0.6	0.4	1.7	2210.0	1002.4	1.0	
9003B-BOP-5006	GIRT, 8C X 2 1/2", RED PRIMER - ANID = W082C6PP - GZ15850H6P LENGTH 13' - 2 1/4"	1														
	TRANSITION ANGLES, 4 X 6 L - ANGLE = 90 - PA18000J - LENGTH 20' 0"	4														
9003B-BOP-5006	SHEETING ANGLES, 4 X 4 X 16 GA. L, RED PRM - RA2-240 LENGTH 13'	13														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - FB4-3400 LENGTH 2' - 10"	6														
9003B-BOP-5006	ANGLES, 3 X 3 X 16 GA. L, RED PRIMER - L18000X6 LENGTH 16' - 0"	3														
	ANGLES, 3 X 3 X 16 GA. L, RED PRIMER - L16200X6 LENGTH 13' - 6"	2														
9003B-BOP-5006	ANGLE, 3 X 3 X 16 GA. L, RED PRIMER - L7700X6 LENGTH 6' - 5"	1														
	ANGLE, 3 X 3 X 16 GA. L, RED PRIMER - L4100X6 LENGTH 3' - 5"	1														
9003B-BOP-5007	SEE ATTACHED BUY-OUT - MWH503 - LOUVERS	2	247368E	1	57	24	63	49.9	43.6	0.6	1.6	1.3	435.0	197.3	0.2	
9003B-BOP-6001	ROOF PANELS, "PBR", DESERT SAND - EACH PANEL PACKAGE TO BEAR U.L. STICKER FOR CONSTRUCTION NUMBER #161 AND #167 - "PBR" - LENGTH 10' - 5"	5	247368F	1	130	44	17	56.3	24.4	1.1	0.4	1.4	650.0	294.8	0.3	
9003B-BOP-6001	DOWNSPOUT STRAPS, 18 GA. PAINTED - L STONE HW299EL5/HW2993 LENGTH 0' - 9 1/4"	2														
	GUTTER SUPPORT STRAPS FOR PBR PANEL, DSSN F893-DS LENGTH 1' - 0"	6														
9003B-BOP-6001	FLAT EAVE TRIMS, LIGHT STONE - ROOF SLOPE IS 1:12 F2955-BLS7400 LENGTH 6' - 2"	2														
	DOWNSPOUTS, 4 X 5 ROLL-FORMED LIGHT STONE F320-LS/F320 LENGTH 10' - 6"	2														
9003B-BOP-6001	KICK-OUTS, 4 X 5 ROLL-FORMED, 72 DEGREES - F321-LS/F321 LENGTH 1' - 4"	2														

LM6000 TACOA SHIPMENT LOG

T9003B

BOX # PC #	DESCRIPTION	PC QTY	PART NUMBER	QTY	Length	Width	Height	Cubic Feet	Length	Width	Height	CUBIC METERS	WEIGHT	WEIGHT	WEIGHT	CONTAINER
9003B-BOP-6002	OPEN WALL EAVE COVERS, 8" LOW EAVESTRUT ROOF SLOPE IS 0:12 - F580-XLS/F580 LENGTH 20' - 2"	2														
	OPEN WALL EAVE COVER, 8" LOW EAVESTRUT ROOF SLOPE IS 1:12 - F5790BK514400/F580 LENGTH 12' - 0"	1														
	OPEN WALL EAVE COVER, 8" HIGH EAVESTRUT ROOF SLOPE IS 1:12 - F583-BLS14400/F583 LENGTH 12' - 0"	1														
	MW STANDARD GUTTER, PBR ROOF, MITER LH ROOF SLOPE IS 1:12 - F760L-BLS7400 LENGTH 6' - 2"	1	247368F	1	269	24	24	89.7	29.9	0.6	0.6	2.3	920.0	417.3	0.4	
	MW STANDARD GUTTER, PBR ROOF, MITER RH ROOF SLOPE IS 1:12 - F760R-BLS7400 LENGTH 6' - 2"	1														
	MW STD. GUTTER END CAP, PBR, LH, L STONE ROOF SLOPE IS 1:12 - F761L-BLS LENGTH 0' - 6 3/16"	1														
	MW STD. GUTTER END CAP, PBR, RH, L STONE ROOF SLOPE IS 1:12 - F761R-BLS LENGTH 0' - 6 3/16"	1														
	MW STD. RAKE TRIMS, PBR ROOF, MITER LH-LS F764L-LS7600 LENGTH 6' - 4"	2														
	MW STD. RAKE TRIMS, PBR ROOF, MITER RH-LS F764R-LS7600 LENGTH 6' - 4"	2														
	MW STD. HI-SIDE EAVE TRIM, PBR ROOF, LH ROOF SLOPE IS 1:12 - F768L-BLS7400 LENGTH 6' - 2"	1														
	MW STD. HI-SIDE EAVE TRIM, PBR ROOF, RH ROOF SLOPE IS 1:12 - F768R-BLS7400 LENGTH 6' - 2"	1														
	MW STD. HI-SIDE EAVE TRIM, ENDCAP, PBR, LH ROOF SLOPE IS 1:12 - F769L-BLS LENGTH 0' - 8 1/4"	1														
	MW STD. HI-SIDE EAVE TRIM, ENDCAP, PBR, RH ROOF SLOPE IS 1:12 - F769R-BLS LENGTH 0' - 8 1/4"	1														
9003B-BOP-6003	1/4 X 1-1/4 A307, HEX HEAD BOLTS, PLATED - B410A/617-00011/HW356	30														
	1/4 X 2-1/2 A325, HEX HEAD BOLTS, PLATED - B620B/617-00089	35														
	1/4" NUTS, A307 HEX, PLATED - N4A/HW356	30														
	1/4" NUTS, A563 HEX, PLATED - N6B/HW361	34														
	#12A 12 - 14 X 1 DRILLERS, PANCAKE - FS12APL	250														
	#14A POP RIVETS, 1/8 DIA. X 3/8, L STONE FS14ALS/#14A	250														
	#14 POP RIVETS, 1/8 DIA. X 3/16, L STONE FS14LS	250														
	#3 12 - 14 X 1 1/4 LL DRILLERS, D SAND FS3DS/641-00498/#3	250	247369F	1	35	22	27	12.0	4.1	0.6	0.7	0.3	185.0	83.9	0.1	
	#3 12 - 14 X 1 1/4 LL DRILLERS, L STONE FS3LS/641-00519/#3	250														
	#4A 1/4 - 14 X 7/8 LAP TEKS, LIGHT STONE FS4ALS/641-01398/#4A	250														
	#4 1/4 - 14 X 7/8 LL LAP TEKS, D SAND FS4DS/641-00278/#4	250														
	#4 1/4 - 14 X 7/8 LL LAP TEKS, L STONE FS4LS/641-00288/#4	250														
	CLOSURES INSIDE PBR, 1" WIDE - HW455 LENGTH 3' - 0"	5														
	ROLLS 3/32" X 1/4" TAPE SEALANT, 50' - HW507	4														
9003B-BOP-6004	SEALANT, TUBES, URETANE, WHITE - HW540/HW540	2														
	CLOSURES OUTSIDE PBR, 1" WIDE - HW4027 LENGTH 3' - 0"	5														
	RIGID FRAME COLUMNS, RED PRIMER - RC-600 LENGTH 12' - 1"	2														
	RIGID FRAME COLUMNS, RED PRIMER - RC-602 LENGTH 11' - 4 7/16"	2														
	RIGID FRAME RAFTERS, RED PRIMER - RR-604 LENGTH 6' - 9 13/16"	2														
	HS EAVESTRUT, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EH4JJ - EH119504BJ LENGTH 9' - 11 1/4"	1	247368F	1	163	44	25	103.8	66.1	1.1	0.6	2.6	1850.0	839.1	0.8	
	LS EAVESTRUT, 1:12, 8 X 3 3/8 X 5, RDPR - ANID = W083EL4JJ - EL119504BJ LENGTH 9' - 11 1/4"	1														
	CAP CHANNELS, RED PRIMER - SEE STANDARD SHOP DRAWING CCH12000K6 - CCH12000K6 LENGTH 10' - 0"	2														
	ALT. FLANGE BRACES, 2 X 2 X 14 GA. L, RDPR - FB4-3400 - LENGTH 2' - 10"	4														
	PURLINS, 8 X 2 1/8 X 2 3/8 ZEE RED PRIMER ANID = W082Z4RR - PZ119504R LENGTH 9' - 11 1/4"	3														