



FT4 SCOPE OF SUPPLY

- Pratt & Whitney Dual Fuel FT-4 / Turbine Gen/Set
- Baseplate with supports for Gas Turbine, & Foundation Bolts
- Main Generator 13.8/11kv 60/50hz .85 P.F.
- PLC Turbine Controls
- Complete Local/Remote Control and Supervisory System for the Gas Turbine and Expander, including all necessary control switches and alarms
- The Generating Plant is Auto : Start, Synch & Parallel
- Water Injection for Power Boost & Exhaust Emissions Control
- Exhaust Silencer
- Exhaust Stack
- Intake Silencer /Screen
- Coupling between the Turbine and the Generator.
- Generator
- Generator is a Self Ventilated Turbo and designed for Open Air Cooling.
- Exciter is located at the Non-Driven End of the Generator.
- Inlet Suction Duct for the Gas Turbine
- Thermal and Acoustical Insulation

Governing And Lubricating Oil System

- Turbine comes with an Integral Governing and Lubricating Oil System which includes all necessary safety and supervisory devices.
- Generator has a separate lubricating system as well as the Load Governor and Over Speed Trip Mechanism.
- Oil is cooled by a radiator located at the side of the unit.
- Fan Cooled Radiator.
- DC Battery is supplied to provide power in case of an emergency and unit power is lost

Fuel System:

- Liquid Fuel/Gas Fuel
- Fuel Connections are located at the side of the unit

Vibration Supervisory System

- Noise Level: the noise level measured at 400 Ft will be 85db or lower

Georgia
1395 S. Marietta Pkwy
Suite 218
Marietta, Georgia 30067

Missouri
2001 Adams Road
Sedalia, MO 65301


Texas
616 FM 1960 West
Suite 750
Houston, Texas 77090

ProEnergy Services de Venezuela C.A.
Urbanización Los Caobos, Paseo Colón,
Torre Polar Oeste, Piso 4, Oficina 4-C
Plaza Venezuela - Caracas
Venezuela


tel 660.829.5100 • fax 660.829.1160 • www.proenergyservices.com



ProEnergy
SERVICES
"Experience Our Energy"



FT4 FACT SHEET



Turbine (Simple Cycle)

Generator Frequency	50 Hz	60 Hz
Generator Effy. Assumed / Gearbox Effy. Assumed	.980 / N/A	.980 / N/A
Output (kW)	24,300	29,400
Heat Rate (Btu/kWe-hr)	13,200	11,500
Power Turbine Speed (rpm)	3,600	3,600
Exhaust Temp. (deg. F)	570	690

Georgia
1395 S. Marietta Pkwy E,
Suite 218
Marietta, Georgia 30067

Missouri
2001 Adams Road
Sedalia, MO 65301

Texas
616 FM 1960 West
Suite 750
Houston, Texas 77090

ProEnergy Services de Venezuela C.A.
Urbanización Los Caobos, Paseo Colón,
Torre Polar Oeste, Piso 4, Oficina 4-C
Plaza Venezuela - Caracas
Venezuela

