

# DERWICK

DERWICK ASSOCIATES S.A.

## GE TM2500





DERWICK ASSOCIATES S.A.

# GE TM2500

• Simple Cycle Performance	60Hz	
• Serial Numbers	481-364/481-694/481-757/481-774	
• Output	22MW	
• Heat Rate	9,550 Btu/kWh	(10,075J/kWh)
• Efficiency	36%	
• Dual Fuel Equipment		
• Exhaust Flow	143 lb/sec	
• Turbine Speed	3600 rpm	
• Exhaust Temperature	860°F	(429°C)
• Model Designation	TM2500PE	
• Fuel Consumption	59,822	(Gallons/hr)
	14,956	(Liters/hr)
• Cubic-Feet/hr	203,888	(Cubic feet/hr)



- **Footprint**
  - 105' x 75' (single unit), 200' x 400' (5 units)
- **Performance**
  - 22.8 MW ISO, 36.7% efficient
- **Simplicity**
  - Easy to set-up
  - Easy to operate
  - Easy to maintain
- **Fuel Flexibility**
  - Gas or distillate fuels
- **Emissions**
  - 42 ppm NOx on liquid, 25 ppm on natural gas

# DERWICK

DERWICK ASSOCIATES S.A.

## GE TM2500







DERWICK ASSOCIATES S.A.

# GE TM2500

