



A11: Additional Information Must be typewritten.

☒ Orient and affix BIS job number label here ☒
121184841

Page number 1 of 26 BIS Document No. _____

1 Location and Job Information Required for all applications.

House No(s) 550 Street Name WEST 34TH STREET
Borough Manhattan Block 705 Lot 1 BIN 1089412 CB No. 104

2 Revisions to Plans/Drawings Required whenever updating plans. All revisions for each page must be clearly described in section 3.

Submission is part of a Post Approval Amendment (PAA)? ☒ Yes PW1 required ☐ No Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	M-001.00	M-001.01	S	M-102.00	M-102.01	S	M-106.00	M-106.01	S	M-110.00	M-110.01
S	M-003.00	M-003.01	S	M-103.00	M-103.01	S	M-107.00	M-107.01	S	M-111.00	M-111.01
S	M-100.00	M-100.01	S	M-104.00	M-104.01	S	M-108.00	M-108.01	S	M-112.00	M-112.01
S	M-101.00	M-101.01	S	M-105.00	M-105.01	S	M-109.00	M-109.01	S	M-113.00	M-113.01

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page. Is this section continued on additional A11 forms? ☒ Yes ☐ No

3 Additional Information Required for all applications.

M-001.01

1. Updated drawing list to reflect PAA 05 issuance.

M-003.01

1. Updated scope for PAA 05.

M-100.01

1. Modified fuel oil piping and tank locations per revised backgrounds.
2. Fuel oil pump locations revised.
3. Locations for Storage area grilles revised as noted.
4. HP-2-1 cfms adjusted and plenums resized.

M-101.01

1. Fuel oil vent locations revised.
2. Modified Ductwork distribution and risers.
3. Supply cfms adjusted.

M-102.01

1. Entire floor distribution system modified.
2. Support services for tenant elevator on West side added.

M-103.01

1. Entire floor distribution system modified.
2. Support services for tenant elevator on West side added.

M-104.01

1. Toilet supply air modified for supply values.
2. Piping sizes and distribution from mechanical room modified.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print) GARY POMERANTZ
Signature Gary Pomerantz Date 10/16/17
P.E. / R.A. Seal apply seal, then sign and date over seal





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS
job number label here ☒
121184841

Page number 2 of 26 BIS Document No. _____

1 Location and Job Information Required for all applications.

House No(s) 550 Street Name WEST 34TH STREET

Borough Manhattan Block 705 Lot 1 BIN 1089412 CB No. 104

2 Revisions to Plans/Drawings Required whenever updating plans. All revisions for each page must be clearly described in section 3.

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes PW1 required ☐ No Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	M-114.00	M-114.01	S	M-118.00	M-118.01	S	M-122.00	M-122.01	S	M-126.00	M-126.01
S	M-115.00	M-115.01	S	M-119.00	M-119.01	S	M-123.00	M-123.01	S	M-127.00	M-127.01
S	M-116.00	M-116.01	S	M-120.00	M-120.01	S	M-124.00	M-124.01	S	M-128.00	M-128.01
S	M-117.00	M-117.01	S	M-121.00	M-121.01	S	M-125.00	M-125.01	S	M-129.00	M-129.01

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information Required for all applications.

M-105.01

1. Toilet supply air modified for supply values.
2. Piping sizes and distribution from mechanical room modified.

M-106.01

1. Toilet supply air modified
2. Piping sizes and distribution from mechanical room modified.
3. Corridor and smoke exhaust modified for multiple tenant occupancy versus single tenant.
4. Return fan added for west side tenant.

M-107.01

1. SX/GX modified through shear wall (mirrored).
2. Toilet exhaust and supply modified.
3. Piping sizes and location out of mechanical room modified.

M-108.01

1. Toilet exhaust and supply modified.
2. Piping sizes and location out of mechanical room modified.

M-109.01

1. Toilet exhaust and supply modified.
2. Piping sizes and location out of mechanical room modified.
3. Outdoor air shaft modified.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

P.E. R.A. Seal (apply seal, then sign and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 3 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550Street Name WEST 34TH STREETBorough ManhattanBlock 705Lot 1BIN 1089412CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)?

☐ Yes *PW1 required*☐ No*Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	M-130.00	M-130.01	S	M-134.00	M-134.01	S	M-138.00	M-138.01	S	M-142.00	M-142.01
S	M-131.00	M-131.01	S	M-135.00	M-135.01	S	M-139.00	M-139.01	S	M-143.00	M-143.01
S	M-132.00	M-132.01	S	M-136.00	M-136.01	S	M-140.00	M-140.01	S	M-144.00	M-144.01
S	M-133.00	M-133.01	S	M-137.00	M-137.01	S	M-141.00	M-141.01	S	M-145.00	M-145.01

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

M-110.01

1. Entire floor distribution modified.
2. Additional Generator Supply fan added.
3. Generator layouts added with exhaust train.
4. SX ducts augmented for 10th floor bulk head addition.

M-111.01

1. Electric Baseboard modified for openings in curtain wall.

M-112.01

1. Piping augmented. Sizes adjusted.

M-113.01 thru M-118.01

1. Piping augmented. Sizes adjusted.
2. Distribution adjusted.

M-119.01

1. Piping augmented. Sizes adjusted.
2. Distribution adjusted for elevator hoistways and machinery.

M-120.01 thru M-130.01

1. Piping augmented. Sizes adjusted.
2. Distribution adjusted.
3. Stair pressurization risers adjusted.
4. IDF room ventilation adjusted – location of units.


Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

P.E. / R.A. Seal (apply seal, then sign and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 4 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No

Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	M-146.00	M-146.01	S	M-150.00	M-150.01	S	M-154.00	M-154.01	S	M-503.00	M-503.01
S	M-147.00	M-147.01	S	M-151.00	M-151.01	S	M-500.00	M-500.01	S	M-504.00	M-504.01
S	M-148.00	M-148.01	S	M-152.00	M-152.01	S	M-501.00	M-501.01	S	M-505.00	M-505.01
S	M-149.00	M-149.01	S	M-153.00	M-153.01	S	M-502.00	M-502.01	S	M-506.00	M-506.01

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

M-131.01 and 132.01

1. Pipe sizes and distribution adjusted.
2. HVAC supply values adjusted at toilets.

M-133.01-137.01

1. Piping augmented. Sizes adjusted.
2. Distribution adjusted.
3. Stair pressurization risers adjusted.
4. IDF room ventilation adjusted – location of units.

M-138.01

1. Entire HVAC distribution adjusted.
2. HVAC unit upsized per schedules.
3. Condenser water sizing adjusted for new capacities.

M-139.01 – 143.01

1. Piping augmented. Sizes adjusted.
2. Distribution adjusted.
3. Stair pressurization risers adjusted.
4. IDF room ventilation adjusted – location of units.

M-144.01 and 145.01

1. Entire HVAC distribution adjusted.
2. HVAC unit upsized per schedules.
3. Condenser water sizing adjusted for new capacities.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz

Date

10/16/17

P.E. / R.A. Seal (apply registration sign and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 5 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	M-700.00	M-700.01	S	M-802.00	M-802.01	S	P-101.00	P-101.01	S	P-105.00	P-105.01
S	M-701.00	M-701.01	S	M-803.00	M-803.01	S	P-102.00	P-102.01	S	P-106.00	P-106.01
S	M-702.00	M-702.01	S	P-001.00	P-001.01	S	P-103.00	P-103.01	S	P-107.00	P-107.01
S	M-800.00	M-800.01	S	P-100.00	P-100.01	S	P-104.00	P-104.01	S	P-108.00	P-108.01

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

M-146.01 – 151.01

1. Piping augmented. Sizes adjusted.
2. Distribution adjusted.
3. Stair pressurization risers adjusted.
4. IDF room ventilation adjusted – location of units.

M-152.01

1. Entire machine room layout and distribution augmented.

M-153.01

1. CRAC-52M-1 added with updated distribution.
2. HVAC distribution to EMR adjusted.

M-154.01

1. Roof plan generator flue locations adjusted.
2. Smoke exhaust fan relocated from MER to roof.
3. Stair and hoistway vents modified.

M-500.01 thru 502.01


1. Added FSDs, FDs and ALDs as necessary.
2. Updated flows and tap sizes.
3. Adjusted stair pressurization tap locations.

M-503.01 thru 505.01

1. Adjusted CWS&R and hot water flows.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print) GARY POMERANTZ 062597
 Signature Gary Pomerantz Date 10/16/17
 P.E. / R.A. Seal (apply seal, then sign and date over seal)





A11: Additional Information

Must be typewritten.

☒ Orient and affix BIS
job number label here ☒
121184841

Page number 6 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	P-109.00	P-109.01	S	P-113.00	P-113.01	S	P-117.00	P-117.01	S	P-121.00	P-121.01
S	P-110.00	P-110.01	S	P-114.00	P-114.01	S	P-118.00	P-118.01	S	P-122.00	P-122.01
S	P-111.00	P-111.01	S	P-115.00	P-115.01	S	P-119.00	P-119.01	S	P-123.00	P-123.01
S	P-112.00	P-112.01	S	P-116.00	P-116.01	S	P-120.00	P-120.01	S	P-124.00	P-124.01

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional A11 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

M-506.01

- Modified fuel oil system to indicate riser changes including future connections for tenant systems.

M-700 thru M-702.01

- Updated schedules with equipment adds and deletions, capacities, etc.

M-800.01, 802.01 and 803.01

- Sequences and control devices updated.

P-001.01

- Revised drawing list.

P-100.01

- 4" Storm pipe was added to serve the ConEd vault and was connected to the Outgoing storm pipe
- Added 4" funnel drain and related piping for sprinkler drain. Also, revised the sewage ejector basin.
- Added sump pump ESP-1 and related piping to water service room C2-502.

P-101.01

- Location of the outgoing storm pipe serving the Con Ed vault was revised.
- Plumbing piping layout changed to match architectural changes.
- Plumbing piping layout changed to match field coordination changes.
- (1) 5" & (2) 4" Gas regulator vent added.
- Added 5" regulator vent for the regulator serving the boiler gas pipe due to coordination with Con Ed regulator requirement.
- Added 4" floor drain in elevator pit, added 4" sanitary piping.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz Date 10/16/17

P.E. R.A. Seal (apply seal, then sign and date over seal)



A11: Additional Information Must be typewritten.

☒ Orient and affix BIS
job number label here ☒
121184841

Page number 7 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	P-125.00	P-125.01	S	P-129.00	P-129.01	S	P-133.00	P-133.01	S	P-137.00	P-137.01
S	P-126.00	P-126.01	S	P-130.00	P-130.01	S	P-134.00	P-134.01	S	P-138.00	P-138.01
S	P-127.00	P-127.01	S	P-131.00	P-131.01	S	P-135.00	P-135.01	S	P-139.00	P-139.01
S	P-128.00	P-128.01	S	P-132.00	P-132.01	S	P-136.00	P-136.01	S	P-140.00	P-140.01

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional A11 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-102.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Two 6" Fresh air inlets removed from ground floor.
4. Location of the 15" storm & 10" san pipe riser was revised. Also, San pipes serving the future connection was removed.
5. Hose bibb added in garbage storage area.
6. Added 5" regulator vent for the regulator serving the boiler gas pipe.
7. Relocated ¾" cold water serving the hose bibb in the Loading dock from the second floor ceiling to first floor ceiling.
8. 4" storm pipe was added in Elevator lobby.
9. 4" Gas pipe encased in 6" pipe along with 3" exterior vent added as a placeholder.
10. 3" Vent added for future North Retail.
11. 4" Funnel Drain and associated piping added for floor control valve for East Retail.
12. 3" Vent added for Future in east retail.
13. (8) 3" drain and associated piping added for Hydraulic Barriers.
14. Oil Minder sump added in a new pit for Hydraulic Barrier.
15. Added 3" gas riser for tenant.

P-103.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 10" sanitary riser was added in the service elevator lobby.
4. 4" Storm and overflow drain were added to serve the new terrace located on third floor.
5. Floor drain pipe was added to the floor drain located in 3rd floor mechanical room.
6. Added ¾" cold water & hose bibb in the mechanical room.
7. 4" storm pipe was added in Women's toilet.
8. Added 3" gas riser for tenant.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (Please print)

GARY POMERANTZ

Signature

P.E./R.A. Seal (apply seal, then sign and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 8 of 26

BIS Document No. _____

1 Location and Job Information Required for all applications.

House No(s) 550 Street Name WEST 34TH STREET

Borough Manhattan Block 705 Lot 1 BIN 1089412 CB No. 104

2 Revisions to Plans/Drawings Required whenever updating plans. All revisions for each page must be clearly described in section 3.

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	P-141.00	P-141.01	S	P-145.00	P-145.01	S	P-149.00	P-149.01	S	P-153.00	P-153.01
S	P-142.00	P-142.01	S	P-146.00	P-146.01	S	P-150.00	P-150.01	S	P-154.00	P-154.01
S	P-143.00	P-143.01	S	P-147.00	P-147.01	S	P-151.00	P-151.01	S	P-500.00	P-500.01
S	P-144.00	P-144.01	S	P-148.00	P-148.01	S	P-152.00	P-152.01	S	P-501.00	P-501.01

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information Required for all applications.

P-104.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 10" sanitary riser was added in the service elevator lobby.
4. 3" vent riser located in the service elevator lobby offsets in the ceiling and connects to 4" vent riser V-15.
5. 4" storm and overflow drain were added to the third floor terrace.
6. Added Floor drain in 3rd floor mechanical room.
7. Added 3/4" cold water & hose bibb in the mechanical room.
8. Floor drain pipe was added to the floor drain located in 4th floor mechanical room.
9. 4" Storm pipe running in the Corridor removed and routed to go down on the west side of Stair C.
10. 4" Storm pipe was added in Women's toilet.
11. Added 3" gas riser for tenant.

P-105.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 10" sanitary riser was added in the service elevator lobby.
4. Added Floor drain in 4th floor mechanical room.
5. Added 3/4" cold water & hose bibb in the mechanical room.
6. Floor drain pipe was added to the floor drain located in 5th floor mechanical room.
7. 4" storm pipe was added in Women's toilet.
8. Added 3" gas riser for tenant.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz

Date

10/16/17

P.E. / R.A. Seal (apply seal, then sign and affix over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 9 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550 Street Name WEST 34TH STREET

Borough Manhattan Block 705 Lot 1 BIN 1089412 CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID
S	P-502.00	P-502.01	S	P-600.00	P-600.01						
S	P-503.00	P-503.01	S	P-601.00	P-601.01						
S	P-504.00	P-504.01	S	P-700.00	P-700.01						
S	P-506.00	P-506.01	S								

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-106.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 10" sanitary riser was added in the service elevator lobby.
4. Added Floor drain in 5th floor mechanical room.
5. Added 3/4" cold water & hose bibb in the mechanical room.
6. Floor drain pipe was added to the floor drain located in 6th floor mechanical room.
7. 4" storm pipe was added in Women's toilet.
8. Added 3" gas riser for tenant.

P-107.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 10" sanitary riser was added in the service elevator lobby.
4. Added Floor drain in 6th floor mechanical room.
5. Floor drain pipe was added to the floor drain located in 7th floor mechanical room.
6. Vent pipe from the future connection was added and connected to the vent main serving the toilets 06-403 & 06404.
7. 2 floor drains and related piping were added in toilets located North of Stair 2.
8. 4" Storm and 4" overflow pipe was relocated to go down at east of col. Line E & North of Col line 2.
9. Added 3" gas riser for tenant.

P-108.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 10" sanitary riser was added in the service elevator lobby.
4. New 4" sanitary riser serving floor drains located on 9th floor is added.
5. Added Floor drain in 7th floor mechanical room.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ 662597

Signature

Date

P.E. / R.A. Seal (apply seal, then sign, and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒
121184841

Page number 10 of 26

BIS Document No. _____

1 Location and Job Information Required for all applications.

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings Required whenever updating plans. All revisions for each page must be clearly described in section 3.

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No

Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information Required for all applications.

P-108.01 (CON'T)

6. Floor drain pipe was added to the floor drain located in 8th floor mechanical room.
7. 2 floor drains and related piping were added in toilets located north of Stair 2.
8. 3" sanitary riser located in Mechanical room was relocated east of HVAC pipes.
9. Added 3" gas riser for tenant.

P-109.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 10" sanitary riser was added in the service elevator lobby.
4. 2 floor drains and related piping were added in toilets located North of Stair 2.
5. 1½" Vent pipe was added to serve the future toilet shower.
6. 2" San pipe was added to serve the future toilet shower.
7. Added 3" gas riser for tenant.

P-110.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Two new floor drains were added on the south side of the building and corresponding 2" vent was added and routed to connect to vent main in the corridor.
4. Area drain located on the south of the building was changed to Floor drain and corresponding piping was changed to sanitary.
5. PRV located on the cold water main were tagged and the cold water routing was changed.
6. 2 Water heater (HWH-1) and related piping relocated to coordinate with HVAC and Plumbing risers.
7. (2) 8" Storm pipe serving the roof drains along with roof Drains were relocated west of the HVAC plenum.
8. Floor Drain added at the revised location at the water heater.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ 262597

Signature

Gary Pomerantz 10/16/17

P.E. / R.A. Seal (apply seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 11 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No

Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-110.01 (CON'T)

- 2" vent serving the floor drain is added.
- 8" Storm pipe & overflow pipe relocated.
- 6" cold water serving the water heater revised.
- 2" HW & HWR serving the pressure zone revised.
- 3" CW serving the zone piping revised.
- 4" CW serving the zone piping revised.
- 2 Floor drains relocated to serve the plenum.
- 6" sleeves added for future bathrooms and floor drains.
- Added 3" gas riser for tenant.

P-111.01

- Plumbing piping layout changed to match architectural changes.
- Plumbing piping layout changed to match field coordination changes.
- New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
- Future connections for sanitary, water & vent added on west side of the women's toilet.
- Cold water riser serving the women's toilet updated to accommodate the additional load.
- Added 3" gas riser for tenant.

P-112.01

- Plumbing piping layout changed to match architectural changes.
- Plumbing piping layout changed to match field coordination changes.
- New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
- Cold water riser serving the women's updated to accommodate the additional load.
- Added 3" gas riser for tenant.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please Print)

GARY POMERANTZ

Signature

Gary Pomerantz 10/16/17

P.E. / P.A. Seal (affix seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 12 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-113.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. Cold water riser serving the women's updated to accommodate the additional load
5. Added 3" gas riser for tenant.

P-114.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. Cold water riser serving the women's updated to accommodate the additional load
5. Added 3" gas riser for tenant.

P-115.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. Cold water riser serving the women's updated to accommodate the additional load
5. Added 3" gas riser for tenant.

P-116.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. Cold water riser serving the women's updated to accommodate the additional load
5. Added 3" gas riser for tenant.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz Date 10/16/17

P.E. / R.A. Seal (apply seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒
121184841

Page number 13 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No

Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-117.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. Cold water riser serving the women's updated to accommodate the additional load
5. Added 3" gas riser for tenant.

P-118.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. Cold water riser serving the women's updated to accommodate the additional load
5. Added 3" gas riser for tenant.

P-119.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. Cold water riser serving the women's updated to accommodate the additional load
5. Added 3" gas riser for tenant.

P-120.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz

Date

10/16/17

P.E. / E.A. Seal (apply seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒
121184841

Page number 14 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550 Street Name WEST 34TH STREET

Borough Manhattan Block 705 Lot 1 BIN 1089412 CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-120.01 (CON'T)

4. New 4" san from the floor drain serving the water heater located on the 21st floor was added. New 2" vent pipe was also added.
5. Cold water riser serving the women's toilet will have to be updated to accommodate the additional load of future connection from floors 11-18.
6. Added 3" gas riser for tenant.

P-121.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. New floor drain was added to serve the water heaters. Corresponding 2" vent pipe was also added and connects to riser located in Women's toilet.
5. Tag for PRV was added.
6. Water pipe for the future connection was connected to the main downstream of the PRV.
7. Cold water riser serving the women's toilet will have to be updated to accommodate the additional load of future connection from floors 11-18.
8. Added 3" gas riser for tenant.

P-122.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floor was located in the chase of Men's toilet.
4. Added 3" gas riser for tenant.
5. Added 4" storm pipe to serve tenant terrace drains.


Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

P.E. / R.A. Seal (apply seal, then sign, and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒
121184841

Page number 15 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-123.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floor was located in the chase of Men's toilet.
4. Added 3" gas riser for tenant.
5. Added 4" storm pipe to serve tenant terrace drains.
6. Added 3/4" cold water to serve ground hydrant.

P-124.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floor was located in the chase of Men's toilet.
4. Added 3" gas riser for tenant.
5. Added ground hydrant for tenant terrace.
6. Added roof drain for tenant terrace.
7. Added overflow drain for tenant terrace.
8. Added 4" storm pipe to serve tenant terrace drains.

P-125.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floor was located in the chase of Men's toilet.
4. Added 3" gas riser for tenant.
5. Added 4" storm pipe to serve tenant terrace drains.
6. Added 3/4" cold water to serve ground hydrant.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

P.E. / R.E. Seal (apply seal, then sign and date over seal)



Gary Pomerantz 10/10/17



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 16 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550 Street Name WEST 34TH STREET

Borough Manhattan Block 705 Lot 1 BIN 1089412 CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-126.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floor was located in the chase of Men's toilet.
4. Added 3" gas riser for tenant.
5. Added ground hydrant for tenant terrace.
6. Added roof drain for tenant terrace.
7. Added overflow drain for tenant terrace.

P-127.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. New 4" san from floor above was routed to connect to the riser located in the Women's toilet.
5. Added 3" gas riser for tenant.

P-128.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. New 8" sanitary riser serving upper floors was located in the chase of Men's toilet.
4. New 4" san from the floor drain serving the water heater located on the 29th floor was added. New 2" vent pipe was also added.
5. 4" San pipe removed and connected to 8" san pipe.
6. Added 3" gas riser for tenant.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz

Date

P.E. / R.A. Seal (Apply seal, then sign and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒
121184841

Page number 17 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550Street Name WEST 34TH STREETBorough ManhattanBlock 705Lot 1BIN 1089412CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-129.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. 8" horizontal sanitary main was routed to connect to the new 8" riser located in the chase of men's toilet. Size of the 8" horizontal main was clarified. 4" Vent pipe located in the chase of men's toilet serving the lower floors was routed to connect to the vent located on the floor above.
4. New floor drain was added to serve the water heaters. Corresponding 2" vent pipe was also added and connects to riser located in Women's toilet.
5. Tag for PRV and water heaters was added.
6. 2-1/2" cold water main was routed to serve the future connection for Zone 4.
7. Added 3" gas riser for tenant.
8. Sanitary pipe added to serve the new floor drain in fire pump Room.

P-130.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. 4" Vent pipe serving the lower floors was routed to connect to the vent riser located in the Men's toilet.
4. Added 3" gas riser for tenant.
5. Sanitary pipe added to serve the new floor drain.
6. Floor drain was added for the fire pump Room.

P-131.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. 2-1/2" cold water serving the future connection added.
4. Added 3" gas riser for tenant.
5. 3" Vent pipe was added to serve the sanitary pipe for the new drain.
6. 6" Sanitary pipe added to serve the new floor drain.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Date

10/6/17

P.E. / R.A. Seal (only seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS
job number label here ☒
121184841

Page number 18 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-131.01 (CON'T)

7. Removed 6" Cold water serving the tank from this floor.

P-132.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Added 3" gas riser for tenant.
4. Added 6" Cold water serving the tank from this floor.
5. 3" Vent pipe was added to serve the sanitary pipe for the new drain.
6. 6" Floor drain was added to drain the overflow piping.
7. Added 6" and 4" overflow piping from tank.

P-133.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent main and vent riser going up was changed to 8".
4. Added 3" gas riser for tenant.

P-134.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".
4. Added 3" gas riser for tenant.
5. Added 6" storm pipe to serve tenant terrace drains.
6. Added 4" storm pipe to serve tenant terrace drains

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz 10/16/17

P.E./R.A. Seal (apply seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒
121184841

Page number 19 of 26

BIS Document No. _____

1 Location and Job Information Required for all applications.

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings Required whenever updating plans. All revisions for each page must be clearly described in section 3.

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information Required for all applications.

P-135.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".
4. Added 3" gas riser for tenant.
5. Added 4" storm pipe to serve tenant terrace drains.
6. Added 3/4" cold water to serve ground hydrant.

P-136.01

1. Plumbing piping layout changed to match architectural changes.
2. Size of the vent riser was changed to 8".
3. Added 3" gas riser for tenant.
4. Added ground hydrant for tenant terrace.
5. Added 2 roof drain for tenant terrace.
6. Added 2 overflow drain for tenant terrace.

P-137.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

P-138.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".
4. Added 4" storm pipe to serve tenant terrace drains.


Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ 062597

Signature

P.E. / R.A. Seal (copy seal, then sign and date over seal)





A11: Additional Information

Must be typewritten.

☒ Orient and affix BIS
job number label here ☒
121184841

Page number 20 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No

Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional A11 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-139.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".
4. Added 4" storm pipe to serve tenant terrace drains.

P-140.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".
4. Added ground hydrant for tenant terrace.
5. Added roof drain for tenant terrace.
6. Added overflow drain for tenant terrace.

P-141.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

P-142.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

P-143.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz 10/16/17

Date

P.E. / R.A. Seal (apply seal, then sign and date over seal)





A11: Additional Information *Must be typewritten.*

☒ Orient and affix BIS
job number label here ☒

121184841

Page number 21 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550Street Name WEST 34TH STREETBorough ManhattanBlock 705Lot 1BIN 1089412CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional A11 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-144.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

P-145.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

P-146.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

P-147.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

P-148.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Date

P.E. (P.A. Seal is optional, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS
job number label here ☒
121184841

Page number 22 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550 Street Name WEST 34TH STREET

Borough Manhattan Block 705 Lot 1 BIN 1089412 CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-149.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".
4. Added 4" storm pipe to serve tenant terrace drains

P-150.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".
4. Added 3/4" cold water to serve ground hydrant.
5. Added 4" storm pipe to serve tenant terrace drains

P-151.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser was changed to 8".
4. Added ground hydrant for tenant terrace.
5. Added roof drain for tenant terrace.
6. Added overflow drain for tenant terrace.

P-152.01

1. Plumbing piping layout changed to match architectural changes.
2. Plumbing piping layout changed to match field coordination changes.
3. Size of the vent riser from floor below was changed to 8".
4. Tag for RPZ located on the back up cold water serving the cooling tower was added.
5. PRV from mechanical room was removed.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz 10/16/17

P.E. / R.A. Seal (affix seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 23 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-152.01 (CONT)

6. Model number for the pre filter on the storm pipe was revised.
7. 4" water for cooling tower to be relocated to serve the filters in the mechanical room.
8. Meter added in the cooling tower make up line to match the specification section 221423.

P-153.01

1. Plumbing piping layout changed to match field coordination changes.
2. Size of the vent main was revised and 8" vent riser was connected to the horizontal main.
3. New 6" storm pipe from area drain above was added.
4. Riser of 4" water serving cooling tower to be removed from this floor.
5. 8" Vent pipe running in the center relocated to coordinate with HVAC ducts.

P-154.01

1. 6" Area drain was added to serve the cooling towers.
2. Pipe size tags were added to clarify the vent pipe.
3. 4" water line serving cooling tower to be removed from this floor.
4. Roof Drain and Overflow drain tagged revised.

P-500.01

1. Sizes were added to riser diagrams.
2. Valves were added to riser diagrams.
3. Updated size of the cold water riser W-6 & W-11.
4. Note clarifying the floor designation was added.
5. Riser Diagram revised to match the floor plan.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

Gary Pomerantz

Date

10/16/17

P.E. / R.A. Seal (copy seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 24 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550

Street Name WEST 34TH STREET

Borough Manhattan

Block 705

Lot 1

BIN 1089412

CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No

Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-501.01

1. Sizes were added to riser diagrams.
2. Valves were added to riser diagrams.
3. Note clarifying the floor designation was added.
4. Riser Diagram revised to match the floor plan.

P-502.01

1. Note for trap primer was added.
2. Sanitary riser diagram was revised to match the floor plans.
3. Note clarifying the floor designation was added.

P-503.01

1. Sanitary riser diagram was revised to match the floor plans.
2. Note clarifying the floor designation was added.

P-504.01

1. Storm riser diagram was revised to add the stormceptor on ninth floor.
2. Note clarifying the floor designation was added.

P-506.01

1. Gas riser diagram was revised to show the gas regulator and gas vents.
2. Note clarifying the floor designation was added.
3. Riser Diagram revised to match the floor plan.

P-600.01

1. Gas fired water heater detail was replaced with Electric Heater Detail.
2. Detail No. 14 was revised.
3. Ejector pump detail was revised to show the pump above the floor. Also, the height of the pit was clarified.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

P.E. / R.A. Seal (apply seal, then sign and date over seal)

Date



A11: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 25 of 26 BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550 Street Name WEST 34TH STREET

Borough Manhattan Block 705 Lot 1 BIN 1089412 CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional A11 forms? ☒ Yes ☐ No

3 Additional Information *Required for all applications.*

P-601.01

1. Detail for Master RRV's are added.
2. Detail for stormceptor above grade was added.

P-700.01

1. GPM for HWR-4 to HWR-7 was revised in the pump schedule.
2. Pressure Reducing and control valve Schedule was added.
3. Area drains were added to Drain Schedule.
4. Roof Drains models were revised on the Drain Schedule.
5. Sewage ejector pump in the pump schedule was revised to show the size of the fiberglass basin.
6. Phase of all the water heaters to be revised in water heater schedule. Also notes added in water heater schedule per DOB Energy Code comments.
7. Pump schedule to be revised to indicate 460 volts for all three phase motors and 120 volts for all single phase motors.
8. Plumbing fixture schedule to be revised to include the new drinking fountain.
9. Drain schedule to be revised to include the new funnel floor drain in response to RFI 276.
10. Non-Pressure Vessel Schedule to be revised to clarify the height of the storm detention tank B-5 as part of field coordination
11. Roof Drain and Overflow drain model revised in the Drain Schedule.
12. Kitchen Sink and Shower removed from the Plumbing Fixture Schedule.
13. Hot Water heater size HWH-1 & HWH-2 was increased.
14. Plumbing Fixture Schedule was revised to indicate the manufacturer and model number for Fixture F-2.
15. Model number for the urinal and water closet flushometer was revised.
16. Location of Lavatory F-3A was clarified.
17. Manufacturer name revised for F-1/F-1A & F-2.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

GARY POMERANTZ

Signature

06259

Date

P.E. / R.A. Seal (apply seal, then sign and date over seal)



AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

121184841

Page number 26 of 26

BIS Document No. _____

1 Location and Job Information *Required for all applications.*

House No(s) 550Street Name WEST 34TH STREETBorough ManhattanBlock 705Lot 1BIN 1089412CB No. 104

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)?

☐Yes *PW1 required*☐

No

Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms?

☐Yes ☒ No

3 Additional Information *Required for all applications.*

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (Please print)

GARY POMERANTZ

Signature

Date

P.E. / R.A. Seal (affix seal, then sign and date over seal)