stichting
mathematisch
centrum

MC

NU 0

DEPARTMENT OF NUMERICAL MATHEMATICS

JUNI

# NUMAL, A LIBRARY OF NUMERICAL PROCEDURES IN ALGOL 60
# VOLUME 0. GENERAL INFORMATION AND INDICES

second revision

2e boerhaavestraat 49 amsterdam

REVISION RECORD
2-ND REVISION, 1977



REASON FOR CHANGE:

EXTENSION OF THE LIBRARY;
CHANGES AND CORRECTIONS RESULTING FROM DOCUMENTATION EVALUATION

INSTRUCTIONS:

THE LAST REVISION OF THIS MANUAL WAS 1-ST REVISION, 1975.

THIS 2-ND REVISION AFFECTS THE FOLLOWING SECTIONS:

(FOR EACH SECTION ALL PAGES ARE MENTIONED TOGETHER WITH THE MONTH OF THEIR LATEST REVISION.)

| SECTION | PAGES | MTH/YR |
|---|---|---|
| 1. 1. 4. 1. | 1 - 4 , 7 - 8 | DEC/75 |
| | 5 - 6 | MCH/77 |
| 1. 1. 4. 3. | 1 - 6 | JAN/76 |
| 1. 2. 7. | 1 - 6 | JAN/76 |
| 1. 4. | 1 - 4 , 6 - 7 , 9 - 13 | OCT/74 |
| | 5 , 8 | MCH/77 |
| 1. 5. 1. | 1 - 7 | MCH/77 |
| 1. 5. 2. | 1 - 21 | JAN/76 |
| 1. 5. 3. | 1 - 4 | MCH/77 |
| 2. 2. 1. 1. | 1 - 4 , 6 | OCT/75 |
| | 5 | MCH/77 |
| 2. 2. 2. 1. | 1 - 7 | NOV/76 |
| 3. 1. 1. 1. 1. 1. 1. | 1 - 12, 14 | MAY/74 |
| | 13 | NOV/76 |
| 3. 1. 1. 1. 1. 3. 1. | 1 - 6 | JAN/76 |
| 3. 1. 1. 1. 1. 3. 2. | 1 - 3 | JAN/76 |
| 3. 1. 1. 1. 1. 3. 3. | 1 - 7 | JAN/76 |
| 3. 1. 1. 1. 1. 3. 4. | 1 - 14 | JAN/76 |
| 3. 1. 1. 5. 1. 3. | 1 - 3 | DEC/75 |
| | 4 | NOV/76 |
| | 5 | MAY/74 |
| 3. 3. 1. 1. 3. 1. | 1 - 5 | NOV/76 |
| 3. 3. 1. 1. 3. 2. | 1 - 2 | NOV/76 |
| 3. 3. 1. 1. 3. 3. | 1 - 7 | NOV/76 |

REVISION RECORD
2-ND REVISION, 1977

| SECTION | PAGES | MTH/YR |
|---|---|---|
| 3. 4. 1. 2. | 1 - 28 | JAN/76 |
| 3. 6. 2. | 1 , 3 , 5 - 14 | NOV/76 |
| | 2 , 4 | OCT/74 |
| 4. 2. 1. A | 1 - 2 | JUL/74 |
| | 3 | NOV/76 |
| 4. 2. 1. B | 1 - 2 | JUL/74 |
| | 3 - 4 | MCH/77 |
| 4. 2. 3. | 1 - 7 | NOV/76 |
| 5. 1. 2. 1. 2. | 1 - 3 | OCT/75 |
| | 4 | NOV/76 |
| 5. 1. 2. 2. 2. | 1 - 4 , 6 - 9 | OCT/75 |
| | 5 | NOV/76 |
| 5. 2. 1. 1. 1. 2. | 1 | NOV/76 |
| 5. 2. 1. 1. 1. 2. E | 1 , 3 , 7 - 9 | OCT/74 |
| | 2 , 4 - 6 | MCH/77 |
| 5. 2. 1. 1. 3. | 1 - 7 | NOV/76 |
| 5. 2. 1. 2. 1. 2. 1. 1. | 1 - 14 | JAN/76 |
| 5. 2. 1. 2. 1. 2. 1. 2. | 1 - 8 | JAN/76 |
| 5. 2. 1. 2. 1. 2. 2. 1. | 1 - 13 | JAN/76 |
| 6. 1. | 1 - 2 | JAN/76 |
| 6. 2. | 1 - 5 | JAN/76 |
| 6. 4. 2. | 1 - 6 , 8 - 9 | SEP/74 |
| | 7 | MCH/77 |
| 6. 5. 2. | 1 , 3 - 5 | MCH/77 |
| | 2 | SEP/74 |
| 6. 6. | 1 - 14,16 - 19 | SEP/74 |
| | 15 | MCH/77 |
| 6. 7. | 1 - 11,13 - 15 | OCT/74 |
| | 12 | MCH/77 |
| 6.10. 2. | 1 - 12 | OCT/75 |
| | 13 | MCH/77 |

CUMULATIVE REVISION RECORD
2-ND REVISION, 1977



THIS CUMULATIVE REVISION RECORD MENTIONS ALL PAGES OF THE CURRENT NUMAL-DOCUMENTATION AND THE MONTH OF THEIR LATEST REVISION.

E.G.

| SECTION | PAGES | MTH/YR |
|---|---|---|
| 1. 2. 4. | 1 - 3, 5 - 6 | MAY/74 |
| | 4 | DEC/75 |

DENOTES THAT SECTION 1. 2. 4. ( FIRST APPEARANCE MAY/1974 ) CONSISTS OF 6 PAGES; PAGE 4 WAS REVISED IN DEC/1975.

ALL PAGES THAT ARE NOT CONTAINED IN THIS LIST ARE OBSOLETE AND HAVE TO BE DELETED.

| SECTION | PAGES | MTH/YR |
|---|---|---|
| 1. 1. 1. | 1 - 2 | APR/74 |
| | 3 - 4 | DEC/75 |
| 1. 1. 2. | 1 - 5 | APR/74 |
| 1. 1. 3. | 1 - 4 | APR/74 |
| 1. 1. 4. 1. | 1 - 4 , 7 - 8 | DEC/75 |
| | 5 - 6 | MCH/77 |
| 1. 1. 4. 2. | 1 - 6 | DEC/75 |
| 1. 1. 4. 3. | 1 - 6 | JAN/76 |
| 1. 1. 5. | 1 - 5 , 7 - 9 | APR/74 |
| | 6 | DEC/75 |
| 1. 1. 6. | 1 - 2 , 4 , 6 - 7 | APR/74 |
| | 3 , 5 | DEC/75 |
| 1. 1. 7. | 1 - 3 | APR/74 |
| 1. 1. 8. | 1 - 9 | OCT/75 |
| 1. 1. 9. | 1 - 2 | APR/74 |
| 1. 2. 3. | 1 , 3 | MAY/74 |
| | 2 | DEC/75 |
| 1. 2. 4. | 1 - 3 , 5 - 6 | MAY/74 |
| | 4 | DEC/75 |
| 1. 2. 5. | 1 , 3 - 5 | MAY/74 |
| | 2 | DEC/75 |
| 1. 2. 7. | 1 - 6 | JAN/76 |
| 1. 2. 8. | 1 - 2 | DEC/75 |
| 1. 2. 9. | 1 - 4 | DEC/75 |
| 1. 3. 1. | 1 - 4 | MAY/74 |
| 1. 3. 2. | 1 , 3 | MAY/74 |
| | 2 | DEC/75 |

| SECTION | PAGES | MTH/YR |
|---|---|---|
| 1. 4. | 1 - 4 , 6 - 7 | OCT/74 |
| | 5 , 8 | NOV/76 |
| 1. 5. 1. | 1 - 7 | JAN/76 |
| 1. 5. 2. | 1 - 21 | JAN/76 |
| 1. 5. 3. | 1 - 4 | MCH/77 |
| 2. 2. 1. 1. | 1 - 4 , 6 | OCT/75 |
| | 5 | MCH/77 |
| 2. 2. 2. 1. | 1 - 7 | NOV/76 |
| 2. 2. 2. 2. | 1 - 5 | OCT/75 |
| 2. 2. 3. 1. | 1 - 14 | OCT/74 |
| 2. 3. | 1 - 2 | MAY/74 |
| 2. 4. 1. | 1 - 2 | DEC/75 |
| 2. 4. 3. | 1 - 3 | OCT/74 |
| 3. 1. 1. 1. 1. 1. 1. | 1 - 12, 14 | MAY/74 |
| | 13 | NOV/76 |
| 3. 1. 1. 1. 1. 1. 2. | 1 - 2 | MAY/74 |
| 3. 1. 1. 1. 1. 1. 3. | 1 - 11 | MAY/74 |
| 3. 1. 1. 1. 1. 1. 4. | 1 , 3 , 6 , 8 | DEC/75 |
| | 2 , 4 - 5 , 7 , 9 - 12 | MAY/74 |
| 3. 1. 1. 1. 1. 1. 5. | 1 - 2 , 5 - 7 , 9 - 13 | MAY/74 |
| | 3 - 4 , 8 | DEC/75 |
| 3. 1. 1. 1. 1. 2. 1. | 1 - 3 | MAY/74 |
| | 4 | DEC/75 |
| 3. 1. 1. 1. 1. 2. 2. | 1 | DEC/75 |
| | 2 - 3 | MAY/74 |
| 3. 1. 1. 1. 1. 2. 3. | 1 - 2 , 6 | MAY/74 |
| | 3 - 5 | DEC/75 |
| 3. 1. 1. 1. 1. 2. 4. | 1 - 7 , 9 , 11 - 12 | MAY/74 |
| | 8 , 10 | DEC/75 |
| 3. 1. 1. 1. 1. 3. 1. | 1 - 6 | JAN/76 |
| 3. 1. 1. 1. 1. 3. 2. | 1 - 3 | JAN/76 |
| 3. 1. 1. 1. 1. 3. 3. | 1 - 7 | JAN/76 |
| 3. 1. 1. 1. 1. 3. 4. | 1 - 14 | JAN/76 |
| 3. 1. 1. 2. 1. 1. | 1 - 6 | MAY/74 |
| 3. 1. 1. 2. 1. 2. | 1 - 6 | MAY/74 |
| 3. 1. 1. 2. 1. 3. | 1 - 4 | OCT/74 |
| 3. 1. 1. 3. 1. 1. | 1 - 3 | DEC/75 |
| | 4 | MAY/74 |
| 3. 1. 1. 3. 1. 2. | 1 - 3 | DEC/75 |
| | 4 - 5 | MAY/74 |
| 3. 1. 1. 3. 1. 3. | 1 - 3 | DEC/75 |
| | 4 | NOV/76 |
| | 5 | MAY/74 |
| 3. 1. 1. 3. 1. 4. | 1 , 3 - 5 | MAY/74 |
| | 2 | DEC/75 |
| 3. 1. 2. 1. 1. 1. 1. 1. | 1 | DEC/75 |
| | 2 - 4 | JUN/74 |
| 3. 1. 2. 1. 1. 1. 1. 2. | 1 | JUN/74 |

| SECTION | PAGES | MTH/YR |
|---|---|---|
| | 2 | DEC/75 |
| 3. 1. 2. 1. 1. 1. 1. 3. | 1 - 2 , 4 - 6 | JUN/74 |
| | 3 | DEC/75 |
| 3. 1. 2. 1. 1. 1. 2. 1. | 1 - 2 , 4 - 5 | JUN/74 |
| | 3 | DEC/75 |
| 3. 1. 2. 1. 1. 1. 2. 3. | 1 - 7 , 9 - 10 | JUN/74 |
| | 8 | DEC/75 |
| 3. 1. 2. 1. 1. 2. 1. 1. | 1 | DEC/75 |
| | 2 - 3 | JUN/74 |
| 3. 1. 2. 1. 1. 2. 1. 2. | 1 - 2 | JUN/74 |
| 3. 1. 2. 1. 1. 2. 1. 3. | 1 | DEC/75 |
| | 2 - 4 | JUN/74 |
| 3. 1. 2. 1. 1. 2. 2. 1. | 1 - 2 | JUN/74 |
| 3. 1. 2. 1. 1. 2. 2. 3. | 1 - 3 , 5 | JUN/74 |
| | 4 | DEC/75 |
| 3. 1. 2. 2. 1. | 1 | DEC/75 |
| | 2 - 4 | JUN/74 |
| 3. 2. 1. 1. 1. | 1 - 5 | JUN/74 |
| 3. 2. 1. 1. 2. | 1 - 2 , 4 - 5 | JUN/74 |
| | 3 | DEC/75 |
| 3. 2. 1. 2. 1. 1. | 1 - 10 | JUN/74 |
| 3. 2. 1. 2. 1. 2. | 1 , 3 - 6 | JUN/74 |
| | 2 | DEC/75 |
| 3. 2. 1. 2. 2. 1. | 1 - 12 | JUN/74 |
| 3. 2. 1. 2. 2. 2. | 1 - 6 | JUN/74 |
| 3. 2. 2. 1. 1. | 1 , 3 | DEC/75 |
| | 2 , 4 - 6 | JUN/74 |
| 3. 3. 1. 1. 1. | 1 , 3 - 5 , 7 - 13 | JUL/74 |
| | 2 , 6 | DEC/75 |
| 3. 3. 1. 1. 2. | 1 - 15 | JUL/74 |
| 3. 3. 1. 1. 3. 1. | 1 - 5 | NOV/76 |
| 3. 3. 1. 1. 3. 2. | 1 - 2 | NOV/76 |
| 3. 3. 1. 1. 3. 3. | 1 - 7 | NOV/76 |
| 3. 3. 1. 2. 1. | 1 - 20 | JUL/74 |
| 3. 3. 1. 2. 2. | 1 - 16 | JUL/74 |
| 3. 3. 2. 1. | 1 - 10 | JUL/74 |
| 3. 3. 2. 2. 1. | 1 - 12 | JUL/74 |
| 3. 3. 2. 2. 2. | 1 - 7 | JUL/74 |
| 3. 4. 1. 2. | 1 - 28 | JAN/76 |
| 3. 5. 1. 1. | 1 - 4 | DEC/75 |
| | 5 - 6 | JUL/74 |
| 3. 5. 1. 2. | 1 , 5 - 6 | JUL/74 |
| | 2 - 4 | DEC/75 |
| 3. 6. 1. | 1 | DEC/75 |
| | 2 - 5 | OCT/74 |
| 3. 6. 2. | 1 ,3 , 5 - 14 | NOV/76 |
| | 2 ,4 | OCT/74 |

| SECTION | PAGES | MTH/YR |
|---|---|---|
| 3. 6. 3. | 1 - 2 | JUL/74 |
| 4. 1. | 1 , 3 - 6 | JUL/74 |
| | 2 | DEC/75 |
| 4. 2. 1. | 1 | JUL/74 |
| 4. 2. 1. A | 1 - 2 | JUL/74 |
| | 3 | NOV/76 |
| 4. 2. 1. B | 1 - 2 | JUL/74 |
| | 3 - 4 | MCH/77 |
| 4. 2. 2. | 1 - 5 | OCT/75 |
| 4. 2. 3. | 1 - 7 | NOV/76 |
| 4. 3. 2. 1. | 1 - 9 | OCT/74 |
| 5. 1. 1. 1. 1. | 1 - 7 | OCT/75 |
| 5. 1. 1. 1. 2. | 1 - 4 | OCT/75 |
| 5. 1. 1. 2. 2. | 1 - 10 | OCT/74 |
| 5. 1. 2. 1. 1. | 1 - 3 | OCT/75 |
| 5. 1. 2. 1. 2. | 1 - 3 | OCT/75 |
| | 4 | NOV/76 |
| 5. 1. 2. 2. 1. | 1 - 8 | DEC/75 |
| 5. 1. 2. 2. 2. | 1 - 4 , 6 - 9 | OCT/75 |
| | 5 | NOV/76 |
| 5. 1. 2. 2. 3. | 1 - 13 | DEC/75 |
| 5. 1. 3. 1. 3. | 1 - 17 | DEC/75 |
| 5. 2. 1. 1. 1. 1. | 1 - 2 | AUG/74 |
| 5. 2. 1. 1. 1. 1. A. | 1 - 4 | AUG/74 |
| 5. 2. 1. 1. 1. 1. B. | 1 - 6 | DEC/75 |
| 5. 2. 1. 1. 1. 1. C. | 1 - 2 , 4 - 6 | AUG/74 |
| | 3 | DEC/75 |
| 5. 2. 1. 1. 1. 1. D. | 1 - 2 , 4 - 7 | AUG/74 |
| | 3 | DEC/75 |
| 5. 2. 1. 1. 1. 1. E. | 1 , 3 , 7 - 9 | OCT/74 |
| | 2 , 4 - 6 | MCH/77 |
| 5. 2. 1. 1. 1. 1. F. | 1 - 11 | AUG/74 |
| 5. 2. 1. 1. 1. 1. G. | 1 , 3 - 6 | AUG/74 |
| | 2 | DEC/75 |
| 5. 2. 1. 1. 1. 1. H. | 1 - 9 | DEC/75 |
| 5. 2. 1. 1. 1. 1. I. | 1 - 10 | AUG/74 |
| 5. 2. 1. 1. 1. 2. | 1 | NOV/76 |
| 5. 2. 1. 1. 1. 2. A. | 1 - 6 | AUG/74 |
| 5. 2. 1. 1. 1. 2. B. | 1 - 9 | AUG/74 |
| 5. 2. 1. 1. 1. 2. C. | 1 - 8 | OCT/74 |
| 5. 2. 1. 1. 1. 2. D. | 1 - 8 | AUG/74 |
| 5. 2. 1. 1. 1. 2. E. | 1 - 9 | OCT/74 |
| 5. 2. 1. 1. 1. 2. F. | 1 - 12 | OCT/75 |
| 5. 2. 1. 1. 1. 3. | 1 | AUG/74 |
| 5. 2. 1. 1. 1. 3. A. | 1 , 3 - 7 | AUG/74 |
| | 2 | DEC/75 |
| 5. 2. 1. 1. 1. 3. B. | 1 - 8 | AUG/74 |
| 5. 2. 1. 1. 2. 1. | 1 | DEC/75 |

| SECTION | PAGES | MTH/YR |
|---|---|---|
| 5. 2. 1. 1. 2. 1. A. | 1 - 3 | DEC/75 |
| | 4 - 5 | AUG/74 |
| 5. 2. 1. 1. 2. 1. B. | 1 - 4 | DEC/75 |
| | 5 - 7 | AUG/74 |
| 5. 2. 1. 1. 2. 1. C. | 1 - 3 | DEC/75 |
| | 4 - 5 | AUG/74 |
| 5. 2. 1. 1. 2. 1. D. | 1 - 3 | DEC/75 |
| | 4 - 6 | AUG/74 |
| 5. 2. 1. 1. 3. | 1 - 7 | NOV/76 |
| 5. 2. 1. 2. 1. 2. 1. 1. | 1 - 14 | JAN/76 |
| 5. 2. 1. 2. 1. 2. 1. 2. | 1 - 8 | JAN/76 |
| 5. 2. 1. 2. 1. 2. 2. 1. | 1 - 13 | JAN/76 |
| 5. 2. 1. 2. 2. 1. 2. | 1 - 14 | OCT/74 |
| 5. 2. 1. 3. 1. | 1 - 23 | OCT/75 |
| 6. 1. | 1 - 2 | JAN/76 |
| 6. 2. | 1 - 5 | JAN/76 |
| 6. 4. 1. | 1 - 5 | SEP/74 |
| 6. 4. 2. | 1 - 6 , 8 - 9 | SEP/74 |
| | 7 | MCH/77 |
| 6. 5. 1. | 1 - 11 | SEP/74 |
| 6. 5. 2. | 1 , 3 - 5 | MCH/77 |
| | 2 | SEP/74 |
| 6. 6. | 1 - 14, 16 - 19 | SEP/74 |
| | 15 | MCH/77 |
| 6. 7. | 1 - 11, 13 - 15 | OCT/74 |
| | 12 | MCH/77 |
| 6. 9. 1. | 1 - 14 | OCT/75 |
| 6. 9. 2. | 1 - 20 | OCT/75 |
| 6.10. 1. | 1 - 10 | OCT/75 |
| 6.10. 2. | 1 - 12 | OCT/75 |
| | 13 | MCH/77 |
| 6.10. 3. | 1 - 10 | OCT/75 |
| 6.10. 4. | 1 - 8 | OCT/75 |
| 7. 1. | 1 - 2 | SEP/74 |
| 7. 1. 3. 2. 1. | 1 - 9 | DEC/75 |

THE LIBRARY

NUMAL

OF ALGOL 60 PROCEDURES IN NUMERICAL MATHEMATICS

PROGRAM TEXTS AND DOCUMENTATION

VOLUME 0 GENERAL INFORMATION AND INDICES
VOLUME 1 ELEMENTARY PROCEDURES
VOLUME 2 ALGEBRAIC EVALUATIONS
VOLUME 3 LINEAR ALGEBRA
VOLUME 4 ANALYTICAL EVALUATIONS
VOLUME 5 ANALYTICAL PROBLEMS
VOLUME 6 SPECIAL FUNCTIONS AND CONSTANTS
VOLUME 7 INTERPOLATION AND APPROXIMATION

MATHEMATICAL CENTRE, AMSTERDAM
2-ND REVISION, 1977

NO PART OF THE LIBRARY NUMAL MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED, IN ANY FORM OR BY ANY MEANS, ELECTRONIC, PHOTOCOPYING, RECORDING, OR OTHERWISE, WITHOUT THE PRIOR WRITTEN PERMISSION OF THE ACADEMIC COMPUTING CENTRE AMSTERDAM (SARA) OR THE MATHEMATICAL CENTRE (AMSTERDAM).

THE LIBRARY

NUMAL

OF ALGOL 60 PROCEDURES IN NUMERICAL MATHEMATICS

CONTENTS OF VOLUME 0

GENERAL INFORMATION AND INDICES


0 .1 GENERAL INFORMATION
0 .2 SYSTEMATICAL INDEX
0 .3 INDEX BY CODE NUMBER
0 .4 KWIC INDEX

## INTRODUCTION.

AT THE REQUEST OF THE ACADEMIC COMPUTING CENTRE OF AMSTERDAM (SARA)THE MATHEMATICAL CENTRE HAS ADAPTED AND EXTENDED ITS LIBRARY OF NUMERICAL PROCEDURES FOR USE WITH THE CD CYBER 70 SYSTEM. THE RESULTING LIBRARY IS CALLED "NUMAL" ( "NUM"ERICAL PROCEDURES IN "AL"GOL 60 ).

THE AIM OF NUMAL IS TO PROVIDE A HIGH LEVEL NUMERICAL LIBRARY FOR ALGOL 60 PROGRAMMERS. THE LIBRARY CONTAINS A SET OF VALIDATED NUMERICAL PROCEDURES TOGETHER WITH SUPPORTING DOCUMENTATION.
EXCEPT FOR A SMALL NUMBER OF DOUBLE PRECISION ARITHMETIC ROUTINES ALL THE SOURCE TEXTS ARE WRITTEN IN ALGOL 60 AND THEY ARE TO A HIGH DEGREE INDEPENDENT OF THE COMPUTOR/COMPILER USED.

THE LIBRARY IS UNDER CONTINUOUS DEVELOPMENT AND ,HENCE,ANY DESCRIPTION WILL BE AN INSTANTANEOUS ONE. THE MATHEMATICAL CENTRE WILL DISTRIBUTE UPDATINGS AND EXTENSIONS OF THE MANUAL ONCE A YEAR.

## ORGANIZATION.

EACH PROCEDURE OF THE LIBRARY IS IDENTIFIED BY A NAME AND A CODE NUMBER. THE CODE NUMBER HAS TO BE USED WHEN, IN AN ALGOL 60 PROGRAM, REFERENCE IS MADE TO THE PRE-COMPILED PROCEDURE IN THE OBJECT CODE LIBRARY.
ALL PROCEDURES IN NUMAL ARE CLASSIFIED ACCORDING TO SUBJECT.
THE SUBJECTS ARE IDENTIFIED BY A SECTION NUMBER.
THE MANUAL IS ORDERED BY THESE SECTION NUMBERS.

IN ORDER TO FIND A PARTICULAR PROCEDURE, THERE IS A SYSTEMATICAL INDEX IN WHICH ALL PROCEDURES ( THEIR NAMES AND THEIR CODE NUMBERS ) ARE MENTIONED, CLASSIFIED BY THEIR SECTION NUMBER ( I.E. BY SUBJECT ).

FOR CROSS REFERENCING THERE IS AN INDEX BY CODE NUMBER, WHICH HAS REFERENCES TO PROCEDURE NAME AND SECTION NUMBER, AND THERE IS ALSO A KWIC INDEX IN WHICH KEYWORDS AND PROCEDURE NAMES HAVE BEEN ORDERED ALPHABETICALLY.

ORIGIN OF THE PROGRAMS.

THE MAJOR PART OF THE LIBRARY CONSISTS OF PROCEDURES THAT HAVE BEEN DEVELOPED AT THE MATHEMATICAL CENTRE. HOWEVER, SOME PROCEDURES ARE ADAPTED VERSIONS OF PROCEDURES PUBLISHED IN THE LITERATURE. IN PARTICULAR A NUMBER OF PROGRAMS ARE DERIVED FROM PROCEDURES PUBLISHED BY G.H. GOLUB AND C. REINSCH.

EDITORIAL BOARD.

NEW CONTRIBUTIONS CAN BE INSERTED IF THEY SATISFY THE STANDARDS AND IF THEY FIT INTO THE FRAMEWORK OF NUMAL. CONTRIBUTIONS CAN BE SUBMITTED TO ONE OF THE MEMBERS OF THE EDITORIAL BOARD:

C. DEN HEIJER
P. W. HEMKER
P.J. VAN DER HOUWEN
N.M. TEMME
D.T. WINTER

FURTHER INFORMATION CAN BE OBTAINED FROM P.W. HEMKER, MANAGING EDITOR OF THE NUMAL PROJECT.

# LIST OF CONTRIBUTORS AND AUTHORS OF PROCEDURES IN NUMAL.

J.J.G. ADMIRAAL
M. BAKKER
P.A. BEENTJES
I. BRINK
J.C.P. BUS
T.M.T. COOLEN
K. DEKKER
T.J. DEKKER
H. FIOLET
H.N. GLORIE
F. GROEN
P.W. HEMKER
W. HOFFMANN
P.J. VAN DER HOUWEN
S.P.N. VAN KAMPEN
J.KOK
J. KOOPMAN
C.G. VAN DER LAAN
R. PLOEGER
C.J. ROOTHART
H.G.J. ROZENHART
E. SLAGT
N.M. TEMME
J.G. VERWER
M. VOORINTHOLT
D.T. WINTER
J. WOLLESWINKEL
A.C. YSSELSTEIN
J.A. ZONNEVELD

ACKNOWLEDGEMENTS.

THE LIBRARY NUMAL IS BEING DEVELOPED BY THE JOINT EFFORTS OF THE MEMBERS OF THE LIBRARY GROUP OF THE NUMERICAL MATHEMATICS DEPARTMENT OF THE MATHEMATICAL CENTRE. IN PARTICULAR, HOWEVER, WE WANT TO ACKNOWLEDGE THE MEMBERS F. GROEN, R. PISCAER, B. P. SOMMEIJER AND G.J.F. VINKESTEYN, WHO TOOK CARE OF FILE MANIPULATION, EDITING OF THE DOCUMENTATION FILES AND ADAPTION AND RUNNING OF THE KWIC INDEX PROGRAM.

P.W. HEMKER
MANAGING EDITOR

P.J. VAN DER HOUWEN
HEAD OF THE DEPT. OF NUMERICAL MATHEMATICS

2-nd REVISION, 1977

MC



CLASSIFIED ACCORDING TO SUBJECT, THIS INDEX CONTAINS THE NAMES OF THE PROCEDURES AND THE CORRESPONDING CODE NUMBERS. THE DOCUMENTATION OF THE PROCEDURES IS PRESENTED IN VOLUMES 1 THROUGH 7 AND IS ARRANGED ACCORDING TO SECTION NUMBERS, HENCE REFERENCE IS IMMEDIATE.

IN ADDITION TO THE CODENUMBER AND THE NAME OF EACH PROCEDURE THE MONTH OF FIRST APPEARANCE OF THE FINAL DOCUMENTATION IS LISTED.
A SEPARATE REVISION RECORD ENABLES THE USER TO CHECK WHETHER HIS MANUAL IS ACCURATELY UPDATED.

TO LOCATE A PIECE OF DOCUMENTATION IN MACHINE-READABLE FORM (E.G FOR USE WITH THE CD CYBER 70 SYSTEM ) THE SYSTEMATICAL INDEX ALSO GIVES THE RECORD NUMBER ( LEVEL 0 ) WHERE EACH PIECE OF DOCUMENTATION CAN BE FOUND ON THE DOCUMENTATION FILE (I.C. ON TAPE).

FOR USE WITH THE CD CYBER 70 SYSTEM, THE OBJECT CODE OF THE PROCEDURES IS AVAILABLE AND IT IS CONTAINED IN THE LIBRARY FILE "NUMAL3". THIS LIBRARY FILE CAN BE USED WHEN PROGRAMS COMPILED UNDER ALGOL 3 ARE LOADED.
FOR USE OF A LIBRARY FILE SEE E.G.
CDC SCOPE REF. MANUAL, CHAPTER6,
CDC INTERCOM REF. MANUAL, CHAPTER3, XEQ COMMAND.

INDEX

1.ELEMENTARY PROCEDURES
1.REAL VECT AND MAT OPERATIONS
1.INITIALIZATION

2.DUPLICATION

3.MULTIPLICATION

4.SCALAR PRODUCTS
1.VECTOR VECTOR PRODUCTS

2.MATRIX VECTOR PRODUCTS

3.MATRIX MATRIX PRODUCTS

5.ELIMINATION

| PROCEDURE | | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| INIVEC | * | 31010 | APR/74 | 1 |
| INIMAT | * | 31011 | APR/74 | 1 |
| INIMATD | * | 31012 | APR/74 | 1 |
| INISYMD | | 31013 | APR/74 | 1 |
| INISYMROW | | 31014 | APR/74 | 1 |
| DUPVEC | * | 31030 | APR/74 | 3 |
| DUPVECROW | * | 31031 | APR/74 | 3 |
| DUPROWVEC | * | 31032 | APR/74 | 3 |
| DUPVECCOL | * | 31033 | APR/74 | 3 |
| DUPCOLVEC | * | 31034 | APR/74 | 3 |
| DUPMAT | * | 31035 | APR/74 | 3 |
| MULVEC | * | 31020 | APR/74 | 5 |
| MULROW | * | 31021 | APR/74 | 5 |
| MULCOL | * | 31022 | APR/74 | 5 |
| COLCST | * | 31131 | APR/74 | 5 |
| ROWCST | * | 31132 | APR/74 | 5 |
| VECVEC | * | 34010 | DEC/75 | 7 |
| MATVEC | * | 34011 | DEC/75 | 7 |
| TAMVEC | * | 34012 | DEC/75 | 7 |
| MATMAT | * | 34013 | DEC/75 | 7 |
| TAMMAT | * | 34014 | DEC/75 | 7 |
| MATTAM | * | 34015 | DEC/75 | 7 |
| SEQVEC | * | 34016 | DEC/75 | 7 |
| SCAPRD1 | * | 34017 | DEC/75 | 7 |
| SYMMATVEC | | 34018 | DEC/75 | 7 |
| FULMATVEC | * | 31500 | DEC/75 | 15 |
| FULTAMVEC | * | 31501 | DEC/75 | 15 |
| FULSYMMATVEC | | 31502 | DEC/75 | 15 |
| RESVEC | * | 31503 | DEC/75 | 15 |
| SYMRESVEC | | 31504 | DEC/75 | 15 |
| HSHVECMAT | * | 31070 | JAN/76 | 269 |
| HSHCOLMAT | * | 31071 | JAN/76 | 269 |
| HSHROWMAT | * | 31072 | JAN/76 | 269 |
| HSHVECTAM | * | 31073 | JAN/76 | 269 |
| HSHCOLTAM | * | 31074 | JAN/76 | 269 |
| HSHROWTAM | * | 31075 | JAN/76 | 269 |
| ELMVEC | * | 34020 | APR/74 | 9 |
| ELMCOL | * | 34023 | APR/74 | 9 |
| ELMROW | * | 34024 | APR/74 | 9 |
| ELMVECCOL | * | 34021 | APR/74 | 9 |
| ELMCOLVEC | * | 34022 | APR/74 | 9 |
| ELMVECROW | * | 34026 | APR/74 | 9 |
| ELMROWVEC | * | 34027 | APR/74 | 9 |
| ELMCOLROW | * | 34029 | APR/74 | 9 |
| ELMROWCOL | * | 34028 | APR/74 | 9 |

INDEX


| | | | PROCEDURE | | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|---|---|---|
| 1. | 1. | 5. | | | | | |
| | | 6.INTERCHANGING | MAXELMROW | * | 34025 | APR/74 | 9 |
| | | | ICHVEC | * | 34030 | APR/74 | 11 |
| | | | ICHCOL | * | 34031 | APR/74 | 11 |
| | | | ICHROW | * | 34032 | APR/74 | 11 |
| | | | ICHROWCOL | * | 34033 | APR/74 | 11 |
| | | | ICHSEQVEC | * | 34034 | APR/74 | 11 |
| | | 7.ROTATION | ICHSEQ | * | 34035 | APR/74 | 11 |
| | | | ROTCOL | * | 34040 | APR/74 | 13 |
| | | 8.NORMS | ROTROW | * | 34041 | APR/74 | 13 |
| | | | INFNRMVEC | * | 31061 | OCT/75 | 241 |
| | | | INFNRMROW | * | 31062 | OCT/75 | 241 |
| | | | INFNRMCOL | * | 31063 | OCT/75 | 241 |
| | | | INFNRMMAT | * | 31064 | OCT/75 | 241 |
| | | | ONENRMVEC | * | 31065 | OCT/75 | 241 |
| | | | ONENRMROW | * | 31066 | OCT/75 | 241 |
| | | | ONENRMCOL | * | 31067 | OCT/75 | 241 |
| | | | ONENRMMAT | * | 31068 | OCT/75 | 241 |
| | | 9.SCALING | ABSMAXMAT | * | 31069 | OCT/75 | 241 |
| | | | REASCL | | 34183 | APR/74 | 17 |
| | 2.COMPL VECT AND MAT OPERATIONS | | | | | | |
| | | 1. | | | | | |
| | | 2. | | | | | |
| | | 3.MULTIPLICATION | COMCOLCST | | 34352 | MAY/74 | 21 |
| | | | COMROWCST | | 34353 | MAY/74 | 21 |
| | | 4.SCALAR PRODUCTS | COMMATVEC | | 34354 | MAY/74 | 23 |
| | | | HSHCOMCOL | | 34355 | MAY/74 | 23 |
| | | | HSHCOMPRD | | 34356 | MAY/74 | 23 |
| | | 5.ELIMINATION | ELMCOMVECCOL | | 34376 | MAY/74 | 25 |
| | | | ELMCOMCOL | | 34377 | MAY/74 | 25 |
| | | | ELMCOMROWVEC | | 34378 | MAY/74 | 25 |
| | | 6.INTERCHANGING | ROTCOMCOL | | 34357 | JAN/76 | 287 |
| | | 7.ROTATION | ROTCOMROW | | 34358 | JAN/76 | 287 |
| | | | CHSH2 | | 34611 | JAN/76 | 287 |
| | | 8.NORMS | COMEUCNRM | | 34359 | DEC/75 | 31 |
| | | 9.SCALING | COMSCL | | 34193 | DEC/75 | 29 |
| | | | SCLCOM | | 34360 | DEC/75 | 29 |
| | 3.COMPLEX ARITHMETIC | | | | | | |
| | | 1.MONADIC OPERATIONS | COMABS | | 34340 | MAY/74 | 35 |
| | | | COMSQRT | | 34343 | MAY/74 | 35 |
| | | | CARPOL | | 34344 | MAY/74 | 35 |
| | | 2.DYADIC OPERATIONS | COMMUL | | 34341 | MAY/74 | 37 |
| 1. | 3. | 2. | COMDIV | | 34342 | MAY/74 | 37 |

INDEX

| | PROCEDURE | | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|---|
| 1. 4.LONG INTEGER ARITHMETIC | | | | | |
| | LNGINTADD | | 31200 | OCT/74 | 201 |
| | LNGINTSUBTRACT | | 31201 | OCT/74 | 201 |
| | LNGINTMULT | | 31202 | OCT/74 | 201 |
| | LNGINTDIVIDE | | 31203 | OCT/74 | 201 |
| | LNGINTPOWER | | 31204 | OCT/74 | 201 |
| 3.LONG REAL ARITHMETIC | | | | | |
| 1.ELEM. ARITHMETIC OPERATIONS | | | | | |
| | DP ADD | * | 31101 | MRC/77 | 271 |
| | DP SUB | * | 31102 | MRC/77 | 271 |
| | DP MUL | * | 31103 | MRC/77 | 271 |
| | DP DIV | * | 31104 | MRC/77 | 271 |
| | DP POW | | 31109 | MRC/77 | 271 |
| | LNG ADD | * | 31105 | MRC/77 | 271 |
| | LNG SUB | * | 31106 | MRC/77 | 271 |
| | LNG MUL | * | 31107 | MRC/77 | 271 |
| | LNG DIV | * | 31108 | MRC/77 | 271 |
| | LNG POW | | 31110 | MRC/77 | 271 |
| 2.SCALAR PRODUCTS | | | | | |
| | LNGVECVEC | * | 34410 | JAN/76 | 285 |
| | LNGMATVEC | * | 34411 | JAN/76 | 285 |
| | LNGTAMVEC | * | 34412 | JAN/76 | 285 |
| | LNGMATMAT | * | 34413 | JAN/76 | 285 |
| | LNGTAMMAT | * | 34414 | JAN/76 | 285 |
| | LNGMATTAM | * | 34415 | JAN/76 | 285 |
| | LNGSEQVEC | * | 34416 | JAN/76 | 285 |
| | LNGSCAPRD1 | * | 34417 | JAN/76 | 285 |
| | LNGSYMMATVEC | | 34418 | JAN/76 | 285 |
| | LNGFULMATVEC | * | 31505 | JAN/76 | 285 |
| | LNGFULTAMVEC | * | 31506 | JAN/76 | 285 |
| | LNGFULSYMMATVEC | | 31507 | JAN/76 | 285 |
| | LNGRESVEC | * | 31508 | JAN/76 | 285 |
| | LNGSYMRESVEC | | 31509 | JAN/76 | 285 |
| 3.CONVERSION | | | | | |
| | LNGREATODECI | | 31100 | MRC/77 | 289 |
| 2.ALGEBRAIC EVALUATIONS | | | | | |
| 1.EVAL. OF A FINITE SERIES | | | | | |
| 2.EVAL. OF POLYNOMIALS | | | | | |
| 1.EVAL. OF GENERAL POLYNOMIALS | | | | | |
| 1.POLYNOMIALS IN GRUNERT FORM | | | | | |
| | POL | | 31040 | OCT/75 | 245 |
| | TAYPOL | | 31241 | OCT/75 | 245 |
| | NORDERPOL | | 31242 | OCT/75 | 245 |
| | DERPOL | | 31243 | OCT/75 | 245 |
| 2.POLYNOMIALS IN NEWTON FORM | | | | | |
| | NEWPOL | | 31041 | NOT YET AVAILABLE | |
| 2.EVAL. OF ORTHOGON. POLYNOMIALS | | | | | |
| 1.GENERAL ORTHOGON. POLYNOMIALS | | | | | |
| | ORTPOL | | 31044 | NOV/76 | 293 |
| | ALLORTPOL | | 31045 | NOV/76 | 293 |
| | SERORTPOL | | 31047 | NOV/76 | 293 |
| 2.CHEBYCHEV POLYNOMIALS | | | | | |
| | CHEPOL | | 31042 | OCT/75 | 229 |
| | ALLCHEPOL | | 31043 | OCT/75 | 229 |
| | CHEPOLSER | | 31046 | OCT/75 | 229 |

2. 2. 2. 2.



MC M

INDEX

| | | | | | | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|---|---|---|---|---|
| 2. | 2. | 3.EVAL. OF TRIGONOM. POLYNOMIALS | | | | | | | |
| | | 1.EVAL. OF FOURIER SERIES | | | | | | | |
| | | | | | | SINSER | 31090 | OCT/74 | 203 |
| | | | | | | COSSER | 31091 | OCT/74 | 203 |
| | | | | | | FOUSER | 31092 | OCT/74 | 203 |
| | | | | | | FOUSER1 | 31093 | OCT/74 | 203 |
| | | | | | | FOUSER2 | 31094 | OCT/74 | 203 |
| | | | | | | COMFOUSER | 31095 | OCT/74 | 203 |
| | | | | | | COMFOUSER1 | 31096 | OCT/74 | 203 |
| | | | | | | COMFOUSER2 | 31097 | OCT/74 | 203 |
| | | 3.EVAL. OF CONTINUED FRACTIONS | | | | JFRAC | 35083 | MAY/74 | 41 |
| | | 4.OPERATIONS ON POLYNOMIALS | | | | | | | |
| | | 1.TRANSF. OF REPRESENTATION | | | | NEWGRN | 31050 | DEC/75 | 43 |
| | | | | | | POLCHS | 31250 | NOT YET AVAILABLE | |
| | | | | | | POWCHS | 31051 | NOT YET AVAILABLE | |
| | | 2.OP. ON GENERAL POLYNOMIALS | | | | ADDPOL | 31053 | NOT YET AVAILABLE | |
| | | | | | | SUBPOL | 31054 | NOT YET AVAILABLE | |
| | | | | | | MULPOL | 31052 | NOT YET AVAILABLE | |
| | | | | | | DIFPOL | 31055 | NOT YET AVAILABLE | |
| | | | | | | INTPOL | 31057 | NOT YET AVAILABLE | |
| | | 3.OP. ON ORTHOGONAL POLYNOMIALS | | | | INTCHS | 31248 | OCT/74 | 205 |
| | | 5.FAST FOURIER TRANSFORM | | | | FFT | 31300 | NOT YET AVAILABLE | |
| 3.LINEAR ALGEBRA | | | | | | | | | |
| | 1.LINEAR SYSTEMS | | | | | | | | |
| | | 1.FULL MATRICES | | | | | | | |
| | | | 1.SQUARE NON-SINGULAR MATRICES | | | | | | |
| | | | | 1.REAL MATRICES | | | | | |
| | | | | | 1.GENERAL MATRICES | | | | |
| | | | | | | 1.PREPARATORY PROCEDURES | | | |
| | | | | | | | DEC | 34300 | MAY/74 45 |
| | | | | | | | GSSELM | 34231 | MAY/74 45 |
| | | | | | | | ONENRMINV | 34240 | MAY/74 45 |
| | | | | | | | ERBELM | 34241 | MAY/74 45 |
| | | | | | | | GSSERB | 34242 | MAY/74 45 |
| | | | | | | | GSSNRI | 34252 | MAY/74 45 |
| | | | | | | 2.CALCULATION OF DETERMINANT | DETERM | 34303 | MAY/74 47 |
| | | | | | | 3.SOLUTION OF LINEAR EQUATIONS | | | |
| | | | | | | | SOL | 34051 | MAY/74 49 |
| | | | | | | | DECSOL | 34301 | MAY/74 49 |
| | | | | | | | SOLELM | 34061 | MAY/74 49 |
| | | | | | | | GSSSOL | 34232 | MAY/74 49 |
| | | | | | | | GSSSOLERB | 34243 | MAY/74 49 |
| | | | | | | 4.MATRIX INVERSION | INV | 34053 | MAY/74 51 |
| | | | | | | | DECINV | 34302 | MAY/74 51 |
| | | | | | | | INV1 | 34235 | MAY/74 51 |
| | | | | | | | GSSINV | 34236 | MAY/74 51 |
| | | | | | | | GSSINVERB | 34244 | MAY/74 51 |
| 3. | 1. | 1. | 1. | 1. | 1. | 5.ITERATIVELY IMPROVED SOLUTION | | | |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 3. 1. 1. 1. 1. 1. 5. | ITISOL | 34250 | MAY/74 | 53 |
| | GSSITISOL | 34251 | MAY/74 | 53 |
| | ITISOLERB | 34253 | MAY/74 | 53 |
| | GSSITISOLERB | 34254 | MAY/74 | 53 |
| 2,SYMMETRIC POS DEF MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | CHLDEC2 | 34310 | MAY/74 | 55 |
| | CHLDEC1 | 34311 | MAY/74 | 55 |
| 2.CALCULATION OF DETERMINANT | CHLDETERM2 | 34312 | MAY/74 | 57 |
| | CHLDETERM1 | 34313 | MAY/74 | 57 |
| 3.SOLUTION OF LINEAR EQUATIONS | CHLSOL2 | 34390 | MAY/74 | 59 |
| | CHLSOL1 | 34391 | MAY/74 | 59 |
| | CHLDECSOL2 | 34392 | MAY/74 | 59 |
| | CHLDECSOL1 | 34393 | MAY/74 | 59 |
| 4.MATRIX INVERSION | CHLINV2 | 34400 | MAY/74 | 61 |
| | CHLINV1 | 34401 | MAY/74 | 61 |
| | CHLDECINV2 | 34402 | MAY/74 | 61 |
| | CHLDECINV1 | 34403 | MAY/74 | 61 |
| 3,GENERAL SYMMETRIC MATRICES | | | | |
| 1,PREPARATORY PROCEDURES | SYMDEC2 | 34700 | JAN/76 | 277 |
| | SYMDEC1 | 34701 | JAN/76 | 277 |
| 2.CALCULATION OF DETERMINANT | SYMDETERM2 | 34702 | JAN/76 | 279 |
| | SYMDETERM1 | 34703 | JAN/76 | 279 |
| 3.SOLUTION OF LINEAR EQUATIONS | SYMSOL2 | 34704 | JAN/76 | 281 |
| | SYMSOL1 | 34705 | JAN/76 | 281 |
| | SYMDECSOL2 | 34706 | JAN/76 | 281 |
| | SYMDECSOL1 | 34707 | JAN/76 | 281 |
| 4.MATRIX INVERSION | SYMINV2 | 34708 | JAN/76 | 283 |
| | SYMINV1 | 34709 | JAN/76 | 283 |
| | SYMDECINV2 | 34710 | JAN/76 | 283 |
| | SYMDECINV1 | 34711 | JAN/76 | 283 |
| 2.COMPLEX MATRICES | | | | |
| 2,FULL RANK OVERDETERM SYSTEMS | | | | |
| 1.REAL MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | LSQORTDEC | 34134 | MAY/74 | 63 |
| | LSQDGLINV | 34132 | MAY/74 | 63 |
| 2.LEAST SQUARES SOLUTION | LSQSOL | 34131 | MAY/74 | 65 |
| | LSQORTDECSOL | 34135 | MAY/74 | 65 |
| 3.INVERSE MATRIX OF NORMAL EQN. | LSQINV | 34136 | OCT/74 | 207 |
| 2.COMPLEX MATRICES | | | | |
| 3,OTHER PROBLEMS | | | | |
| 1.REAL MATRICES | | | | |
| 1,SOLUTION OVERDETERMINED SYST | | | | |
| 3. 1. 1. 3. 1. 1. | SOLSVDOVR | 34280 | MAY/74 | 67 |
| | SOLOVR | 34281 | MAY/74 | 67 |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 3. 1. 1. 3. 1. 2.SOLUTION UNDERDETERM SYSTEMS | | | | |
| | SOLSVDUND | 34282 | MAY/74 | 69 |
| | SOLUND | 34283 | MAY/74 | 69 |
| 3.SOLUTION HOMOGENEOUS EQUATION | | | | |
| | HOMSOLSVD | 34284 | MAY/74 | 71 |
| | HOMSOL | 34285 | MAY/74 | 71 |
| 4.PSEUDO-INVERSION | | | | |
| | PSDINVSVD | 34286 | MAY/74 | 73 |
| | PSDINV | 34287 | MAY/74 | 73 |
| 2.COMPLEX MATRICES | | | | |
| 2.SPARSE MATRICES | | | | |
| 1.DIRECT METHODS | | | | |
| 1.REAL MATRICES | | | | |
| 1.NON-SYMMETRIC MATRICES | | | | |
| 1.BAND MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | DECBND | 34320 | JUN/74 | 75 |
| 2.CALCULATION OF DETERMINANT | | | | |
| | DETERMBND | 34321 | JUN/74 | 77 |
| 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | SOLBND | 34071 | JUN/74 | 79 |
| | DECSOLBND | 34322 | JUN/74 | 79 |
| 2.TRIDIAGONAL MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | DECTRI | 34423 | JUN/74 | 81 |
| 2.CALCULATION OF DETERMINANT | DECTRIPIV | 34426 | JUN/74 | 81 |
| 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | SOLTRI | 34424 | JUN/74 | 83 |
| | DECSOLTRI | 34425 | JUN/74 | 83 |
| | SOLTRIPIV | 34427 | JUN/74 | 83 |
| | DECSOLTRIPIV | 34428 | JUN/74 | 83 |
| 3.BLOC-TRIDIAGONAL MATRICES | | | | |
| 2.SYMMETRIC POS DEF MATRICES | | | | |
| 1.BAND MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | CHLDECBND | 34330 | JUN/74 | 85 |
| 2.CALCULATION OF DETERMINANT | | | | |
| | CHLDETERMBND | 34331 | JUN/74 | 87 |
| 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | CHLSOLBND | 34332 | JUN/74 | 89 |
| | CHLDECSOLBND | 34333 | JUN/74 | 89 |
| 2.TRIDIAGONAL MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | DECSYMTRI | 34420 | JUN/74 | 91 |
| 2.CALCULATION OF DETERMINANT | | | | |
| 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | SOLSYMTRI | 34421 | JUN/74 | 93 |
| | DECSOLSYMTRI | 34422 | JUN/74 | 93 |
| 3.BLOC-TRIDIAGONAL MATRICES | | | | |
| 2.COMPLEX MATRICES | | | | |
| 2.ITERATIVE METHODS | | | | |
| 1.REAL MATRICES | | | | |
| 3. 1. 2. 2. 1. | CONJ GRAD | 34220 | JUN/74 | 95 |
| | CONJ RESI | 34221 | NOT YET AVAILABLE | |

INDEX

| PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|
| | | | |
| | | | |
| | | | |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 3. 3. 1. 1. 3. 1.AUXILIARY PROCEDURES | | | | |
| | MERGESORT | 36405 | NOV/76 | 297 |
| | VECPERM | 36404 | NOV/76 | 297 |
| | ROWPERM | 36403 | NOV/76 | 297 |
| 2.ORTHOGONALISATION | | | | |
| | ORTHOG | 36402 | NOV/76 | 299 |
| 3.IMPROVEMENT AND ERRORBOUNDS | | | | |
| | SYMEIGINP | 36401 | NOV/76 | 301 |
| 2.ASYMMETRIC MATRICES | | | | |
| 1.MATRICES IN HESSENBERG FORM | | | | |
| | REAVALQRI | 34180 | JUL/74 | 115 |
| | REAVECHES | 34181 | JUL/74 | 115 |
| | REAQRI | 34186 | JUL/74 | 115 |
| | COMVALQRI | 34190 | JUL/74 | 115 |
| | COMVECHES | 34191 | JUL/74 | 115 |
| 2.FULL MATRICES | | | | |
| | REAEIGVAL | 34182 | JUL/74 | 117 |
| | REAEIG1 | 34184 | JUL/74 | 117 |
| | REAEIG2 | 34185 | NOT YET AVAILABLE | |
| | REAEIG3 | 34187 | JUL/74 | 117 |
| | COMEIGVAL | 34192 | JUL/74 | 117 |
| | COMEIG1 | 34194 | JUL/74 | 117 |
| | COMEIG2 | 34195 | NOT YET AVAILABLE | |
| 2.COMPLEX MATRICES | | | | |
| 1.HERMITIAN MATRICES | | | | |
| | EIGVALHRM | 34368 | JUL/74 | 119 |
| | EIGHRM | 34369 | JUL/74 | 119 |
| | QRIVALHRM | 34370 | JUL/74 | 119 |
| | QRIHRM | 34371 | JUL/74 | 119 |
| 2.NON-HERMITIAN MATRICES | | | | |
| 1.MATRICES IN HESSENBERG FORM | | | | |
| | VALQRICOM | 34372 | JUL/74 | 121 |
| | QRICOM | 34373 | JUL/74 | 121 |
| 2.FULL MATRICES | | | | |
| | EIGVALCOM | 34374 | JUL/74 | 123 |
| | EIGCOM | 34375 | JUL/74 | 123 |
| 4.THE GENERALIZED EIGENV PROBLEM | | | | |
| 1.REAL MATRICES | | | | |
| 1.SYMMETRIC MATRICES | | | | |
| 2.ASYMMETRIC MATRICES | | | | |
| | QZIVAL | 34600 | JAN/76 | 267 |
| | QZI | 34601 | JAN/76 | 267 |
| | HSHDECMUL | 34602 | JAN/76 | 267 |
| | HESTGL3 | 34603 | JAN/76 | 267 |
| | HESTGL2 | 34604 | JAN/76 | 267 |
| | HSH2COL | 34605 | JAN/76 | 267 |
| | HSH3COL | 34606 | JAN/76 | 267 |
| | HSH2ROW3 | 34607 | JAN/76 | 267 |
| | HSH2ROW2 | 34608 | JAN/76 | 267 |
| | HSH3ROW3 | 34609 | JAN/76 | 267 |
| | HSH3ROW2 | 34610 | JAN/76 | 267 |
| 5.SINGULAR VALUES | | | | |
| 1.REAL MATRICES | | | | |
| 1.BIDIAGONAL MATRICES | | | | |
| 3. 5. 1. 1. | QRISNGVALBID | 34270 | JUL/74 | 125 |



MC

INDEX

3. S. 1. 1.
2,FULL MATRICES

2,COMPLEX MATRICES
6,ZEROS OF POLYNOMIALS
1,ZEROS OF GENERAL REAL POLYNOM,

2,ZEROS OF ORTHOGONAL POLYNOM,

3,ZEROS OF COMPLEX POLYNOMIALS

4,ANALYTIC EVALUATIONS
1,EVAL, OF AN INFINITE SERIES

2,QUADRATURE
1,ONE-DIMENSIONAL QUADRATURE

2,MULTIDIMENSIONAL QUADRATURE

3,GAUSSIAN QUADRATURE

3,NUMERICAL DIFFERENTIATION
1,FUNCTIONS OF ONE VARIABLE
2,FUNCTIONS OF MORE VARIABLES
1,CALC, WITH DIFFERENCE FORMULAS

5,ANALYTICAL PROBLEMS
1,ANALYTICAL EQUATIONS
1,NON-LINEAR EQUATIONS
1,A SINGLE EQUATION
1,NO DERIVATIVE AVAILABLE

2,DERIVATIVE AVAILABLE

2,A SYSTEM OF EQUATIONS
1,AUXILIARY PROCEDURES
2,JACOBIAN MATRIX NOT AVAILABLE

3,JACOBIAN MATRIX AVAILABLE

5. 1. 1. 3,POLYNOMIAL EQUATIONS

| PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|
| QRISNGVALDECBID | 34271 | JUL/74 | 125 |
| QRISNGVAL | 34272 | JUL/74 | 127 |
| QRISNGVALDEC | 34273 | JUL/74 | 127 |
| POLZEROS | 34500 | OCT/74 | 209 |
| ALLZERORTPOL | 31362 | OCT/74 | 211 |
| LUPZERORTPOL | 31363 | OCT/74 | 211 |
| SELZERORTPOL | 31364 | OCT/74 | 211 |
| COMKWD | 34345 | JUL/74 | 129 |
| EULER | 32010 | JUL/74 | 131 |
| SUMPOSSERIES | 32020 | JUL/74 | 131 |
| QADRAT | 32070 | JUL/74 | 133 |
| INTEGRAL | 32051 | JUL/74 | 135 |
| TRICUB | 32075 | OCT/75 | 257 |
| GSSJACWGHTS | 31425 | NOV/76 | 291 |
| GSSLAGWGHTS | 31427 | NOV/76 | 291 |
| JACOBNNF | 34437 | OCT/74 | 213 |
| JACOBNMF | 34438 | OCT/74 | 213 |
| JACOBNBNDF | 34439 | OCT/74 | 213 |
| ZEROIN | 34150 | OCT/75 | 215 |
| ZEROINRAT | 34436 | OCT/75 | 215 |
| ZEROINDER | 34453 | OCT/75 | 233 |
| BROWNLS | 34450 | NOT YET AVAILABLE | |
| QUANEW | 34451 | NOT YET AVAILABLE | |
| QUANEW1 | 34452 | NOT YET AVAILABLE | |
| QUANEWBND | 34430 | OCT/74 | 217 |
| QUANEWBND1 | 34431 | OCT/74 | 217 |
| NEWRAP | 34202 | NOT YET AVAILABLE | |
| DAMPED NEWTON | 34200 | NOT YET AVAILABLE | |



MC

INDEX

| | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 5. 1. 1. SEE ALSO SECTION 3.6 | | | | |
| 2.UNCONSTRAINED OPTIMIZATION | | | | |
| 1.FUNCTIONS OF ONE VARIABLE | | | | |
| 1.DERIVATIVE NOT AVAILABLE | | | | |
| | MININ | 34433 | OCT/75 | 235 |
| | MININDER | 34435 | OCT/75 | 237 |
| 2.DERIVATIVE AVAILABLE | | | | |
| | LINEMIN | 34210 | DEC/75 | 139 |
| | RNK1UPD | 34211 | DEC/75 | 139 |
| | DAVUPD | 34212 | DEC/75 | 139 |
| | FLEUPD | 34213 | DEC/75 | 139 |
| | PRAXIS | 34432 | OCT/75 | 239 |
| | RNK1MIN | 34214 | DEC/75 | 19 |
| | FLEMIN | 34215 | DEC/75 | 19 |
| | NEWTONMIN | 34203 | NOT YET AVAILABLE | |
| 2.FUNCTIONS OF MORE VARIABLES | | | | |
| 1.AUXILIARY PROCEDURES | | | | |
| | MARQUARDT | 34440 | DEC/75 | 219 |
| | GSSNEWTON | 34441 | DEC/75 | 219 |
| 2.NO DERIVATIVES AVAILABLE | | | | |
| 3.GRADIENT AVAILABLE | | | | |
| 4.GRADIENT & JACOBIAN AVAILABLE | | | | |
| 3.OVERDETERMINED NONLINEAR SYST. | | | | |
| 1.LEAST SQUARES SOLUTIONS | | | | |
| SEE ALSO SECTION 7. | | | | |
| 1.AUXILIARY PROCEDURES | | | | |
| 2.JACOBIAN MATRIX NOT AVAILABLE | | | | |
| SEE ALSO SECTION 5.1.2.2.2. | | | | |
| 3.JACOBIAN MATRIX AVAILABLE | | | | |
| 2.FUNCTIONAL EQUATIONS | | | | |
| 1.DIFFERENTIAL EQUATIONS | | | | |
| 1.INITIAL VALUE PROBLEMS | | | | |
| 1.FIRST ORDER ORDINARY D.E. | | | | |
| 1.NO DERIVATIVES RHS AVAILABLE | | | | |
| | RK1 | 33010 | AUG/74 | 141 |
| | RKE | 33033 | DEC/75 | 143 |
| | RK4A | 33016 | AUG/74 | 145 |
| | RK4NA | 33017 | AUG/74 | 147 |
| | RK5NA | 33018 | AUG/74 | 149 |
| | MULTISTEP | 33080 | AUG/74 | 151 |
| | DIFFSYS | 33180 | AUG/74 | 153 |
| | ARK | 33061 | DEC/75 | 155 |
| | EFRK | 33070 | AUG/74 | 157 |
| 2.JACOBIAN MATRIX AVAILABLE | | | | |
| | EFSIRK | 33160 | AUG/74 | 159 |
| | EFERK | 33120 | AUG/74 | 161 |
| | LINIGER1VS | 33132 | OCT/74 | 221 |
| | LINIGER2 | 33131 | AUG/74 | 165 |
| | IMPEX | 33135 | OCT/75 | 231 |
| | GMS | 33191 | OCT/74 | 223 |
| SEE ALSO PROC. MULTISTEP (5.2.1.1.1.1) | | | | |
| 3.SEVERAL DERIVATIVES AVAILABLE | | | | |
| | MODIFIED TAYLOR | 33040 | AUG/74 | 167 |
| | EXPONENTIALLY FITTED TAYLOR | 33050 | AUG/74 | 169 |
| 5. 2. 1. 1. 2.SECOND ORDER ORDINARY D.E. | | | | |

| INDEX | PROCEDURE | | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|---|
| 5. 2. 1. 1. 2. 1.NO DERIVATIVES RHS AVAILABLE | | | | | |
| | RK2 | | 33012 | AUG/74 | 171 |
| | RK2N | | 33013 | AUG/74 | 173 |
| | RK3 | | 33014 | AUG/74 | 175 |
| | RK3N | | 33015 | AUG/74 | 177 |
| 2.SEVERAL DERIV. RHS AVAILABLE | | | | | |
| 3.INITIAL BOUNDARY VALUE PROBLEM | | | | | |
| | ARKMAT | | 33066 | NOV/76 | 295 |
| 2.BOUNDARY VALUE PROBLEMS | | | | | |
| 1.TWO POINT B.V.P. | | | | | |
| 1.SHOOTING METHODS | | | | | |
| SEE ALSO SECTION 5.2.1.3.1 | | | | | |
| 2.LINEAR GLOBAL METHODS | | | | | |
| 1.SECOND ORDER TPBVP | | | | | |
| 1.SELF ADJOINT TPBVP | | | | | |
| | FEM LAG SYM | | 33300 | JAN/76 | 261 |
| | FEM LAG | | 33301 | JAN/76 | 261 |
| 2.SKEW ADJOINT TPBVP | | | | | |
| | FEM LAG SKEW | | 33302 | JAN/76 | 263 |
| 2.FOURTH ORDER TPBVP | | | | | |
| 1.SELF ADJOINT TPBVP | | | | | |
| | FEM HERM SYM | | 33303 | JAN/76 | 265 |
| 2.SKEW ADJOINT TPBVP | | | | | |
| 3.NON-LINEAR GLOBAL METHODS | | | | | |
| 2.TWO-DIMENSIONAL B.V.P. | | | | | |
| 1.ELLIPTIC B.V.P.S | | | | | |
| 1.DISCRETIZATION PROCEDURES | | | | | |
| 2.SPECIAL LINEAR SYSTEMS | | | | | |
| | RICHARDSON | | 33170 | OCT/74 | 225 |
| | ELIMINATION | | 33171 | OCT/74 | 225 |
| SEE ALSO SECTION 3.1.2 | | | | | |
| 3.SPECIAL NON-LINEAR SYSTEMS | | | | | |
| 2.PARABOLIC & HYPERBOLIC B.V.P.S | | | | | |
| 3.MULTI-DIMENSIONAL B.V.P. | | | | | |
| 4.OVER-DETERMINED PROBLEMS | | | | | |
| 3.PARAMETER ESTIMATION IN D.E. | | | | | |
| 1.P.E. IN INITIAL VALUE PROBLEMS | | | | | |
| | PEIDE | | 34444 | OCT/75 | 259 |
| 2.INTEGRAL EQUATIONS | | | | | |
| 3.INTEGRO-DIFFERENTIAL EQS | | | | | |
| 4.DIFFERENCE EQUATIONS | | | | | |
| 5.CONVOLUTION EQUATIONS | | | | | |
| 6.SPECIAL FUNCTIONS & CONSTANTS | | | | | |
| 1.MATHEMATICAL CONSTANTS | | | | | |
| | PI | * | 30006 | JAN/76 | 273 |
| | E | * | 30007 | JAN/76 | 273 |
| 2.MACHINE CONSTANTS | | | | | |
| | MBASE | * | 30001 | JAN/76 | 275 |
| | ARREB | * | 30002 | JAN/76 | 275 |
| | DWARF | * | 30003 | JAN/76 | 275 |
| | GIANT | * | 30004 | JAN/76 | 275 |
| | INTCAP | * | 30005 | JAN/76 | 275 |
| | OVERFLOW | * | 30008 | JAN/76 | 275 |
| | UNDERFLOW | * | 30009 | JAN/76 | 275 |
| 6. 3.RANDOM NUMBERS | | | | | |

INDEX

| | | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|---|
| 6. | 3. | | | | |
| | 4.ELEMENTARY FUNCTIONS | | | | |
| | 1.CIRCULAR FUNCTIONS | RANDOM | 30010 | NOT YET AVAILABLE | |
| | | SETRANDOM | 30011 | NOT YET AVAILABLE | |
| | | TAN | 35120 | SEP/74 | 179 |
| | | ARCSIN | 35121 | SEP/74 | 179 |
| | | ARCCOS | 35122 | SEP/74 | 179 |
| | 2.HYPERBOLIC FUNCTIONS | SINH | 35111 | SEP/74 | 181 |
| | | COSH | 35112 | SEP/74 | 181 |
| | | TANH | 35113 | SEP/74 | 181 |
| | | ARCSINH | 35114 | SEP/74 | 181 |
| | | ARCCOSH | 35115 | SEP/74 | 181 |
| | | ARCTANH | 35116 | SEP/74 | 181 |
| | 5.EXPONENTIAL INTEGRAL, ETC. | | | | |
| | 1.EXPONENTIAL INTEGRAL | EI | 35080 | SEP/74 | 183 |
| | | EI ALPHA | 35081 | SEP/74 | 183 |
| | | ENX | 35086 | SEP/74 | 183 |
| | | NONEXP ENX | 35087 | SEP/74 | 183 |
| | 2.SINE AND COSINE INTEGRAL | SINCOSINT | 35084 | SEP/74 | 185 |
| | | SINCOSFG | 35085 | SEP/74 | 185 |
| | 6.GAMMA FUNCTION, ETC. | | | | |
| | | GAMMA | 35061 | SEP/74 | 187 |
| | | RECIP GAMMA | 35060 | SEP/74 | 187 |
| | | LOG GAMMA | 35062 | SEP/74 | 187 |
| | | INCOMGAM | 35030 | SEP/74 | 187 |
| | | INCBETA | 35050 | SEP/74 | 187 |
| | | IBPPLUSN | 35051 | SEP/74 | 187 |
| | | IBQPLUSN | 35052 | SEP/74 | 187 |
| | | IXQFIX | 35053 | SEP/74 | 187 |
| | | IXPFIX | 35054 | SEP/74 | 187 |
| | | FORWARD | 35055 | SEP/74 | 187 |
| | | BACKWARD | 35056 | SEP/74 | 187 |
| | 7.ERROR FUNCTION, ETC. | | | | |
| | | ERRORFUNCTION | 35021 | OCT/74 | 227 |
| | | NONEXPERFC | 35022 | OCT/74 | 227 |
| | | INVERSE ERROR FUNCTION | 35023 | OCT/74 | 227 |
| | | FRESNEL | 35027 | OCT/74 | 227 |
| | | FG | 35028 | OCT/74 | 227 |
| | 8.LEGENDRE FUNCTIONS | | | | |
| | 9.BESSEL FUNCTIONS OF INT. ORDER | | | | |
| | 1.BESSEL FUNCTIONS J AND Y | BESS J0 | 35160 | OCT/75 | 253 |
| | | BESS J1 | 35161 | OCT/75 | 253 |
| | | BESS J | 35162 | OCT/75 | 253 |
| | | BESS Y01 | 35163 | OCT/75 | 253 |
| | | BESS Y | 35164 | OCT/75 | 253 |
| | | BESS PQ0 | 35165 | OCT/75 | 253 |
| | | BESS PQ1 | 35166 | OCT/75 | 253 |
| | 2.BESSEL FUNCTIONS I AND K | BESS I0 | 35170 | OCT/75 | 255 |
| | | BESS I1 | 35171 | OCT/75 | 255 |
| 6. | 9. 2. | BESS I | 35172 | OCT/75 | 255 |

INDEX

6. 9. 2.

3.KELVIN FUNCTIONS
10.BESSEL FUNCTIONS OF REAL ORDER
1.BESSEL FUNCTIONS J AND Y

2.BESSEL FUNCTIONS I AND K

3.SPHERICAL BESSEL FUNCTIONS

4.AIRY FUNCTIONS

7.INTERPOLATION & APPROXIMATION
1.REAL DATA IN ONE DIMENSION
1.INTERPOLATION, WITH
1.POLYNOMIALS
1.GENERAL POLYNOMIALS
2.ORTHOGONAL POLYNOMIALS
2.SPLINES
1.GENERAL SPLINES
2.NATURAL SPLINES
3.TRIGONOMETRIC SERIES
1.FOURIER SERIES
2.SINE SERIES
3.COSINE SERIES
4.RATIONAL FUNCTIONS
5.EXPONENTIAL FUNCTIONS
2.APPROXIMATION IN 2-NORM, WITH
1.GENERAL FUNCTIONS
SEE ALSO SECTION 5.1.3.1
2.POLYNOMIALS
1.GENERAL POLYNOMIALS
2.ORTHOGONAL POLYNOMIALS
3.SPLINES
7. 1. 2. 3. 1.GENERAL SPLINES

| PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|
| BESS K01 | 35173 | OCT/75 | 255 |
| BESS K | 35174 | OCT/75 | 255 |
| NONEXP BESS I0 | 35175 | OCT/75 | 255 |
| NONEXP BESS I1 | 35176 | OCT/75 | 255 |
| NONEXP BESS I | 35177 | OCT/75 | 255 |
| NONEXP BESS K01 | 35178 | OCT/75 | 255 |
| NONEXP BESS K | 35179 | OCT/75 | 255 |
| BESS JAPLUSN | 35180 | OCT/75 | 249 |
| BESS YA01 | 35181 | OCT/75 | 249 |
| BESS YAPLUSN | 35182 | OCT/75 | 249 |
| BESS PQA01 | 35183 | OCT/75 | 249 |
| BESS IAPLUSN | 35190 | OCT/75 | 251 |
| BESS KA01 | 35191 | OCT/75 | 251 |
| BESS KAPLUSN | 35192 | OCT/75 | 251 |
| NONEXP BESS IAPLUSN | 35193 | OCT/75 | 251 |
| NONEXP BESS KA01 | 35194 | OCT/75 | 251 |
| NONEXP BESS KAPLUSN | 35195 | OCT/75 | 251 |
| SPHER BESS J | 35150 | OCT/75 | 247 |
| SPHER BESS Y | 35151 | OCT/75 | 247 |
| SPHER BESS I | 35152 | OCT/75 | 247 |
| SPHER BESS K | 35153 | OCT/75 | 247 |
| NONEXP SPHER BESS I | 35154 | OCT/75 | 247 |
| NONEXP SPHER BESS K | 35155 | OCT/75 | 247 |
| AIRY | 35140 | OCT/75 | 243 |
| AIRYZEROS | 35145 | OCT/75 | 243 |
| NEWTON | 36010 | SEP/74 | 195 |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 7. 1. 2. 3. 2.NATURAL SPLINES | | | | |
| 4.TRIGONOMETRIC SERIES | | | | |
| 5.RATIONAL FUNCTIONS | | | | |
| 6.EXPONENTIAL FUNCTIONS | | | | |
| 3.APPROXIMATION IN INF-NORM,WITH | | | | |
| 1.GENERAL FUNCTIONS | | | | |
| 2.POLYNOMIALS | | | | |
| 1.GENERAL POLYNOMIALS | | | | |
| | INI | 36020 | DEC/75 | 197 |
| | SNDREMEZ | 36021 | DEC/75 | 197 |
| | MINMAXPOL | 36022 | OCT/75 | 197 |
| 2.ORTHOGONAL POLYNOMIALS | | | | |
| 3.TRIGONOMETRIC SERIES | | | | |
| 4.RATIONAL FUNCTIONS | | | | |
| 4.APPROXIMATION IN 1-NORM, WITH | | | | |
| 1.GENERAL FUNCTIONS | | | | |
| 2.POLYNOMIALS | | | | |
| 2.REAL DATA IN MORE DIMENSIONS | | | | |
| 3.REAL FUNCTIONS IN 1 DIMENSION | | | | |
| 1.POLYNOMIALS | | | | |
| 8.NUMBER THEORY | | | | |
| 9.TABLE HANDLING | | | | |
| | READ | 39999 | NOT YET AVAILABLE | |
| | WRITE | 39998 | NOT YET AVAILABLE | |

OBSOLETE PROCEDURES

| PROCEDURE | CODE | WITHDRAWAL | EXPIRATION | REPLACED BY |
|---|---|---|---|---|
| DET | 34050 | 730901 | 750701 | DEC(3,1,1,1,1,1,1),DETERM(3,1,1,1,1,1,2) |
| LSQDEC | 34130 | 730901 | 750701 | LSQORTDEC(3,1,1,2,1,1) |
| ERF | 35020 | 740501 | 750701 | ERRORFUNCTION(6,7) |
| RK1N | 33011 | 740501 | 750701 | RKE(5,2,1,1,1,1) |
| LINIGER1 | 33130 | 740915 | 750701 | LINIGER1VS(5,2,1,1,1,2) |
| ABSMAXVEC | 31060 | 750101 | 760101 | INFNRMVEC(1,1,8) |
| MAXMAT | 34230 | 750101 | 760101 | ABSMAXMAT(1,1,8) |
| BESSELJ | 35100 | 750101 | 750701 | BESS J (6,9,1) |
| BESSELY | 35101 | 750101 | 750701 | BESS Y (6,9,1) |
| BESSELI | 35102 | 750101 | 750701 | BESS I (6,9,2) |
| BESSELK | 35103 | 750101 | 750701 | BESS K (6,9,2) |
| K0 | 35040 | 750101 | 750701 | BESS K01 (6,9,2) |
| NONEXPBESSELI | 35104 | 750101 | 750701 | NONEXP BESS I (6,9,2) |
| NONEXPBESSELK | 35105 | 750101 | 750701 | NONEXP BESS K (6,9,2) |
| NONEXPK0 | 35038 | 750101 | 750701 | NONEXP BESS K01 (6,9,2) |
| YA | 35075 | 750101 | 750701 | BESS YA01 (6,10,1) |
| YAPLUSN | 35076 | 750101 | 750701 | BESS YAPLUSN (6,10,1) |
| BESSELPQ | 35077 | 750101 | 750701 | BESS PQA01 (6,10,1) |
| KA | 35071 | 750101 | 750701 | BESS KA01 (6,10,2) |
| KAPLUSN | 35072 | 750101 | 750701 | BESS KAPLUSN (6,10,2) |
| NONEXPKA | 35073 | 750101 | 750701 | NONEXP BESS KA01(6,10,2) |
| NONEXPKAPLUSN | 35074 | 750101 | 750701 | NONEXP BESS KAPLUSN (6,10,2) |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 30001 | 6. 2. | MBASE | * JAN/76 |
| 30002 | 6. 2. | ARREB | * JAN/76 |
| 30003 | 6. 2. | DWARF | * JAN/76 |
| 30004 | 6. 2. | GIANT | * JAN/76 |
| 30005 | 6. 2. | INTCAP | * JAN/76 |
| 30006 | 6. 1. | PI | * JAN/76 |
| 30007 | 6. 1. | E | * JAN/76 |
| 30008 | 6. 2. | OVERFLOW | * JAN/76 |
| 30009 | 6. 2. | UNDERFLOW | * JAN/76 |
| 30010 | 6. 3. | RANDOM | |
| 30011 | 6. 3. | SETRANDOM | |
| 31010 | 1. 1. 1. | INIVEC | * APR/74 |
| 31011 | 1. 1. 1. | INIMAT | * APR/74 |
| 31012 | 1. 1. 1. | INIMATD | * APR/74 |
| 31013 | 1. 1. 1. | INISYMD | APR/74 |
| 31014 | 1. 1. 1. | INISYMROW | APR/74 |
| 31020 | 1. 1. 3. | MULVEC | * APR/74 |
| 31021 | 1. 1. 3. | MULROW | * APR/74 |
| 31022 | 1. 1. 3. | MULCOL | * APR/74 |
| 31030 | 1. 1. 2. | DUPVEC | * APR/74 |
| 31031 | 1. 1. 2. | DUPVECROW | * APR/74 |
| 31032 | 1. 1. 2. | DUPROWVEC | * APR/74 |
| 31033 | 1. 1. 2. | DUPVECCOL | * APR/74 |
| 31034 | 1. 1. 2. | DUPCOLVEC | * APR/74 |
| 31035 | 1. 1. 2. | DUPMAT | * APR/74 |
| 31040 | 2. 2. 1. 1. | POL | OCT/75 |
| 31041 | 2. 2. 1. 2. | NEWPOL | |
| 31042 | 2. 2. 2. 2. | CHEPOL | OCT/75 |
| 31043 | 2. 2. 2. 2. | ALLCHEPOL | OCT/75 |
| 31044 | 2. 2. 2. 1. | ORTPOL | NOV/76 |
| 31045 | 2. 2. 2. 1. | ALLORTPOL | NOV/76 |
| 31046 | 2. 2. 2. 2. | CHEPOLSER | OCT/75 |
| 31047 | 2. 2. 2. 1. | SERORTPOL | NOV/76 |
| 31050 | 2. 4. 1. | NEWGRN | DEC/75 |
| 31051 | 2. 4. 1. | POWCHS | |
| 31052 | 2. 4. 2. | MULPOL | |
| 31053 | 2. 4. 2. | ADDPOL | |
| 31054 | 2. 4. 2. | SUBPOL | |
| 31055 | 2. 4. 2. | DIFPOL | |
| 31057 | 2. 4. 2. | INTPOL | |
| 31060 | OBSOLETE PROCEDURE | ABSMAXVEC | |
| 31061 | 1. 1. 8. | INFNRMVEC | * OCT/75 |
| 31062 | 1. 1. 8. | INFNRMROW | * OCT/75 |
| 31063 | 1. 1. 8. | INFNRMCOL | * OCT/75 |
| 31064 | 1. 1. 8. | INFNRMMAT | * OCT/75 |
| 31065 | 1. 1. 8. | ONENRMVEC | * OCT/75 |
| 31066 | 1. 1. 8. | ONENRMROW | * OCT/75 |
| 31067 | 1. 1. 8. | ONENRMCOL | * OCT/75 |
| 31068 | 1. 1. 8. | ONENRMMAT | * OCT/75 |
| 31069 | 1. 1. 8. | ABSMAXMAT | * OCT/75 |
| 31070 | 1. 1. 4. 3. | HSHVECMAT | * JAN/76 |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 31071 | 1. 1. 4. 3. | HSHCOLMAT | * JAN/76 |
| 31072 | 1. 1. 4. 3. | HSHROWMAT | * JAN/76 |
| 31073 | 1. 1. 4. 3. | HSHVECTAM | * JAN/76 |
| 31074 | 1. 1. 4. 3. | HSHCOLTAM | * JAN/76 |
| 31075 | 1. 1. 4. 3. | HSHROWTAM | * JAN/76 |
| 31090 | 2. 2. 3. 1. | SINSER | OCT/74 |
| 31091 | 2. 2. 3. 1. | COSSER | OCT/74 |
| 31092 | 2. 2. 3. 1. | FOUSER | OCT/74 |
| 31093 | 2. 2. 3. 1. | FOUSER1 | OCT/74 |
| 31094 | 2. 2. 3. 1. | FOUSER2 | OCT/74 |
| 31095 | 2. 2. 3. 1. | COMFOUSER | OCT/74 |
| 31096 | 2. 2. 3. 1. | COMFOUSER1 | OCT/74 |
| 31097 | 2. 2. 3. 1. | COMFOUSER2 | OCT/74 |
| 31100 | 1. 5. 3. | LNGREATODECI | MAR/77 |
| 31101 | 1. 5. 1. | DP ADD | * MAR/77 |
| 31102 | 1. 5. 1. | DP SUB | * MAR/77 |
| 31103 | 1. 5. 1. | DP MUL | * MAR/77 |
| 31104 | 1. 5. 1. | DP DIV | * MAR/77 |
| 31105 | 1. 5. 1. | LNG ADD | * MAR/77 |
| 31106 | 1. 5. 1. | LNG SUB | * MAR/77 |
| 31107 | 1. 5. 1. | LNG MUL | * MAR/77 |
| 31108 | 1. 5. 1. | LNG DIV | * MAR/77 |
| 31109 | 1. 5. 1. | DP POW | MAR/77 |
| 31110 | 1. 5. 1. | LNG POW | MAR/77 |
| 31131 | 1. 1. 3. | COLCST | * APR/74 |
| 31132 | 1. 1. 3. | ROWCST | * APR/74 |
| 31200 | 1. 4. | LNGINTADD | OCT/74 |
| 31201 | 1. 4. | LNGINTSUBTRACT | OCT/74 |
| 31202 | 1. 4. | LNGINTMULT | OCT/74 |
| 31203 | 1. 4. | LNGINTDIVIDE | OCT/74 |
| 31204 | 1. 4. | LNGINTPOWER | OCT/74 |
| 31241 | 2. 2. 1. 1. | TAYPOL | OCT/75 |
| 31242 | 2. 2. 1. 1. | NORDERPOL | OCT/75 |
| 31243 | 2. 2. 1. 1. | DERPOL | OCT/75 |
| 31248 | 2. 4. 3. | INITCHS | OCT/74 |
| 31250 | 2. 4. 1. | POLCHS | |
| 31300 | 2. 5. | FFT | |
| 31362 | 3. 6. 2. | ALLZERORTPOL | OCT/74 |
| 31363 | 3. 6. 2. | LUPZERORTPOL | OCT/74 |
| 31364 | 3. 6. 2. | SELZERORTPOL | OCT/74 |
| 31425 | 4. 2. 3. | GSSJACWGHTS | NOV/76 |
| 31427 | 4. 2. 3. | GSSLAGWGHTS | NOV/76 |
| 31500 | 1. 1. 4. 2. | FULMATVEC | * DEC/75 |
| 31501 | 1. 1. 4. 2. | FULTAMVEC | * DEC/75 |
| 31502 | 1. 1. 4. 2. | FULSYMMATVEC | DEC/75 |
| 31503 | 1. 1. 4. 2. | RESVEC | * DEC/75 |
| 31504 | 1. 1. 4. 2. | SYMRESVEC | DEC/75 |
| 31505 | 1. 5. 2. | LNGFULMATVEC | * JAN/76 |
| 31506 | 1. 5. 2. | LNGFULTAMVEC | * JAN/76 |
| 31507 | 1. 5. 2. | LNGFULSYMMATVEC | JAN/76 |
| 31508 | 1. 5. 2. | LNGRESVEC | * JAN/76 |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 31509 | 1. 5. 2. | LNGSYMRESVEC | JAN/76 |
| 32010 | 4. 1. | EULER | JUL/74 |
| 32020 | 4. 1. | SUMPOSSERIES | JUL/74 |
| 32051 | 4. 2. 1. | INTEGRAL | JUL/74 |
| 32070 | 4. 2. 1. | QADRAT | JUL/74 |
| 32075 | 4. 2. 2. | TRICUB | OCT/75 |
| 33010 | 5. 2. 1. 1. 1. 1. | RK1 | AUG/74 |
| 33011 | OBSOLETE PROCEDURE | RK1N | |
| 33012 | 5. 2. 1. 1. 2. 1. | RK2 | AUG/74 |
| 33013 | 5. 2. 1. 1. 2. 1. | RK2N | AUG/74 |
| 33014 | 5. 2. 1. 1. 2. 1. | RK3 | AUG/74 |
| 33015 | 5. 2. 1. 1. 2. 1. | RK3N | AUG/74 |
| 33016 | 5. 2. 1. 1. 1. 1. | RK4A | AUG/74 |
| 33017 | 5. 2. 1. 1. 1. 1. | RK4NA | AUG/74 |
| 33018 | 5. 2. 1. 1. 1. 1. | RK5NA | AUG/74 |
| 33033 | 5. 2. 1. 1. 1. 1. | RKE | DEC/75 |
| 33040 | 5. 2. 1. 1. 1. 3. | MODIFIED TAYLOR | AUG/74 |
| 33050 | 5. 2. 1. 1. 1. 3. | EXPONENTIALLY FITTED TAYLOR | AUG/74 |
| 33061 | 5. 2. 1. 1. 1. 1. | ARK | DEC/75 |
| 33066 | 5. 2. 1. 1. 3. | ARKMAT | NOV/76 |
| 33070 | 5. 2. 1. 1. 1. 1. | EFRK | AUG/74 |
| 33080 | 5. 2. 1. 1. 1. 1. | MULTISTEP | AUG/74 |
| 33120 | 5. 2. 1. 1. 1. 2. | EFERK | AUG/74 |
| 33130 | OBSOLETE PROCEDURE | LINIGER1 | AUG/74 |
| 33131 | 5. 2. 1. 1. 1. 2. | LINIGER2 | AUG/74 |
| 33132 | 5. 2. 1. 1. 1. 2. | LINIGER1VS | OCT/74 |
| 33135 | 5. 2. 1. 1. 1. 2. | IMPEX | OCT/75 |
| 33160 | 5. 2. 1. 1. 1. 2. | EFSIRK | AUG/74 |
| 33170 | 5. 2. 1. 2. 2. 1. 2. | RICHARDSON | OCT/74 |
| 33171 | 5. 2. 1. 2. 2. 1. 2. | ELIMINATION | OCT/74 |
| 33180 | 5. 2. 1. 1. 1. 1. | DIFFSYS | AUG/74 |
| 33191 | 5. 2. 1. 1. 1. 2. | GMS | OCT/74 |
| 33300 | 5. 2. 1. 2. 1. 2. 1. 1. | FEM LAG SYM | JAN/76 |
| 33301 | 5. 2. 1. 2. 1. 2. 1. 1. | FEM LAG | JAN/76 |
| 33302 | 5. 2. 1. 2. 1. 2. 1. 2. | FEM LAG SKEW | JAN/76 |
| 33303 | 5. 2. 1. 2. 1. 2. 2. 1. | FEM HERM SYM | JAN/76 |
| 34010 | 1. 1. 4. 1. | VECVEC | * DEC/75 |
| 34011 | 1. 1. 4. 1. | MATVEC | * DEC/75 |
| 34012 | 1. 1. 4. 1. | TAMVEC | * DEC/75 |
| 34013 | 1. 1. 4. 1. | MATMAT | * DEC/75 |
| 34014 | 1. 1. 4. 1. | TAMMAT | * DEC/75 |
| 34015 | 1. 1. 4. 1. | MATTAM | * DEC/75 |
| 34016 | 1. 1. 4. 1. | SEQVEC | * DEC/75 |
| 34017 | 1. 1. 4. 1. | SCAPRD1 | * DEC/75 |
| 34018 | 1. 1. 4. 1. | SYMMATVEC | DEC/75 |
| 34020 | 1. 1. 5. | ELMVEC | * APR/74 |
| 34021 | 1. 1. 5. | ELMVECCOL | * APR/74 |
| 34022 | 1. 1. 5. | ELMCOLVEC | * APR/74 |
| 34023 | 1. 1. 5. | ELMCOL | * APR/74 |
| 34024 | 1. 1. 5. | ELMROW | * APR/74 |
| 34025 | 1. 1. 5. | MAXELMROW | * APR/74 |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 34026 | 1. 1. 5. | ELMVECROW | * APR/74 |
| 34027 | 1. 1. 5. | ELMROWVEC | * APR/74 |
| 34028 | 1. 1. 5. | ELMROWCOL | * APR/74 |
| 34029 | 1. 1. 5. | ELMCOLROW | * APR/74 |
| 34030 | 1. 1. 6. | ICHVEC | * APR/74 |
| 34031 | 1. 1. 6. | ICHCOL | * APR/74 |
| 34032 | 1. 1. 6. | ICHROW | * APR/74 |
| 34033 | 1. 1. 6. | ICHROWCOL | * APR/74 |
| 34034 | 1. 1. 6. | ICHSEQVEC | * APR/74 |
| 34035 | 1. 1. 6. | ICHSEQ | * APR/74 |
| 34040 | 1. 1. 7. | ROTCOL | * APR/74 |
| 34041 | 1. 1. 7. | ROTROW | * APR/74 |
| 34050 | OBSOLETE PROCEDURE | DET | |
| 34051 | 3. 1. 1. 1. 1. 1. 3. | SOL | MAY/74 |
| 34053 | 3. 1. 1. 1. 1. 1. 4. | INV | MAY/74 |
| 34061 | 3. 1. 1. 1. 1. 1. 3. | SOLELM | MAY/74 |
| 34071 | 3. 1. 2. 1. 1. 1. 1. 3. | SOLBND | JUN/74 |
| 34130 | OBSOLETE PROCEDURE | LSQDEC | |
| 34131 | 3. 1. 1. 2. 1. 2. | LSQSOL | MAY/74 |
| 34132 | 3. 1. 1. 2. 1. 1. | LSQDGLINV | MAY/74 |
| 34134 | 3. 1. 1. 2. 1. 1. | LSQORTDEC | MAY/74 |
| 34135 | 3. 1. 1. 2. 1. 2. | LSQORTDECSOL | MAY/74 |
| 34136 | 3. 1. 1. 2. 1. 3. | LSQINV | OCT/74 |
| 34140 | 3. 2. 1. 2. 1. 1. | TFMSYMTRI2 | JUN/74 |
| 34141 | 3. 2. 1. 2. 1. 1. | BAKSYMTRI2 | JUN/74 |
| 34142 | 3. 2. 1. 2. 1. 1. | TFMPREVEC | JUN/74 |
| 34143 | 3. 2. 1. 2. 1. 1. | TFMSYMTRI1 | JUN/74 |
| 34144 | 3. 2. 1. 2. 1. 1. | BAKSYMTRI1 | JUN/74 |
| 34150 | 5. 1. 1. 1. 1. | ZEROIN | OCT/75 |
| 34151 | 3. 3. 1. 1. 1. | VALSYMTRI | JUL/74 |
| 34152 | 3. 3. 1. 1. 1. | VECSYMTRI | JUL/74 |
| 34153 | 3. 3. 1. 1. 2. | EIGVALSYM2 | JUL/74 |
| 34154 | 3. 3. 1. 1. 2. | EIGSYM2 | JUL/74 |
| 34155 | 3. 3. 1. 1. 2. | EIGVALSYM1 | JUL/74 |
| 34156 | 3. 3. 1. 1. 2. | EIGSYM1 | JUL/74 |
| 34160 | 3. 3. 1. 1. 1. | QRIVALSYMTRI | JUL/74 |
| 34161 | 3. 3. 1. 1. 1. | QRISYMTRI | JUL/74 |
| 34162 | 3. 3. 1. 1. 2. | QRIVALSYM2 | JUL/74 |
| 34163 | 3. 3. 1. 1. 2. | QRISYM | JUL/74 |
| 34164 | 3. 3. 1. 1. 2. | QRIVALSYM1 | JUL/74 |
| 34166 | 3. 3. 1. 1. 1. | RATQRI | |
| 34170 | 3. 2. 1. 2. 1. 2. | TFMREAHES | JUN/74 |
| 34171 | 3. 2. 1. 2. 1. 2. | BAKREAHES1 | JUN/74 |
| 34172 | 3. 2. 1. 2. 1. 2. | BAKREAHES2 | JUN/74 |
| 34173 | 3. 2. 1. 1. 1. | EQILBR | JUN/74 |
| 34174 | 3. 2. 1. 1. 1. | BAKLBR | JUN/74 |
| 34180 | 3. 3. 1. 2. 1. | REAVALQRI | JUL/74 |
| 34181 | 3. 3. 1. 2. 1. | REAVECHES | JUL/74 |
| 34182 | 3. 3. 1. 2. 2. | REAEIGVAL | JUL/74 |
| 34183 | 1. 1. 9. | REASCL | APR/74 |
| 34184 | 3. 3. 1. 2. 2. | REAEIG1 | JUL/74 |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 34185 | 3. 3. 1. 2. 2. | REAEIG2 | |
| 34186 | 3. 3. 1. 2. 1. | REAQRI | JUL/74 |
| 34187 | 3. 3. 1. 2. 2. | REAEIG3 | JUL/74 |
| 34190 | 3. 3. 1. 2. 1. | COMVALQRI | JUL/74 |
| 34191 | 3. 3. 1. 2. 1. | COMVECHES | JUL/74 |
| 34192 | 3. 3. 1. 2. 2. | COMEIGVAL | JUL/74 |
| 34193 | 1. 2. 9. | COMSCL | DEC/75 |
| 34194 | 3. 3. 1. 2. 2. | COMEIG1 | JUL/74 |
| 34195 | 3. 3. 1. 2. 2. | COMEIG2 | |
| 34200 | 5. 1. 1. 2. 3. | DAMPED NEWTON | |
| 34202 | 5. 1. 1. 2. 3. | NEWRAP | |
| 34203 | 5. 1. 2. 2. 4. | NEWTONMIN | |
| 34210 | 5. 1. 2. 2. 1. | LINEMIN | DEC/75 |
| 34211 | 5. 1. 2. 2. 1. | RNK1UPD | DEC/75 |
| 34212 | 5. 1. 2. 2. 1. | DAVUPD | DEC/75 |
| 34213 | 5. 1. 2. 2. 1. | FLEUPD | DEC/75 |
| 34214 | 5. 1. 2. 2. 3. | RNK1MIN | DEC/75 |
| 34215 | 5. 1. 2. 2. 3. | FLEMIN | DEC/75 |
| 34220 | 3. 1. 2. 2. 1. | CONJ GRAD | JUN/74 |
| 34221 | 3. 1. 2. 2. 1. | CONJ RESI | |
| 34230 | OBSOLETE PROCEDURE | MAXMAT | |
| 34231 | 3. 1. 1. 1. 1. 1. 1. | GSSELM | MAY/74 |
| 34232 | 3. 1. 1. 1. 1. 1. 3. | GSSSOL | MAY/74 |
| 34235 | 3. 1. 1. 1. 1. 1. 4. | INV1 | MAY/74 |
| 34236 | 3. 1. 1. 1. 1. 1. 4. | GSSINV | MAY/74 |
| 34240 | 3. 1. 1. 1. 1. 1. 1. | ONENRMINV | MAY/74 |
| 34241 | 3. 1. 1. 1. 1. 1. 1. | ERBELM | MAY/74 |
| 34242 | 3. 1. 1. 1. 1. 1. 1. | GSSERB | MAY/74 |
| 34243 | 3. 1. 1. 1. 1. 1. 3. | GSSSOLERB | MAY/74 |
| 34244 | 3. 1. 1. 1. 1. 1. 4. | GSSINVERB | MAY/74 |
| 34250 | 3. 1. 1. 1. 1. 1. 5. | ITISOL | MAY/74 |
| 34251 | 3. 1. 1. 1. 1. 1. 5. | GSSITISOL | MAY/74 |
| 34252 | 3. 1. 1. 1. 1. 1. 1. | GSSNRI | MAY/74 |
| 34253 | 3. 1. 1. 1. 1. 1. 5. | ITISOLERB | MAY/74 |
| 34254 | 3. 1. 1. 1. 1. 1. 5. | GSSITISOLERB | MAY/74 |
| 34260 | 3. 2. 2. 1. 1. | HSHREABID | JUN/74 |
| 34261 | 3. 2. 2. 1. 1. | PSTTFMMAT | JUN/74 |
| 34262 | 3. 2. 2. 1. 1. | PRETFMMAT | JUN/74 |
| 34270 | 3. 5. 1. 1. | QRISNGVALBID | JUL/74 |
| 34271 | 3. 5. 1. 1. | QRISNGVALDECBID | JUL/74 |
| 34272 | 3. 5. 1. 2. | QRISNGVAL | JUL/74 |
| 34273 | 3. 5. 1. 2. | QRISNGVALDEC | JUL/74 |
| 34280 | 3. 1. 1. 3. 1. 1. | SOLSVDOVR | MAY/74 |
| 34281 | 3. 1. 1. 3. 1. 1. | SOLOVR | MAY/74 |
| 34282 | 3. 1. 1. 3. 1. 2. | SOLSVDUND | MAY/74 |
| 34283 | 3. 1. 1. 3. 1. 2. | SOLUND | MAY/74 |
| 34284 | 3. 1. 1. 3. 1. 3. | HOMSOLSVD | MAY/74 |
| 34285 | 3. 1. 1. 3. 1. 3. | HOMSOL | MAY/74 |
| 34286 | 3. 1. 1. 3. 1. 4. | PSDINVSVD | MAY/74 |
| 34287 | 3. 1. 1. 3. 1. 4. | PSDINV | MAY/74 |
| 34300 | 3. 1. 1. 1. 1. 1. 1. | DEC | MAY/74 |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 34301 | 3. 1. 1. 1. 1. 1. 3. | DECSOL | MAY/74 |
| 34302 | 3. 1. 1. 1. 1. 1. 4. | DECINV | MAY/74 |
| 34303 | 3. 1. 1. 1. 1. 1. 2. | DETERM | MAY/74 |
| 34310 | 3. 1. 1. 1. 1. 2. 1. | CHLDEC2 | MAY/74 |
| 34311 | 3. 1. 1. 1. 1. 2. 1. | CHLDEC1 | MAY/74 |
| 34312 | 3. 1. 1. 1. 1. 2. 2. | CHLDETERM2 | MAY/74 |
| 34313 | 3. 1. 1. 1. 1. 2. 2. | CHLDETERM1 | MAY/74 |
| 34320 | 3. 1. 2. 1. 1. 1. 1. 1. | DECBND | JUN/74 |
| 34321 | 3. 1. 2. 1. 1. 1. 1. 2. | DETERMBND | JUN/74 |
| 34322 | 3. 1. 2. 1. 1. 1. 1. 3. | DECSOLBND | JUN/74 |
| 34330 | 3. 1. 2. 1. 1. 2. 1. 1. | CHLDECBND | JUN/74 |
| 34331 | 3. 1. 2. 1. 1. 2. 1. 2. | CHLDETERMBND | JUN/74 |
| 34332 | 3. 1. 2. 1. 1. 2. 1. 3. | CHLSOLBND | JUN/74 |
| 34333 | 3. 1. 2. 1. 1. 2. 1. 3. | CHLDECSOLBND | JUN/74 |
| 34340 | 1. 3. 1. | COMABS | MAY/74 |
| 34341 | 1. 3. 2. | COMMUL | MAY/74 |
| 34342 | 1. 3. 2. | COMDIV | MAY/74 |
| 34343 | 1. 3. 1. | COMSQRT | MAY/74 |
| 34344 | 1. 3. 1. | CARPOL | MAY/74 |
| 34345 | 3. 6. 3. | COMKWD | JUL/74 |
| 34352 | 1. 2. 3. | COMCOLCST | MAY/74 |
| 34353 | 1. 2. 3. | COMROWCST | MAY/74 |
| 34354 | 1. 2. 4. | COMMATVEC | MAY/74 |
| 34355 | 1. 2. 4. | HSHCOMCOL | MAY/74 |
| 34356 | 1. 2. 4. | HSHCOMPRD | MAY/74 |
| 34357 | 1. 2. 7. | ROTCOMCOL | JAN/76 |
| 34358 | 1. 2. 7. | ROTCOMROW | JAN/76 |
| 34359 | 1. 2. 8. | COMEUCNRM | DEC/75 |
| 34360 | 1. 2. 9. | SCLCOM | DEC/75 |
| 34361 | 3. 2. 1. 1. 2. | EQILBRCOM | JUN/74 |
| 34362 | 3. 2. 1. 1. 2. | BAKLBRCOM | JUN/74 |
| 34363 | 3. 2. 1. 2. 2. 1. | HSHHRMTRI | JUN/74 |
| 34364 | 3. 2. 1. 2. 2. 1. | HSHHRMTRIVAL | JUN/74 |
| 34365 | 3. 2. 1. 2. 2. 1. | BAKHRMTRI | JUN/74 |
| 34366 | 3. 2. 1. 2. 2. 2. | HSHCOMHES | JUN/74 |
| 34367 | 3. 2. 1. 2. 2. 2. | BAKCOMHES | JUN/74 |
| 34368 | 3. 3. 2. 1. | EIGVALHRM | JUL/74 |
| 34369 | 3. 3. 2. 1. | EIGHRM | JUL/74 |
| 34370 | 3. 3. 2. 1. | QRIVALHRM | JUL/74 |
| 34371 | 3. 3. 2. 1. | QRIHRM | JUL/74 |
| 34372 | 3. 3. 2. 2. 1. | VALQRICOM | JUL/74 |
| 34373 | 3. 3. 2. 2. 1. | QRICOM | JUL/74 |
| 34374 | 3. 3. 2. 2. 2. | EIGVALCOM | JUL/74 |
| 34375 | 3. 3. 2. 2. 2. | EIGCOM | JUL/74 |
| 34376 | 1. 2. 5. | ELMCOMVECCOL | MAY/74 |
| 34377 | 1. 2. 5. | ELMCOMCOL | MAY/74 |
| 34378 | 1. 2. 5. | ELMCOMROWVEC | MAY/74 |
| 34390 | 3. 1. 1. 1. 1. 2. 3. | CHLSOL2 | MAY/74 |
| 34391 | 3. 1. 1. 1. 1. 2. 3. | CHLSOL1 | MAY/74 |
| 34392 | 3. 1. 1. 1. 1. 2. 3. | CHLDECSOL2 | MAY/74 |
| 34393 | 3. 1. 1. 1. 1. 2. 3. | CHLDECSOL1 | MAY/74 |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 34400 | 3. 1. 1. 1. 1. 2. 4. | CHLINV2 | MAY/74 |
| 34401 | 3. 1. 1. 1. 1. 2. 4. | CHLINV1 | MAY/74 |
| 34402 | 3. 1. 1. 1. 1. 2. 4. | CHLDECINV2 | MAY/74 |
| 34403 | 3. 1. 1. 1. 1. 2. 4. | CHLDECINV1 | MAY/74 |
| 34410 | 1. 5. 2. | LNGVECVEC | * JAN/76 |
| 34411 | 1. 5. 2. | LNGMATVEC | * JAN/76 |
| 34412 | 1. 5. 2. | LNGTAMVEC | * JAN/76 |
| 34413 | 1. 5. 2. | LNGMATMAT | * JAN/76 |
| 34414 | 1. 5. 2. | LNGTAMMAT | * JAN/76 |
| 34415 | 1. 5. 2. | LNGMATTAM | * JAN/76 |
| 34416 | 1. 5. 2. | LNGSEQVEC | * JAN/76 |
| 34417 | 1. 5. 2. | LNGSCAPRD1 | * JAN/76 |
| 34418 | 1. 5. 2. | LNGSYMMATVEC | JAN/76 |
| 34420 | 3. 1. 2. 1. 1. 2. 2. 1. | DECSYMTRI | JUN/74 |
| 34421 | 3. 1. 2. 1. 1. 2. 2. 3. | SOLSYMTRI | JUN/74 |
| 34422 | 3. 1. 2. 1. 1. 2. 2. 3. | DECSOLSYMTRI | JUN/74 |
| 34423 | 3. 1. 2. 1. 1. 1. 2. 1. | DECTRI | JUN/74 |
| 34424 | 3. 1. 2. 1. 1. 1. 2. 3. | SOLTRI | JUN/74 |
| 34425 | 3. 1. 2. 1. 1. 1. 2. 3. | DECSOLTRI | JUN/74 |
| 34426 | 3. 1. 2. 1. 1. 1. 2. 1. | DECTRIPIV | JUN/74 |
| 34427 | 3. 1. 2. 1. 1. 1. 2. 3. | SOLTRIPIV | JUN/74 |
| 34428 | 3. 1. 2. 1. 1. 1. 2. 3. | DECSOLTRIPIV | JUN/74 |
| 34430 | 5. 1. 1. 2. 2. | QUANEWBND | OCT/74 |
| 34431 | 5. 1. 1. 2. 2. | QUANEWBND1 | OCT/74 |
| 34432 | 5. 1. 2. 2. 2. | PRAXIS | OCT/75 |
| 34433 | 5. 1. 2. 1. 1. | MININ | OCT/75 |
| 34435 | 5. 1. 2. 1. 2. | MININDER | OCT/75 |
| 34436 | 5. 1. 1. 1. 1. | ZERDINRAT | OCT/75 |
| 34437 | 4. 3. 2. 1. | JACOBNNF | OCT/74 |
| 34438 | 4. 3. 2. 1. | JACOBNMF | OCT/74 |
| 34439 | 4. 3. 2. 1. | JACOBNBNDF | OCT/74 |
| 34440 | 5. 1. 3. 1. 3. | MARQUARDT | DEC/75 |
| 34441 | 5. 1. 3. 1. 3. | GSSNEWTON | DEC/75 |
| 34444 | 5. 2. 1. 3. 1. | PEIDE | OCT/75 |
| 34450 | 5. 1. 1. 2. 2. | BROWNLS | |
| 34451 | 5. 1. 1. 2. 2. | QUANEW | |
| 34452 | 5. 1. 1. 2. 2. | QUANEW1 | |
| 34453 | 5. 1. 1. 1. 2. | ZERDINDER | OCT/75 |
| 34500 | 3. 6. 1. | POLZEROS | OCT/74 |
| 34600 | 3. 4. 1. 2. | QZIVAL | JAN/76 |
| 34601 | 3. 4. 1. 2. | QZI | JAN/76 |
| 34602 | 3. 4. 1. 2. | HSHDECMUL | JAN/76 |
| 34603 | 3. 4. 1. 2. | HESTGL3 | JAN/76 |
| 34604 | 3. 4. 1. 2. | HESTGL2 | JAN/76 |
| 34605 | 3. 4. 1. 2. | HSH2COL | JAN/76 |
| 34606 | 3. 4. 1. 2. | HSH3COL | JAN/76 |
| 34607 | 3. 4. 1. 2. | HSH2ROW3 | JAN/76 |
| 34608 | 3. 4. 1. 2. | HSH2ROW2 | JAN/76 |
| 34609 | 3. 4. 1. 2. | HSH3ROW3 | JAN/76 |
| 34610 | 3. 4. 1. 2. | HSH3ROW2 | JAN/76 |
| 34611 | 1. 2. 7. | CHSH2 | JAN/76 |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 34700 | 3. 1. 1. 1. 1. 3. 1. | SYMDEC2 | JAN/76 |
| 34701 | 3. 1. 1. 1. 1. 3. 1. | SYMDEC1 | JAN/76 |
| 34702 | 3. 1. 1. 1. 1. 3. 2. | SYMDETERM2 | JAN/76 |
| 34703 | 3. 1. 1. 1. 1. 3. 2. | SYMDETERM1 | JAN/76 |
| 34704 | 3. 1. 1. 1. 1. 3. 3. | SYMSOL2 | JAN/76 |
| 34705 | 3. 1. 1. 1. 1. 3. 3. | SYMSOL1 | JAN/76 |
| 34706 | 3. 1. 1. 1. 1. 3. 3. | SYMDECSOL2 | JAN/76 |
| 34707 | 3. 1. 1. 1. 1. 3. 3. | SYMDECSOL1 | JAN/76 |
| 34708 | 3. 1. 1. 1. 1. 3. 4. | SYMINV2 | JAN/76 |
| 34709 | 3. 1. 1. 1. 1. 3. 4. | SYMINV1 | JAN/76 |
| 34710 | 3. 1. 1. 1. 1. 3. 4. | SYMDECINV2 | JAN/76 |
| 34711 | 3. 1. 1. 1. 1. 3. 4. | SYMDECINV1 | JAN/76 |
| 35020 | OBSOLETE PROCEDURE | ERF | |
| 35021 | 6. 7. | ERRORFUNCTION | OCT/74 |
| 35022 | 6. 7. | NONEXPERFC | OCT/74 |
| 35023 | 6. 7. | INVERSE ERROR FUNCTION | OCT/74 |
| 35027 | 6. 7. | FRESNEL | OCT/74 |
| 35028 | 6. 7. | FG | OCT/74 |
| 35030 | 6. 6. | INCOMGAM | SEP/74 |
| 35038 | OBSOLETE PROCEDURE | NONEXPK0 | |
| 35040 | OBSOLETE PROCEDURE | K0 | |
| 35050 | 6. 6. | INCBETA | SEP/74 |
| 35051 | 6. 6. | IBPPLUSN | SEP/74 |
| 35052 | 6. 6. | IBQPLUSN | SEP/74 |
| 35053 | 6. 6. | IXQFIX | SEP/74 |
| 35054 | 6. 6. | IXPFIX | SEP/74 |
| 35055 | 6. 6. | FORWARD | SEP/74 |
| 35056 | 6. 6. | BACKWARD | SEP/74 |
| 35060 | 6. 6. | RECIP GAMMA | SEP/74 |
| 35061 | 6. 6. | GAMMA | SEP/74 |
| 35062 | 6. 6. | LOG GAMMA | SEP/74 |
| 35071 | OBSOLETE PROCEDURE | KA | |
| 35072 | OBSOLETE PROCEDURE | KAPLUSN | |
| 35073 | OBSOLETE PROCEDURE | NONEXPKA | |
| 35074 | OBSOLETE PROCEDURE | NONEXPKAPLUSN | |
| 35075 | OBSOLETE PROCEDURE | YA | |
| 35076 | OBSOLETE PROCEDURE | YAPLUSN | |
| 35077 | OBSOLETE PROCEDURE | BESSELPQ | |
| 35080 | 6. 5. 1. | EI | SEP/74 |
| 35081 | 6. 5. 1. | EI ALPHA | SEP/74 |
| 35083 | 2. 3. | JFRAC | MAY/74 |
| 35084 | 6. 5. 2. | SINCOSINT | SEP/74 |
| 35085 | 6. 5. 2. | SINCOSFG | SEP/74 |
| 35086 | 6. 5. 1. | ENX | SEP/74 |
| 35087 | 6. 5. 1. | NONEXP ENX | SEP/74 |
| 35100 | OBSOLETE PROCEDURE | BESSELJ | |
| 35101 | OBSOLETE PROCEDURE | BESSELY | |
| 35102 | OBSOLETE PROCEDURE | BESSELI | |
| 35103 | OBSOLETE PROCEDURE | BESSELK | |
| 35104 | OBSOLETE PROCEDURE | NONEXPBESSELI | |
| 35105 | OBSOLETE PROCEDURE | NONEXPBESSELK | |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 35111 | 6. 4. 2. | SINH | SEP/74 |
| 35112 | 6. 4. 2. | COSH | SEP/74 |
| 35113 | 6. 4. 2. | TANH | SEP/74 |
| 35114 | 6. 4. 2. | ARCSINH | SEP/74 |
| 35115 | 6. 4. 2. | ARCCOSH | SEP/74 |
| 35116 | 6. 4. 2. | ARCTANH | SEP/74 |
| 35120 | 6. 4. 1. | TAN | SEP/74 |
| 35121 | 6. 4. 1. | ARCSIN | SEP/74 |
| 35122 | 6. 4. 1. | ARCCOS | SEP/74 |
| 35140 | 6.10. 4. | AIRY | OCT/75 |
| 35145 | 6.10. 4. | AIRYZEROS | OCT/75 |
| 35150 | 6.10. 3. | SPHER BESS J | OCT/75 |
| 35151 | 6.10. 3. | SPHER BESS Y | OCT/75 |
| 35152 | 6.10. 3. | SPHER BESS I | OCT/75 |
| 35153 | 6.10. 3. | SPHER BESS K | OCT/75 |
| 35154 | 6.10. 3. | NONEXP SPHER BESS I | OCT/75 |
| 35155 | 6.10. 3. | NONEXP SPHER BESS K | OCT/75 |
| 35160 | 6. 9. 1. | BESS J0 | OCT/75 |
| 35161 | 6. 9. 1. | BESS J1 | OCT/75 |
| 35162 | 6. 9. 1. | BESS J | OCT/75 |
| 35163 | 6. 9. 1. | BESS Y01 | OCT/75 |
| 35164 | 6. 9. 1. | BESS Y | OCT/75 |
| 35165 | 6. 9. 1. | BESS PQ0 | OCT/75 |
| 35166 | 6. 9. 1. | BESS PQ1 | OCT/75 |
| 35170 | 6. 9. 2. | BESS I0 | OCT/75 |
| 35171 | 6. 9. 2. | BESS I1 | OCT/75 |
| 35172 | 6. 9. 2. | BESS I | OCT/75 |
| 35173 | 6. 9. 2. | BESS K01 | OCT/75 |
| 35174 | 6. 9. 2. | BESS K | OCT/75 |
| 35175 | 6. 9. 2. | NONEXP BESS I0 | OCT/75 |
| 35176 | 6. 9. 2. | NONEXP BESS I1 | OCT/75 |
| 35177 | 6. 9. 2. | NONEXP BESS I | OCT/75 |
| 35178 | 6. 9. 2. | NONEXP BESS K01 | OCT/75 |
| 35179 | 6. 9. 2. | NONEXP BESS K | OCT/75 |
| 35180 | 6.10. 1. | BESS JAPLUSN | OCT/75 |
| 35181 | 6.10. 1. | BESS YA01 | OCT/75 |
| 35182 | 6.10. 1. | BESS YAPLUSN | OCT/75 |
| 35183 | 6.10. 1. | BESS PQA01 | OCT/75 |
| 35190 | 6.10. 2. | BESS IAPLUSN | OCT/75 |
| 35191 | 6.10. 2. | BESS KA01 | OCT/75 |
| 35192 | 6.10. 2. | BESS KAPLUSN | OCT/75 |
| 35193 | 6.10. 2. | NONEXP BESS IAPLUSN | OCT/75 |
| 35194 | 6.10. 2. | NONEXP BESS KA01 | OCT/75 |
| 35195 | 6.10. 2. | NONEXP BESS KAPLUSN | OCT/75 |
| 36010 | 7. 1. 1. 1. 1. | NEWTON | SEP/74 |
| 36020 | 7. 1. 3. 2. 1. | INI | DEC/75 |
| 36021 | 7. 1. 3. 2. 1. | SNOREMEZ | DEC/75 |
| 36022 | 7. 1. 3. 2. 1. | MINMAXPOL | OCT/75 |
| 36401 | 3. 3. 1. 1. 3. 3. | SYMEIGINP | NOV/76 |
| 36402 | 3. 3. 1. 1. 3. 2. | ORTHOG | NOV/76 |
| 36403 | 3. 3. 1. 1. 3. 1. | ROWPERM | NOV/76 |

| CODE | SECTION | PROCEDURE | MNT/YR |
|---|---|---|---|
| 36404 | 3. 3. 1. 1. 3. 1. | VECPERM | NOV/76 |
| 36405 | 3. 3. 1. 1. 3. 1. | MERGESORT | NOV/76 |
| 39998 | 9. | WRITE | |
| 39999 | 9. | READ | |

2-nd REVISION, 1977

MC

KWIC INDEX (MAY 1977) PAGE 0

IN THIS KEY WORD IN CONTEXT (KWIC) INDEX KEY WORDS AND PROCEDURE NAMES ARE ORDERED ALPHABETICALLY.

THE KWIC INDEX IS BASED UPON PROGRAM ABSTRACT SUCH AS:

32070 #QADRAT (#QUADRATURE) COMPUTES THE #DEFINITE #INTEGRAL OF A #FUNCTION OF ONE VARIABLE OVER A FINITE INTERVAL.

THE ABSTRACT COMPRISES THE CODE NUMBER AND A SHORT DESCRIPTION OF THE PROGRAM (ITS NAME, WHAT IT DOES, AND HOW IT DOES IT).
THE "IMPORTANT" WORDS (PRECEDED BY A # IN THE ABOVE EXAMPLE) ARE USED AS KEY WORDS IN THE KWIC INDEX.
THE FIRST APPEARANCE OF OUR ABOVE EXAMPLE ABSTRACT IN THE KWIC INDEX IS:

QADRAT COMPUTES THE .DEFINITE INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINITE INTERVAL. 32070 133

IF THIS PROGRAM (QADRAT) IS OF INTEREST, YOU CAN LOCATE IT BY MEANS OF ITS CODE NUMBER (32070).
IN CASE AN ENTRY IN THE KWIC INDEX IS NOT COMPLETELY READABLE (I.E. TRUNCATED AT AN END OF THE LINE), YOU CAN FIND A COMPLETE LISTING ( BY CODE NUMBER ) OF ALL THE ABSTRACTS FOLLOWING THE KWIC INDEX.

SINCE ALL PROCEDURE NAMES HAVE BEEN INSERTED AS KEYWORDS, THE KWIC INDEX CAN ALSO BE USED TO TRACE A PROCEDURE BY ITS NAME.

| | | | |
|---|---|---|---|
| GSSJACABHTS COMPUTES THE | ABSCISSAE AND WEIGHTS FOR GAUSS-JACOBI QUADRATURE. | 31425 | 291 |
| GSSLAGABHTS COMPUTES THE | ABSCISSAE AND WEIGHTS FOR GAUSS-LAGRANCE QUADRATURE. | 31427 | 291 |
| | ABSMAXMAT CALCULATES THE MODULUS OF THE LARGEST ELEMENT OF A MATRIX AND DELIVERS THE | 31069 | 241 |
| ITERATIVE METHOD, WHICH IS AN | ACCELERATION OF RICHARDSON'S METHOD. | 33171 | 225 |
| LTISTEP METHOD ADAMS-MOULTON, | ADAMS-BASHFORTH OR GEAR'S METHOD; THE ORDER OF ACCURACY IS AUTOMATIC, UP TO 5TH ORDE | 33080 | 151 |
| RIABLE ORDER MULTISTEP METHOD | ADAMS-MOULTON, ADAMS-BASHFORTH OR GEAR'S METHOD; THE ORDER OF ACCURACY IS AUTOMATIC, | 33080 | 151 |
| ELMCOMCOL | ADDS A COMPLEX NUMBER TIMES A COMPLEX COLUMN VECTOR TO A COMPLEX COLUMN VECTOR. | 34377 | 25 |
| ELMCOMVECCOL | ADDS A COMPLEX NUMBER TIMES A COMPLEX COLUMN VECTOR TO A COMPLEX VECTOR. | 34376 | 25 |
| ELMCOMROWVEC | ADDS A COMPLEX NUMBER TIMES A COMPLEX VECTOR TO A COMPLEX ROW VECTOR. | 34378 | 25 |
| ELMCOL | ADDS A CONSTANT TIMES A COLUMN VECTOR TO A COLUMN VECTOR. | 34023 | 9 |
| ELMROWCOL | ADDS A CONSTANT TIMES A COLUMN VECTOR TO A ROW VECTOR. | 34028 | 9 |
| ELMVECCOL | ADDS A CONSTANT TIMES A COLUMN VECTOR TO A VECTOR. | 34021 | 9 |
| ELMCOLROW | ADDS A CONSTANT TIMES A ROW VECTOR TO A COLUMN VECTOR. | 34029 | 9 |
| ELMROW | ADDS A CONSTANT TIMES A ROW VECTOR TO A ROW VECTOR. | 34024 | 9 |
| MAXELMROW | ADDS A CONSTANT TIMES A ROW VECTOR TO A ROW VECTOR, MAXELMROW:=THE SUBSCRIPT OF AN E | 34025 | 9 |
| ELMVECROW | ADDS A CONSTANT TIMES A ROW VECTOR TO A VECTOR. | 34026 | 9 |
| ELMCOLVEC | ADDS A CONSTANT TIMES A VECTOR TO A COLUMN VECTOR. | 34022 | 9 |
| ELMROWVEC | ADDS A CONSTANT TIMES A VECTOR TO A ROW VECTOR. | 34027 | 9 |
| ELMVEC | ADDS A CONSTANT TIMES A VECTOR TO A VECTOR. | 34020 | 9 |
| LNGADD | ADDS TWO DOUBLE PRECISION NUMBERS. | 31105 | 271 |
| DFADD | ADDS TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION SUM. | 31101 | 271 |
| EVALUATES THE AIRY FUNCTIONS | AI(Z) AND BI(Z) AND THEIR DERIVATIVES. | 35140 | 243 |
| | AIRY EVALUATES THE AIRY FUNCTIONS AI(Z) AND BI(Z) AND THEIR DERIVATIVES. | 35140 | 243 |
| AIRY EVALUATES THE | AIRY FUNCTIONS AI(Z) AND BI(Z) AND THEIR DERIVATIVES. | 35140 | 243 |
| AND ASSOCIATED VALUES OF THE | AIRY FUNCTIONS AI(Z) AND BI(Z) AND THEIR DERIVATIVES. | 35145 | 243 |
| | AIRYZEROS COMPUTES THE ZEROS AND ASSOCIATED VALUES OF THE AIRY FUNCTIONS AI(Z) AND B | 35145 | 243 |
| | ALLCHEPOL EVALUATES ALL CHEBYSHEV POLYNOMIALS UP TO A CERTAIN DEGREE. | 31043 | 229 |
| | ALLORTPOL EVALUATES THE VALUE OF ALL ORTHOGONAL POLYNOMIALS UP TO A GIVEN DEGREE, GI | 31045 | 293 |
| | ALLZERORTPOL CALCULATES ALL ZEROS OF AN ORTHOGONAL POLYNOMIAL. | 31362 | 211 |
| PERFORMS THE SUMMATION OF AN | ALTERNATING INFINITE SERIES. | 32010 | 131 |
| CIENTS OF THE POLYNOMIAL THAT | APPROXIMATES A FUNCTION, GIVEN FOR DISCRETE ARGUMENTS, SUCH THAT THE INFINITY NORM O | 36022 | 197 |
| ORDER RUNGE-KUTTA METHOD; THE | ARC LENGTH IS INTRODUCED AS AN INTEGRATION VARIABLE; THE INTEGRATION IS TERMINATED A | 33018 | 149 |
| | ARCCOS COMPUTES THE ARCCOSINE FOR A REAL ARGUMENT X. | 35122 | 179 |
| | ARCCOSH COMPUTES THE INVERSE HYPERBOLIC COSINE FOR A REAL ARGUMENT X. | 35115 | 181 |
| ARCCOS COMPUTES THE | ARCCOSINE FOR A REAL ARGUMENT X. | 35122 | 179 |
| | ARCSIN COMPUTES THE ARCSINE FOR A REAL ARGUMENT X. | 35121 | 179 |
| ARCSIN COMPUTES THE | ARCSINE FOR A REAL ARGUMENT X. | 35121 | 179 |
| | ARCSINH COMPUTES THE INVERSE HYPERBOLIC SINE FOR A REAL ARGUMENT X. | 35114 | 181 |
| | ARCTANH COMPUTES THE INVERSE HYPERBOLIC TANGENT FOR A REAL ARGUMENT X. | 35116 | 181 |
| ARREB DELIVERS THE | ARITHMETIC ERROR BOUND OF THE COMPUTOR. | 30002 | 275 |
| BASE DELIVERS THE BASE OF THE | ARITHMETIC OF THE COMPUTOR. | 30001 | 275 |
| | ARK SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY | 33061 | 155 |
| | ARKMAT SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL BOUNDARY-VALUE | 33066 | 295 |
| | ARREB DELIVERS THE ARITHMETIC ERROR BOUND OF THE COMPUTOR. | 30002 | 275 |
| EFSIRK SOLVES AN | AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY M | 33160 | 159 |
| EFERK SOLVES AN | AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY M | 33120 | 161 |
| LINIGER2 SOLVES AN | AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY M | 33131 | 165 |
| LINIGERIVS SOLVES AN | AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY M | 33132 | 221 |
| GMS SOLVES AN | AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY M | 33191 | 223 |
| VEN SET OF INTEGERS; IT IS AN | AUXILIARY PROCEDURE FOR MINMAXPOL. | 36020 | 197 |
| OF A REFERENCE SET; IT IS AN | AUXILIARY PROCEDURE FOR MINMAXPOL. | 36021 | 197 |
| FG IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF FRESNEL INTEGRALS. | 35028 | 227 |
| HSHQECNUL IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES. | 34602 | 267 |
| HESTGL3 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES. | 34603 | 267 |
| HESTGL2 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES. | 34604 | 267 |
| HSH2COL IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES. | 34605 | 267 |

| | | |
|---|---|---|
| HSH3COL IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34606 267 |
| HSH2ROW3 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34607 267 |
| HSH2ROW2 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34608 267 |
| HSH3ROW3 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34609 267 |
| HSH3ROW2 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34610 267 |
| IXOFIX IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS, | 35053 187 |
| IXPFIX IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS, | 35054 187 |
| FORWARD IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS, | 35055 187 |
| BACKWARD IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS, | 35056 187 |
| BESS PQA01 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE BESSEL FUNCTIONS FOR LARGE VALUES OF | 35183 249 |
| BESS PQ1 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE ORDINARY BESSEL FUNCTIONS OF ORDER ON | 35166 253 |
| BESS PQ0 IS AN | AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE ORDINARY BESSEL FUNCTIONS OF ORDER ZE | 35165 253 |
| SINCOSFG IS AN | AUXILIARY PROCEDURE FOR THE SINE AND COSINE INTEGRALS, | 35085 185 |
| BAKREAHES1 PERFORMS THE | BACK TRANSFORMATION ( ON A VECTOR ) CORRESPONDING TO TFMREAHES, | 34171 103 |
| BAKREAHES2 PERFORMS THE | BACK TRANSFORMATION ( ON COLUMNS ) CORRESPONDING TO TFMREAHES, | 34172 103 |
| BAKLBR PERFORMS THE | BACK TRANSFORMATION CORRESPONDING TO EQILBR, | 34174 97 |
| BAKCOMHES PERFORMS THE | BACK TRANSFORMATION CORRESPONDING TO HSHCOMHES, | 34367 107 |
| BAKHRMTRI PERFORMS THE | BACK TRANSFORMATION CORRESPONDING TO HSHHRMTRI, | 34365 105 |
| BAKSYMTRI1 PERFORMS THE | BACK TRANSFORMATION CORRESPONDING TO TFMSYMTRI1, | 34144 101 |
| BAKSYMTRI2 PERFORMS THE | BACK TRANSFORMATION CORRESPONDING TO TFMSYMTRI2, | 34141 101 |
| | BACKWARD IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS | 35056 187 |
| | BAKCOMHES PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO HSHCOMHES, | 34367 107 |
| | BAKHRMTRI PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO HSHHRMTRI, | 34365 105 |
| | BAKLBR PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO EQILBR, | 34174 97 |
| | BAKLBRCOM TRANSFORMS THE EIGENVECTORS OF A COMPLEX EQUILIBRATED ( BY EQILBRCOM ) MAT | 34362 99 |
| | BAKREAHES1 PERFORMS THE BACK TRANSFORMATION ( ON A VECTOR ) CORRESPONDING TO TFMREAH | 34171 103 |
| | BAKREAHES2 PERFORMS THE BACK TRANSFORMATION ( ON COLUMNS ) CORRESPONDING TO TFMREAHE | 34172 103 |
| | BAKSYMTRI1 PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO TFMSYMTRI1, | 34144 101 |
| | BAKSYMTRI2 PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO TFMSYMTRI2, | 34141 101 |
| THE COEFFICIENT MATRIX IS IN | BAND FORM AND IS STORED ROWWISE IN A ONE-DIMENSIONAL ARRAY, | 34322 79 |
| LCULATES THE DETERMINANT OF A | BAND MATRIX, | 34321 77 |
| A POSITIVE DEFINITE SYMMETRIC | BAND MATRIX, | 34330 85 |
| A POSITIVE DEFINITE SYMMETRIC | BAND MATRIX, | 34331 87 |
| TRIANGULAR DECOMPOSITION OF A | BAND MATRIX, USING PARTIAL PIVOTING, | 34320 75 |
| MBASE DELIVERS THE | BASE OF THE ARITHMETIC OF THE COMPUTOR, | 30001 275 |
| | BESS I CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,, | 35172 255 |
| | BESS IAPLUSN CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+N, | 35190 251 |
| | BESS I0 CALCULATES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO, | 35170 255 |
| | BESS I1 CALCULATES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE, | 35171 255 |
| | BESS J CALCULATES THE ORDINARY BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,, | 35162 253 |
| | BESS JAPLUSN CALCULATES THE BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+K ( 0<=K<=N, | 35180 249 |
| | BESS J0 CALCULATES THE ORDINARY BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO, | 35160 253 |
| | BESS J1 CALCULATES THE ORDINARY BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE, | 35161 253 |
| | BESS K CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER L ( L = 0,, | 35174 255 |
| | BESS KAPLUSN CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A+N, | 35192 251 |
| | BESS KA01 CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A AND A+ | 35191 251 |
| | BESS K01 CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDERS ZERO AND | 35173 255 |
| | BESS PQA01 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE BESSEL FUNCTIONS FOR | 35183 249 |
| | BESS PQ0 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE ORDINARY BESSEL FUNCTI | 35165 253 |
| | BESS PQ1 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE ORDINARY BESSEL FUNCTI | 35166 253 |
| | BESS Y CALCULATES THE ORDINARY BESSEL FUNCTIONS OF THE 2ND KIND OF ORDER L ( L = 0,, | 35164 253 |
| | BESS YAPLUSN CALCULATES THE BESSEL FUNCTIONS OF THE 2ND KIND OF ORDER A+N, N=0,,,,,N | 35182 249 |
| | BESS YA01 CALCULATES THE BESSEL FUNCTIONS OF THE 2ND KIND ( ALSO CALLED NEUMANN'S FU | 35181 249 |
| | BESS Y01 CALCULATES THE ORDINARY BESSEL FUNCTIONS OF THE 2ND KIND ORDER ZERO AND ONE | 35163 253 |
| SS J1 CALCULATES THE ORDINARY | BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE, | 35161 253 |
| SS I1 CALCULATES THE MODIFIED | BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE, | 35171 255 |




CWI

| | | | |
|---|---|---|---|
| SS I1 CALCULATES THE MODIFIED | BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE; THE RESULT IS MULTIPLIED BY EXP(-ABS(X | 35176 | 255 |
| SS J0 CALCULATES THE ORDINARY | BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO. | 35160 | 253 |
| SS I0 CALCULATES THE MODIFIED | BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO. | 35170 | 255 |
| SS I0 CALCULATES THE MODIFIED | BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO; THE RESULT IS MULTIPLIED BY EXP(-ABS( | 35175 | 255 |
| ULATES THE MODIFIED SPHERICAL | BESSEL FUNCTIONS OF THE 1ST KIND MULTIPIED BY EXP(-X); I[K+.5](X)*SQRT(PI (2*X))*EXP | 35154 | 247 |
| BESS JAPLUSN CALCULATES THE | BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+K ( 0<=K<=N, 0<=A<1 ). | 35180 | 249 |
| PLUSN CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGUMENT X>=0 | 35190 | 251 |
| PLUSN CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGUMENT X>=0 | 35193 | 251 |
| ESS J CALCULATES THE ORDINARY | BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ). | 35162 | 253 |
| ESS I CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ). | 35172 | 255 |
| ESS I CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ); THE RESULT IS MULTIPLIE | 35177 | 255 |
| ULATES THE MODIFIED SPHERICAL | BESSEL FUNCTIONS OF THE 1ST KIND; I[K+.5](X)*SQRT(PI (2*X)), K=0,...,N , WHERE I[K+. | 35152 | 247 |
| SS J CALCULATES THE SPHERICAL | BESSEL FUNCTIONS OF THE 1ST KIND; J[K+.5](X)*SQRT(PI (2*X)), K=0,...,N , WHERE J[K+. | 35150 | 247 |
| BESS YA01 CALCULATES THE | BESSEL FUNCTIONS OF THE 2ND KIND ( ALSO CALLED NEUMANN'S FUNCTIONS ) OF ORDER A AND | 35181 | 249 |
| BESS YAPLUSN CALCULATES THE | BESSEL FUNCTIONS OF THE 2ND KIND OF ORDER A+N, N=0,...,NMAX , A>=0, AND ARGUMENT X>0 | 35182 | 249 |
| ESS Y CALCULATES THE ORDINARY | BESSEL FUNCTIONS OF THE 2ND KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X, X> 0. | 35164 | 253 |
| S Y01 CALCULATES THE ORDINARY | BESSEL FUNCTIONS OF THE 2ND KIND ORDER ZERO AND ONE WITH ARGUMENT X; X > 0. | 35163 | 253 |
| ULATES THE MODIFIED SPHERICAL | BESSEL FUNCTIONS OF THE 3RD KIND MULTIPLIED BY EXP(+X); K[I+.5](X)*SQRT(PI (2*X))*EX | 35155 | 247 |
| KA01 CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A AND A+1, A>=0 AND ARGUMENT X, X>0, MULTI | 35194 | 251 |
| KA01 CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A AND A+1, A>=0, AND ARGUMENT X, X>0. | 35191 | 251 |
| PLUSN CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGUMENT X>0 | 35195 | 251 |
| PLUSN CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A+N, N=0,...,NMAX , A>=0, AND ARGUMENT X>0 | 35192 | 251 |
| ESS K CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X, X > 0. | 35174 | 255 |
| ESS K CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X, X>0; TH | 35179 | 255 |
| S K01 CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER ZERO AND ONE WITH ARGUMENT X, X>0; THE RES | 35178 | 255 |
| S K01 CALCULATES THE MODIFIED | BESSEL FUNCTIONS OF THE 3RD KIND OF ORDERS ZERO AND ONE WITH ARGUMENT X, X > 0. | 35173 | 255 |
| ULATES THE MODIFIED SPHERICAL | BESSEL FUNCTIONS OF THE 3RD KIND; K[I+.5](X)*SQRT(PI (2*X)), I=0,...,N , WHERE K[I+. | 35153 | 247 |
| SS Y CALCULATES THE SPHERICAL | BESSEL FUNCTIONS OF THE 3RD KIND; Y[K+.5](X)*SQRT(PI (2*X)), K=0,...,N , WHERE Y[K+. | 35151 | 247 |
| CBETA COMPUTES THE INCOMPLETE | BETA-FUNCTION I(X,P,Q); 0 <= X <= 1, P > 0, Q > 0. | 35050 | 187 |
| IBPPLUSN COMPUTES INCOMPLETE | BETA-FUNCTION RATIOS I(X,P+N,Q) FOR N = 0 (1) NMAX, 0 <= X <= 1, P > 0, Q > 0. | 35051 | 187 |
| IBQPLUSN COMPUTES INCOMPLETE | BETA-FUNCTION RATIOS I(X,P,Q+N) FOR N = 0 (1) NMAX, 0 <= X <= 1, P > 0, Q > 0. | 35052 | 187 |
| THE AIRY FUNCTIONS AI(Z) AND | BI(Z) AND THEIR DERIVATIVES. | 35140 | 243 |
| REABID TRANSFORMS A MATRIX TO | BIDIAGONAL FORM, BY PREMULTIPLYING AND POSTMULTIPLYING WITH ORTHOGONAL MATRICES. | 34260 | 109 |
| ATES THE SINGULAR VALUES OF A | BIDIAGONAL MATRIX. | 34270 | 125 |
| E REAL EIGENVALUES ( ELLIPTIC | BOUNDARY VALUE PROBLEM ) BY MEANS OF A NON-STATIONARY 2ND ORDER ITERATIVE METHOD. | 33170 | 225 |
| E REAL EIGENVALUES ( ELLIPTIC | BOUNDARY VALUE PROBLEM ) BY MEANS OF A NON-STATIONARY 2ND ORDER ITERATIVE METHOD, WH | 33171 | 225 |
| FERENTIAL EQUATIONS ( INITIAL | BOUNDARY-VALUE PROBLEM ) BY MEANS OF A STABILIZED RUNGE-KUTTA METHOD, IN PARTICULAR | 33066 | 295 |
| SYM SOLVES A LINEAR TWO-POINT | BOUNDARY-VALUE PROBLEM FOR A FOURTH ORDER SELF-ADJOINT DIFFERENTIAL EQUATION WITH DI | 33303 | 265 |
| KEW SOLVES A LINEAR TWO-POINT | BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER DIFFERENTIAL EQUATION BY A RITZ-GALERKIN M | 33302 | 263 |
| SYM SOLVES A LINEAR TWO-POINT | BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJOINT DIFFERENTIAL EQUATION BY A RI | 33300 | 261 |
| LAG SOLVES A LINEAR TWO-POINT | BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJOINT DIFFERENTIAL EQUATION BY A RI | 33301 | 261 |
| | CARPOL TRANSFORMS THE CARTESIAN COORDINATES OF A COMPLEX NUMBER INTO POLAR COORDINAT | 34344 | 35 |
| CARPOL TRANSFORMS THE | CARTESIAN COORDINATES OF A COMPLEX NUMBER INTO POLAR COORDINATES. | 34344 | 35 |
| CHEPOL EVALUATES A | CHEBYSHEV POLYNOMIAL. | 31042 | 229 |
| ALLCHEPOL EVALUATES ALL | CHEBYSHEV POLYNOMIALS UP TO A CERTAIN DEGREE. | 31043 | 229 |
| NDEFINITE INTEGRAL OF A GIVEN | CHEBYSHEV SERIES. | 31248 | 205 |
| CHEPOLSER EVALUATES A | CHEBYSHEV SERIES. | 31046 | 229 |
| | CHEPOL EVALUATES A CHEBYSHEV POLYNOMIAL. | 31042 | 229 |
| | CHEPOLSER EVALUATES A CHEBYSHEV SERIES. | 31046 | 229 |
| | CHLDECBND PERFORMS THE CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC BAND | 34330 | 85 |
| | CHLDECINV1 CALCULATES THE INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX BY CHOLESK | 34403 | 61 |
| | CHLDECINV2 CALCULATES THE INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX BY CHOLESK | 34402 | 61 |
| | CHLDECSOLBND SOLVES A POSITIVE DEFINITE SYMMETRIC LINEAR SYSTEM AND PERFORMS THE TRI | 34333 | 89 |
| | CHLDECSOL1 SOLVES A POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY CHOLES | 34393 | 59 |
| | CHLDECSOL2 SOLVES A POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY CHOLES | 34392 | 59 |
| | CHLDEC1 CALCULATES THE CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC MATRI | 34311 | 55 |



MC M

| | | | |
|---|---|---|---|
| | CHLDEC2 CALCULATES THE CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC MATRI | 34310 | 55 |
| | CHLDETERMBND CALCULATES THE DETERMINANT OF A POSITIVE DEFINITE SYMMETRIC BAND MATRIX | 34331 | 87 |
| | CHLDETERM1 CALCULATES THE DETERMINANT OF A POSITIVE DEFINITE SYMMETRIC MATRIX, THE C | 34313 | 57 |
| | CHLDETERM2 CALCULATES OF THE DETERMINANT OF A POSITIVE DEFINITE SYMMETRIC MATRIX, TH | 34312 | 57 |
| | CHLINV1 CALCULATES THE INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX, IF THE MATRI | 34401 | 61 |
| | CHLINV2 CALCULATES THE INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX, IF THE MATRI | 34400 | 61 |
| | CHLSOLBND SOLVES A POSITIVE DEFINITE SYMMETRIC LINEAR SYSTEM, THE TRIANGULAR DECOMPO | 34332 | 89 |
| | CHLSOL1 SOLVES A SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOM | 34391 | 59 |
| | CHLSOL2 SOLVES A SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOM | 34390 | 59 |
| CHLDECBND PERFORMS THE | CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC BAND MATRIX. | 34330 | 85 |
| CHLDEC1 CALCULATES THE | CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC MATRIX WHOSE UPPER TRIANGLE | 34311 | 55 |
| CHLDEC2 CALCULATES THE | CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC MATRIX WHOSE UPPER TRIANGLE | 34310 | 55 |
| E TRIANGULAR DECOMPOSITION BY | CHOLESKY'S METHOD. | 34333 | 89 |
| SYSTEM OF LINEAR EQUATIONS BY | CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX SHOULD BE GIVEN COLUMNWISE IN | 34393 | 59 |
| SYSTEM OF LINEAR EQUATIONS BY | CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX SHOULD BE GIVEN IN THE UPPERTR | 34392 | 59 |
| | CHSH2 FINDS A COMPLEX ROTATION MATRIX. | 34611 | 287 |
| | COLCST MULTIPLIES A COLUMN VECTOR BY A CONSTANT. | 31131 | 5 |
| TAMMAT := SCALAR PRODUCT OF A | COLUMN VECTOR AND A COLUMN VECTOR. | 34014 | 7 |
| TAMVEC := SCALAR PRODUCT OF A | COLUMN VECTOR AND A VECTOR. | 34012 | 7 |
| CMCOLCST MULTIPLIES A COMPLEX | COLUMN VECTOR BY A COMPLEX NUMBER. | 34352 | 21 |
| COLCST MULTIPLIES A | COLUMN VECTOR BY A CONSTANT. | 31131 | 5 |
| ES A CONSTANT MULTIPLIED BY A | COLUMN VECTOR INTO A COLUMN VECTOR. | 31022 | 5 |
| DUPVECCOL COPIES A | COLUMN VECTOR INTO A VECTOR. | 31033 | 3 |
| LMCOL ADDS A CONSTANT TIMES A | COLUMN VECTOR TO A COLUMN VECTOR. | 34023 | 9 |
| OMPLEX NUMBER TIMES A COMPLEX | COLUMN VECTOR TO A COMPLEX COLUMN VECTOR. | 34377 | 25 |
| ONPLEX NUMBER TIMES A COMPLEX | COLUMN VECTOR TO A COMPLEX VECTOR. | 34376 | 25 |
| OWCOL ADDS A CONSTANT TIMES A | COLUMN VECTOR TO A ROW VECTOR. | 34028 | 9 |
| ECCOL ADDS A CONSTANT TIMES A | COLUMN VECTOR TO A VECTOR. | 34021 | 9 |
| ULATES THE INFINITY-NORM OF A | COLUMN VECTOR. | 31063 | 241 |
| OL CALCULATES THE 1-NORM OF A | COLUMN VECTOR. | 31067 | 241 |
| TES THE SCALAR PRODUCT OF TWO | COLUMN VECTORS BY DOUBLE PRECISION ARITHMETIC. | 34414 | 285 |
| SCLCOM NORMALIZES THE | COLUMNS OF A COMPLEX MATRIX. | 34360 | 29 |
| REASCL NORMALIZES THE | COLUMNS OF A TWO-DIMENSIONAL ARRAY. | 34183 | 17 |
| | COMABS CALCULATES THE MODULUS OF A COMPLEX NUMBER. | 34340 | 35 |
| | COMCOLCST MULTIPLIES A COMPLEX COLUMN VECTOR BY A COMPLEX NUMBER. | 34352 | 21 |
| | COMDIV CALCULATES THE QUOTIENT OF TWO COMPLEX NUMBERS. | 34342 | 37 |
| | COMEIGVAL CALCULATES THE EIGENVALUES OF A MATRIX. | 34192 | 117 |
| | COMEIG1 CALCULATES THE EIGENVALUES AND EIGENVECTORS OF A MATRIX. | 34194 | 117 |
| | COMEUCNRM CALCULATES THE EUCLIDEAN NORM OF A COMPLEX MATRIX WITH LW LOWER CODIAGONAL | 34359 | 31 |
| | COMFOUSER EVALUATES A COMPLEX FOURIER SERIES WITH REAL COEFFICIENTS. | 31095 | 203 |
| | COMFOUSER1 EVALUATES A COMPLEX FOURIER SERIES. | 31096 | 203 |
| | COMFOUSER2 EVALUATES A COMPLEX FOURIER SERIES. | 31097 | 203 |
| | COMKWD CALCULATES THE ROOTS OF A QUADRATIC EQUATION WITH COMPLEX COEFFICIENTS. | 34345 | 129 |
| | COMMATVEC CALCULATES THE SCALAR PRODUCT OF A COMPLEX ROW VECTOR AND A COMPLEX VECTOR | 34354 | 23 |
| | COMMUL CALCULATES THE PRODUCT OF TWO COMPLEX NUMBERS. | 34341 | 37 |
| HE ERROR FUNCTION ( ERF ) AND | COMPLEMENTARY ERROR FUNCTION ( ERFC ) FOR A REAL ARGUMENT. | 35021 | 227 |
| A COMBINATION OF PARTIAL AND | COMPLETE PIVOTING. | 34231 | 45 |
| OF A QUADRATIC EQUATION WITH | COMPLEX COEFFICIENTS. | 34345 | 129 |
| CONCOLCST MULTIPLIES A | COMPLEX COLUMN VECTOR BY A COMPLEX NUMBER. | 34352 | 21 |
| ADDS A COMPLEX NUMBER TIMES A | COMPLEX COLUMN VECTOR TO A COMPLEX COLUMN VECTOR. | 34377 | 25 |
| ADDS A COMPLEX NUMBER TIMES A | COMPLEX COLUMN VECTOR TO A COMPLEX VECTOR. | 34376 | 25 |
| ROTCOMCOL REPLACES TWO | COMPLEX COLUMN VECTORS X AND Y BY TWO COMPLEX VECTORS CX + SY AND CY = SX. | 34357 | 287 |
| TRANSFORMATION FOLLOWED BY A | COMPLEX DIAGONAL TRANSFORMATION INTO A SIMILAR UNITARY UPPER-HESSENBERG MATRIX WITH | 34366 | 107 |
| CTOR CORRESPONDING TO A GIVEN | COMPLEX EIGENVALUE OF A REAL UPPER-HESSENBERG MATRIX BY MEANS OF INVERSE ITERATION. | 34191 | 115 |
| ALGRI CALCULATES THE REAL AND | COMPLEX EIGENVALUES OF A REAL UPPER-HESSENBERG MATRIX BY MEANS OF DOUBLE QR ITERATIO | 34190 | 115 |
| NSFORMS THE EIGENVECTORS OF A | COMPLEX EQUILIBRATED ( BY EQILBRCOM ) MATRIX INTO THE EIGENVECTORS OF THE ORIGINAL M | 34362 | 99 |




CDC

| | | | |
|---|---|---|---|
| COMFOUSER EVALUATES A | COMPLEX FOURIER SERIES WITH REAL COEFFICIENTS. | 31095 | 203 |
| COMFOUSER1 EVALUATES A | COMPLEX FOURIER SERIES. | 31096 | 203 |
| COMFOUSER2 EVALUATES A | COMPLEX FOURIER SERIES. | 31097 | 203 |
| LCULATES THE EIGENVALUES OF A | COMPLEX HERMITIAN MATRIX. | 34368 | 119 |
| NVALUES AND EIGENVECTORS OF A | COMPLEX HERMITIAN MATRIX. | 34369 | 119 |
| LCULATES THE EIGENVALUES OF A | COMPLEX HERMITIAN MATRIX. | 34370 | 119 |
| NVALUES AND EIGENVECTORS OF A | COMPLEX HERMITIAN MATRIX. | 34371 | 119 |
| HSHCOMHES TRANSFORMS A | COMPLEX MATRIX BY MEANS OF HOUSEHOLDER'S TRANSFORMATION FOLLOWED BY A COMPLEX DIAGON | 34366 | 107 |
| HSHCOMPRO PREMULTIPLIES A | COMPLEX MATRIX WITH A COMPLEX HOUSEHOLDER MATRIX. | 34356 | 23 |
| LATES THE EUCLIDEAN NORM OF A | COMPLEX MATRIX WITH LW LOWER CODIAGONALS. | 34359 | 31 |
| M NORMALIZES THE COLUMNS OF A | COMPLEX MATRIX. | 34360 | 29 |
| EQILBRCOM EQUILIBRATES A | COMPLEX MATRIX. | 34361 | 99 |
| LCULATES THE EIGENVALUES OF A | COMPLEX MATRIX. | 34374 | 123 |
| NVECTORS AND EIGENVALUES OF A | COMPLEX MATRIX. | 34375 | 123 |
| HE CARTESIAN COORDINATES OF A | COMPLEX NUMBER INTO POLAR COORDINATES. | 34344 | 35 |
| S CALCULATES THE MODULUS OF A | COMPLEX NUMBER. | 34340 | 35 |
| LCULATES THE SQUARE ROOT OF A | COMPLEX NUMBER. | 34343 | 35 |
| CALCULATES THE PRODUCT OF TWO | COMPLEX NUMBERS. | 34341 | 37 |
| ALCULATES THE QUOTIENT OF TWO | COMPLEX NUMBERS. | 34342 | 37 |
| CHSH2 FINDS A | COMPLEX ROTATION MATRIX. | 34611 | 287 |
| LATES THE SCALAR PRODUCT OF A | COMPLEX ROW VECTOR AND A COMPLEX VECTOR. | 34354 | 23 |
| CONROWCST MULTIPLIES A | COMPLEX ROW VECTOR BY A COMPLEX NUMBER. | 34353 | 21 |
| ROTCOMROW REPLACES TWO | COMPLEX ROW VECTORS X AND Y BY TWO COMPLEX VECTORS CX + SY AND CY = SX. | 34358 | 287 |
| LCULATES THE EIGENVALUES OF A | COMPLEX UPPER-HESSENBERG MATRIX WITH A REAL SUBDIAGONAL. | 34372 | 121 |
| TORS AND THE EIGENVALUES OF A | COMPLEX UPPER-HESSENBERG MATRIX. | 34373 | 121 |
| HSHCOMCOL TRANSFORMS A | COMPLEX VECTOR INTO A VECTOR PROPORTIONAL TO A UNIT VECTOR. | 34355 | 23 |
| ADDS A COMPLEX NUMBER TIMES A | COMPLEX VECTOR TO A COMPLEX ROW VECTOR. | 34378 | 25 |
| | CONROWCST MULTIPLIES A COMPLEX ROW VECTOR BY A COMPLEX NUMBER. | 34353 | 21 |
| | COMSCL NORMALIZES REAL AND COMPLEX EIGENVECTORS. | 34193 | 29 |
| | COMSQRT CALCULATES THE SQUARE ROOT OF A COMPLEX NUMBER. | 34343 | 35 |
| | COMVALGRI CALCULATES THE REAL AND COMPLEX EIGENVALUES OF A REAL UPPER-HESSENBERG MAT | 34190 | 115 |
| | COMVECHES CALCULATES THE EIGENVECTOR CORRESPONDING TO A GIVEN COMPLEX EIGENVALUE OF | 34191 | 115 |
| | CONJ GRAD SOLVES A POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY THE MET | 34220 | 95 |
| AR EQUATIONS BY THE METHOD OF | CONJUGATE GRADIENTS. | 34220 | 95 |
| MULCOL STORES A | CONSTANT MULTIPLIED BY A COLUMN VECTOR INTO A COLUMN VECTOR. | 31022 | 5 |
| MULROW STORES A | CONSTANT MULTIPLIED BY A ROW VECTOR INTO A ROW VECTOR. | 31021 | 5 |
| MULVEC STORES A | CONSTANT MULTIPLIED BY A VECTOR INTO A VECTOR. | 31020 | 5 |
| ELMCOL ADDS A | CONSTANT TIMES A COLUMN VECTOR TO A COLUMN VECTOR. | 34023 | 9 |
| ELMROWCOL ADDS A | CONSTANT TIMES A COLUMN VECTOR TO A ROW VECTOR. | 34028 | 9 |
| ELMVECCOL ADDS A | CONSTANT TIMES A COLUMN VECTOR TO A VECTOR. | 34021 | 9 |
| ELMCOLROW ADDS A | CONSTANT TIMES A ROW VECTOR TO A COLUMN VECTOR. | 34029 | 9 |
| ELMROW ADDS A | CONSTANT TIMES A ROW VECTOR TO A ROW VECTOR. | 34024 | 9 |
| MAXELMROW ADDS A | CONSTANT TIMES A ROW VECTOR TO A ROW VECTOR, MAXELMROW:=THE SUBSCRIPT OF AN ELEMENT | 34025 | 9 |
| ELMVECROW ADDS A | CONSTANT TIMES A ROW VECTOR TO A VECTOR. | 34026 | 9 |
| ELMCOLVEC ADDS A | CONSTANT TIMES A VECTOR TO A COLUMN VECTOR. | 34022 | 9 |
| ELMROWVEC ADDS A | CONSTANT TIMES A VECTOR TO A ROW VECTOR. | 34027 | 9 |
| ELMVEC ADDS A | CONSTANT TIMES A VECTOR TO A VECTOR. | 34020 | 9 |
| FRAC CALCULATES A TERMINATING | CONTINUED FRACTION. | 35083 | 41 |
| LNGREATODECI | CONVERTS A DOUBLE PRECISION NUMBER TO ITS DECIMAL REPRESENTATION. | 31100 | 289 |
| RPOL TRANSFORMS THE CARTESIAN | COORDINATES OF A COMPLEX NUMBER INTO POLAR COORDINATES. | 34344 | 35 |
| DUPVECCOL | COPIES A COLUMN VECTOR INTO A VECTOR. | 31033 | 3 |
| DUPMAT | COPIES A MATRIX INTO ANOTHER MATRIX. | 31035 | 3 |
| DUPVECROW | COPIES A ROW VECTOR INTO A VECTOR. | 31031 | 3 |
| DUPCOLVEC | COPIES A VECTOR INTO A COLUMN VECTOR. | 31034 | 3 |
| DUPROWVEC | COPIES A VECTOR INTO A ROW VECTOR. | 31032 | 3 |
| DUPVEC | COPIES A VECTOR INTO ANOTHER VECTOR. | 31030 | 3 |

| | | | |
|---|---|---|---|
| | COSH COMPUTES THE HYPERBOLIC COSINE FOR A REAL ARGUMENT X. | 35112 | 181 |
| COSH COMPUTES THE HYPERBOLIC | COSINE FOR A REAL ARGUMENT X. | 35112 | 181 |
| MPUTES THE INVERSE HYPERBOLIC | COSINE FOR A REAL ARGUMENT X. | 35115 | 181 |
| E SINE INTEGRAL SI(X) AND THE | COSINE INTEGRAL CI(X). | 35084 | 185 |
| COSSER EVALUATES A | COSINE SERIES. | 31091 | 203 |
| | COSSER EVALUATES A COSINE SERIES. | 31091 | 203 |
| | DAVUPD ADDS A RANK-2 MATRIX TO A SYMMETRIC MATRIX. | 34212 | 139 |
| | DEC PERFORMS A TRIANGULAR DECOMPOSITION WITH PARTIAL PIVOTING. | 34300 | 45 |
| | DECBND PERFORMS A TRIANGULAR DECOMPOSITION OF A BAND MATRIX, USING PARTIAL PIVOTING. | 34320 | 75 |
| OUBLE PRECISION NUMBER TO ITS | DECIMAL REPRESENTATION. | 31100 | 289 |
| | DECINV CALCULATES THE INVERSE OF A MATRIX WHOSE ORDER IS SMALL RELATIVE TO THE NUMBE | 34302 | 51 |
| MATRIX HAS BEEN TRIANGULARLY | DECOMPOSED BY DEC. | 34051 | 49 |
| GSSNRI PERFORMS A TRIANGULAR | DECOMPOSITION AND CALCULATES THE 1-NORM OF THE INVERSE MATRIX. | 34252 | 45 |
| ALCULATES THE SINGULAR VALUES | DECOMPOSITION AND SOLVES AN OVERDETERMINED SYSTEM OF LINEAR EQUATIONS. | 34281 | 67 |
| ALCULATES THE SINGULAR VALUES | DECOMPOSITION AND SOLVES AN UNDERDETERMINED SYSTEM OF LINEAR EQUATIONS. | 34283 | 69 |
| DECBND PERFORMS A TRIANGULAR | DECOMPOSITION OF A BAND MATRIX, USING PARTIAL PIVOTING. | 34320 | 75 |
| ALCULATES THE SINGULAR VALUES | DECOMPOSITION OF A MATRIX OF WHICH THE BIDIAGONAL AND THE PRE- AND POSTMULTIPLYING M | 34271 | 125 |
| LDECBND PERFORMS THE CHOLESKY | DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC BAND MATRIX. | 34330 | 85 |
| LDEC1 CALCULATES THE CHOLESKY | DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN | 34311 | 55 |
| LDEC2 CALCULATES THE CHOLESKY | DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN | 34310 | 55 |
| DEC1 CALCULATES THE SYMMETRIC | DECOMPOSITION OF A SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN COLUMNWISE IN A ON | 34701 | 277 |
| DEC2 CALCULATES THE SYMMETRIC | DECOMPOSITION OF A SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN IN A TWO-DIMENSION | 34700 | 277 |
| DECTRI PERFORMS A TRIANGULAR | DECOMPOSITION OF A TRIDIAGONAL MATRIX. | 34423 | 81 |
| CTRIPIV PERFORMS A TRIANGULAR | DECOMPOSITION OF A TRIDIAGONAL MATRIX, USING PARTIAL PIVOTING. | 34426 | 81 |
| ALCULATES THE SINGULAR VALUES | DECOMPOSITION U * S * V', WITH U AND V ORTHOGONAL AND S POSITIVE DIAGONAL. | 34273 | 127 |
| GSSELM PERFORMS A TRIANGULAR | DECOMPOSITION WITH A COMBINATION OF PARTIAL AND COMPLETE PIVOTING. | 34231 | 45 |
| DEC PERFORMS A TRIANGULAR | DECOMPOSITION WITH PARTIAL PIVOTING. | 34300 | 45 |
| S AND PERFORMS THE TRIANGULAR | DECOMPOSITION WITH PARTIAL PIVOTING. | 34428 | 83 |
| S AND PERFORMS THE TRIANGULAR | DECOMPOSITION WITHOUT PIVOTING. | 34425 | 83 |
| GSSERB PERFORMS A TRIANGULAR | DECOMPOSTION OF THE MATRIX OF A SYSTEM OF LINEAR EQUATIONS AND CALCULATES AN UPPERBO | 34242 | 45 |
| | DECSOL SOLVES A SYSTEM OF LINEAR EQUATIONS WHOSE ORDER IS SMALL RELATIVE TO THE NUMB | 34301 | 49 |
| | DECSOLBND SOLVES A SYSTEM OF LINEAR EQUATIONS BY GAUSSIAN ELIMINATION WITH PARTIAL P | 34322 | 79 |
| | DECSOLSYMTRI SOLVES A SYMMETRIC TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS | 34422 | 93 |
| | DECSOLTRI SOLVES A TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIANGULA | 34425 | 83 |
| | DECSOLTRIPIV SOLVES A TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIANG | 34428 | 83 |
| | DECSYMTRI PERFORMS THE TRIANGULAR DECOMPOSITION OF A SYMMETRIC TRIDIAGONAL MATRIX. | 34420 | 91 |
| | DECTRI PERFORMS A TRIANGULAR DECOMPOSITION OF A TRIDIAGONAL MATRIX. | 34423 | 81 |
| | DECTRIPIV PERFORMS A TRIANGULAR DECOMPOSITION OF A TRIDIAGONAL MATRIX, USING PARTIAL | 34426 | 81 |
| QADRAT COMPUTES THE | DEFINITE INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINITE INTERVAL. | 32070 | 133 |
| INTEGRAL CALCULATES THE | DEFINITE INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINITE OR INFINITE INTERVAL O | 32051 | 135 |
| TRICUB COMPUTES THE | DEFINITE INTEGRAL OF A FUNCTION OF TWO VARIABLES OVER A TRIANGULAR DOMAIN. | 32075 | 257 |
| LUATES THE FIRST K NORMALIZED | DERIVATIVES OF A POLYNOMIAL ( I.E. J-TH DERIVATIVE (J FACTORIAL) ), J=0,1,...,K <= D | 31242 | 245 |
| DERPOL EVALUATES THE FIRST K | DERIVATIVES OF A POLYNOMIAL. | 31243 | 245 |
| | DERPOL EVALUATES THE FIRST K DERIVATIVES OF A POLYNOMIAL. | 31243 | 245 |
| | DETERM CALCULATES THE DETERMINANT OF A TRIANGULARLY DECOMPOSED MATRIX. | 34303 | 47 |
| | DETERMBND CALCULATES THE DETERMINANT OF A BAND MATRIX. | 34321 | 77 |
| SYMDETERM2 CALCULATES THE | DETERMINANT A SYMMETRIC MATRIX, THE SYMMETRIC DECOMPOSITION BEING GIVEN IN A TWO-DIM | 34702 | 279 |
| DETERMBND CALCULATES THE | DETERMINANT OF A BAND MATRIX. | 34321 | 77 |
| CHLDETERM2 CALCULATES OF THE | DETERMINANT OF A POSITIVE DEFINITE SYMMETRIC MATRIX, THE CHOLESKY DECOMPOSITION BEIN | 34312 | 57 |
| CHLDETERM1 CALCULATES THE | DETERMINANT OF A POSITIVE DEFINITE SYMMETRIC MATRIX, THE CHOLESKY DECOMPOSITION BEIN | 34313 | 57 |
| SYMDETERM1 CALCULATES THE | DETERMINANT OF A SYMMETRIC MATRIX, THE SYMMETRIC DECOMPOSITION BEING GIVEN COLUMNWIS | 34703 | 279 |
| DETERM CALCULATES THE | DETERMINANT OF A TRIANGULARLY DECOMPOSED MATRIX. | 34303 | 47 |
| BRATES A MATRIX BY MEANS OF A | DIAGONAL SIMILARITY TRANSFORMATION. | 34173 | 97 |
| RMATION FOLLOWED BY A COMPLEX | DIAGONAL TRANSFORMATION INTO A SIMILAR UNITARY UPPER-HESSENBERG MATRIX WITH A REAL N | 34366 | 107 |
| LNGINTSUBTRACT COMPUTES THE | DIFFERENCE OF LONG NONNEGATIVE INTEGERS. | 31201 | 201 |
| INTEGRATES A SINGLE 2ND ORDER | DIFFERENTIAL EQUATION ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA | 33012 | 171 |



MC M

| | | |
|---|---|---|
| RK3 SOLVES A SINGLE 2ND ORDER | DIFFERENTIAL EQUATION ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA | 33014 175 |
| R A SECOND ORDER SELF-ADJOINT | DIFFERENTIAL EQUATION BY A RITZ-GALERKIN METHOD, | 33300 261 |
| UE PROBLEM FOR A SECOND ORDER | DIFFERENTIAL EQUATION BY A RITZ-GALERKIN METHOD, | 33302 263 |
| R A SECOND ORDER SELF-ADJOINT | DIFFERENTIAL EQUATION BY A RITZ-GALERKIN METHOD; THE COEFFICIENT OF Y" IS SUPPOSED T | 33301 261 |
| RK1 SOLVES A SINGLE 1ST ORDER | DIFFERENTIAL EQUATION BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD, | 33010 141 |
| K4A SOLVES A SINGLE 1ST ORDER | DIFFERENTIAL EQUATION BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THE INTEGRATION IS | 33016 145 |
| R A FOURTH ORDER SELF-ADJOINT | DIFFERENTIAL EQUATION WITH DIRICHLET BOUNDARY CONDITIONS BY A RITZ-GALERKIN METHOD, | 33303 265 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL BOUNDARY-VALUE PROBLEM ) BY MEANS OF A STABILIZED R | 33066 295 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A STABILIZED RUNGE-KUTT | 33061 155 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A VARIABLE ORDER MULTIS | 33080 151 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A VARIABLE ORDER TAYLOR | 33050 169 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 1ST, 2ND OR 3RD ORDER | 33070 157 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 1ST, 2ND OR 3RD ORDER | 33040 167 |
| UTONOMOUS SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 3RD ORDER MULTISTEP M | 33191 223 |
| UTONOMOUS SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 3RD ORDER, EXPONENTIA | 33160 159 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA | 33033 143 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA | 33017 147 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA | 33018 149 |
| SOLVES A SYSTEM OF 2ND ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA | 33013 173 |
| SOLVES A SYSTEM OF 2ND ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA | 33015 177 |
| UTONOMOUS SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN EXPONENTIALLY FITTED | 33120 161 |
| UTONOMOUS SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN IMPLICIT, EXPONENTIA | 33131 165 |
| UTONOMOUS SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN IMPLICIT, EXPONENTIA | 33132 221 |
| UTONOMOUS SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF THE IMPLICIT MIDPOINT R | 33135 231 |
| SOLVES A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ); BY EXTRAPOLATION, APPLIED TO LOW O | 33180 153 |
| SIGNAL TIME-DEPENDENT PARTIAL | DIFFERENTIAL EQUATIONS, | 33066 295 |
| TERS IN A SYSTEM OF 1ST ORDER | DIFFERENTIAL EQUATIONS; THE UNKNOWN VARIABLES MAY APPEAR NON-LINEARLY BOTH IN THE DI | 34444 259 |
| | DIFFSYS SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM | 33180 153 |
| NT DIFFERENTIAL EQUATION WITH | DIRICHLET BOUNDARY CONDITIONS BY A RITZ-GALERKIN METHOD, | 33303 265 |
| LNGDIV | DIVIDES TWO DOUBLE PRECISION NUMBERS, | 31108 271 |
| DPDIV | DIVIDES TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION QUOTIENT, | 31104 271 |
| ST VECTOR CHANGE LINEARLY, BY | DOUBLE LENGTH ARITHMETIC, | 34416 285 |
| LAR PRODUCT OF TWO VECTORS BY | DOUBLE LENGTH ARITHMETIC, | 34410 285 |
| LNGFULMATVEC CALCULATES BY | DOUBLE PRECISION ARITHMETIC THE PRODUCT A * B, WHERE A IS A GIVEN MATRIX AND B IS A | 31505 285 |
| LNGFULSYMMATVEC CALCULATES BY | DOUBLE PRECISION ARITHMETIC THE PRODUCT A * B, WHERE A IS A SYMMETRIC MATRIX, WHOSE | 31507 285 |
| LNGFULTAMVEC CALCULATES BY | DOUBLE PRECISION ARITHMETIC THE PRODUCT A' * B, WHERE A' IS THE TRANSPOSED OF THE MA | 31506 285 |
| LNGRESVEC CALCULATES BY | DOUBLE PRECISION ARITHMETIC THE RESIDUAL VECTOR A * B + X * C, WHERE A IS A GIVEN MA | 31508 285 |
| LNGSYMRESVEC CALCULATES BY | DOUBLE PRECISION ARITHMETIC THE RESIDUAL VECTOR A * B + X * C, WHERE A IS A SYMMETRI | 31509 285 |
| A VECTOR AND A ROW VECTOR BY | DOUBLE PRECISION ARITHMETIC, | 34411 285 |
| VECTOR AND A COLUMN VECTOR BY | DOUBLE PRECISION ARITHMETIC, | 34412 285 |
| VECTOR AND A COLUMN VECTOR BY | DOUBLE PRECISION ARITHMETIC, | 34413 285 |
| DUCT OF TWO COLUMN VECTORS BY | DOUBLE PRECISION ARITHMETIC, | 34414 285 |
| PRODUCT OF TWO ROW VECTORS BY | DOUBLE PRECISION ARITHMETIC, | 34415 285 |
| BOTH VECTORS ARE CONSTANT, BY | DOUBLE PRECISION ARITHMETIC, | 34417 285 |
| N A ONE-DIMENSIONAL ARRAY, BY | DOUBLE PRECISION ARITHMETIC, | 34418 285 |
| SINGLE PRECISION NUMBERS TO A | DOUBLE PRECISION DIFFERENCE, | 31102 271 |
| LNGREATODECI CONVERTS A | DOUBLE PRECISION NUMBER TO ITS DECIMAL REPRESENTATION, | 31100 289 |
| E DOUBLE PRECISION POWER OF A | DOUBLE PRECISION NUMBER, | 31110 271 |
| LNGADD ADDS TWO | DOUBLE PRECISION NUMBERS, | 31105 271 |
| LNGSUB SUBTRACTS TWO | DOUBLE PRECISION NUMBERS, | 31106 271 |
| LNGMUL MULTIPLIES TWO | DOUBLE PRECISION NUMBERS, | 31107 271 |
| LNGDIV DIVIDES TWO | DOUBLE PRECISION NUMBERS, | 31108 271 |
| LNGPOW COMPUTES THE | DOUBLE PRECISION POWER OF A DOUBLE PRECISION NUMBER, | 31110 271 |
| DPPOW COMPUTES THE | DOUBLE PRECISION POWER OF A SINGLE PRECISION NUMBER, | 31109 271 |
| SINGLE PRECISION NUMBERS TO A | DOUBLE PRECISION PRODUCT, | 31103 271 |
| SINGLE PRECISION NUMBERS TO A | DOUBLE PRECISION QUOTIENT, | 31104 271 |

2-nd REVISION, 1977

CDM

| | | | |
|---|---|---|---|
| SINGLE PRECISION NUMBERS TO A | DOUBLE PRECISION SUM. | 31101 | 271 |
| | DPADD ADDS TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION SUM. | 31101 | 271 |
| | DPDIV DIVIDES TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION QUOTIENT. | 31104 | 271 |
| | DPMUL MULTIPLIES TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION PRODUCT. | 31103 | 271 |
| | DPPOW COMPUTES THE DOUBLE PRECISION POWER OF A SINGLE PRECISION NUMBER. | 31109 | 271 |
| | DPSUB SUBTRACTS TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION DIFFERENCE. | 31102 | 271 |
| | DUPCOLVEC COPIES A VECTOR INTO A COLUMN VECTOR. | 31034 | 3 |
| | DUPMAT COPIES A MATRIX INTO ANOTHER MATRIX. | 31035 | 3 |
| | DUPROWVEC COPIES A VECTOR INTO A ROW VECTOR. | 31032 | 3 |
| | DUPVEC COPIES A VECTOR INTO ANOTHER VECTOR. | 31030 | 3 |
| | DUPVECCOL COPIES A COLUMN VECTOR INTO A VECTOR. | 31033 | 3 |
| | DUPVECROW COPIES A ROW VECTOR INTO A VECTOR. | 31031 | 3 |
| | DWARF DELIVERS THE SMALLEST ( IN ABSOLUTE VALUE ) REPRESENTABLE REAL NUMBER. | 30003 | 275 |
| | E DELIVERS A FULL PRECISION APPROXIMATION TO E= 2.718... | 30007 | 273 |
| ENCE OF EXPONENTIAL INTEGRALS | E(N,X) = THE INTEGRAL FROM 1 TO INFINITY OF EXP(-X * T) T**N DT. | 35086 | 183 |
| | EFERK SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALU | 33120 | 161 |
| | EFRK SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) B | 33070 | 157 |
| | EFSIRK SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VAL | 33160 | 159 |
| | EI ALPHA CALCULATES A SEQUENCE OF INTEGRALS OF THE FORM INTEGRAL (EXP(-X*T)*T**N DT) | 35081 | 183 |
| | EI CALCULATES THE EXPONENTIAL INTEGRAL . | 35080 | 183 |
| | EIGCOM CALCULATES THE EIGENVECTORS AND EIGENVALUES OF A COMPLEX MATRIX. | 34375 | 123 |
| OXIMATION OF A REAL SYMMETRIC | EIGENSYSTEM AND CALCULATES ERROR BOUNDS FOR THE EIGENVALUES. | 36401 | 301 |
| RESPONDING TO A GIVEN COMPLEX | EIGENVALUE OF A REAL UPPER-HESSENBERG MATRIX BY MEANS OF INVERSE ITERATION. | 34191 | 115 |
| EIGSYM1 CALCULATES | EIGENVALUES AND EIGENVECTORS BY MEANS OF INVERSE ITERATION. | 34156 | 113 |
| EIGSYM2 CALCULATES | EIGENVALUES AND EIGENVECTORS BY MEANS OF INVERSE ITERATION. | 34154 | 113 |
| QZI COMPUTES GENERALIZED | EIGENVALUES AND EIGENVECTORS BY MEANS OF QZ-ITERATION. | 34601 | 267 |
| EIGHRM CALCULATES THE | EIGENVALUES AND EIGENVECTORS OF A COMPLEX HERMITIAN MATRIX. | 34369 | 119 |
| GRIHRM CALCULATES THE | EIGENVALUES AND EIGENVECTORS OF A COMPLEX HERMITIAN MATRIX. | 34371 | 119 |
| COMEIGI CALCULATES THE | EIGENVALUES AND EIGENVECTORS OF A MATRIX. | 34194 | 117 |
| REAQRI CALCULATES ALL | EIGENVALUES AND EIGENVECTORS OF A REAL UPPER-HESSENBERG MATRIX, PROVIDED THAT ALL EI | 34186 | 115 |
| QRISYM CALCULATES ALL | EIGENVALUES AND EIGENVECTORS OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION. | 34163 | 113 |
| QRISYMTRI CALCULATES THE | EIGENVALUES AND EIGENVECTORS OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF QR ITERAT | 34161 | 111 |
| QZIVAL COMPUTES GENERALIZED | EIGENVALUES BY MEANS OF QZ-ITERATION. | 34600 | 267 |
| EIGVALHRM CALCULATES THE | EIGENVALUES OF A COMPLEX HERMITIAN MATRIX. | 34368 | 119 |
| QRIVALHRM CALCULATES THE | EIGENVALUES OF A COMPLEX HERMITIAN MATRIX. | 34370 | 119 |
| EIGVALCOM CALCULATES THE | EIGENVALUES OF A COMPLEX MATRIX. | 34374 | 123 |
| LCULATES THE EIGENVECTORS AND | EIGENVALUES OF A COMPLEX MATRIX. | 34375 | 123 |
| VALQRICOM CALCULATES THE | EIGENVALUES OF A COMPLEX UPPER-HESSENBERG MATRIX WITH A REAL SUBDIAGONAL. | 34372 | 121 |
| ATES THE EIGENVECTORS AND THE | EIGENVALUES OF A COMPLEX UPPER-HESSENBERG MATRIX. | 34373 | 121 |
| COMEIGVAL CALCULATES THE | EIGENVALUES OF A MATRIX. | 34192 | 117 |
| REAEIGVAL CALCULATES THE | EIGENVALUES OF A MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REAL. | 34182 | 117 |
| LCULATES THE EIGENVECTORS AND | EIGENVALUES OF A MATRIX, PROVIDED THAT THEY ARE ALL REAL. | 34184 | 117 |
| LCULATES THE EIGENVECTORS AND | EIGENVALUES OF A MATRIX, PROVIDED THAT THEY ARE ALL REAL. | 34187 | 117 |
| LCULATES THE REAL AND COMPLEX | EIGENVALUES OF A REAL UPPER-HESSENBERG MATRIX BY MEANS OF DOUBLE QR ITERATION. | 34190 | 115 |
| REAVALQRI CALCULATES THE | EIGENVALUES OF A REAL UPPER-HESSENBERG MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REA | 34180 | 115 |
| QRIVALSYM1 CALCULATES THE | EIGENVALUES OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION. | 34164 | 113 |
| QRIVALSYM2 CALCULATES THE | EIGENVALUES OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION. | 34162 | 113 |
| M1 CALCULATES ALL ( OR SOME ) | EIGENVALUES OF A SYMMETRIC MATRIX USING LINEAR INTERPOLATION OF A FUNCTION DERIVED F | 34155 | 113 |
| M2 CALCULATES ALL ( OR SOME ) | EIGENVALUES OF A SYMMETRIC MATRIX USING LINEAR INTERPOLATION OF A FUNCTION DERIVED F | 34153 | 113 |
| TES ALL, OR SOME CONSECUTIVE, | EIGENVALUES OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF LINEAR INTERPOLATION USING | 34151 | 111 |
| QRIVALSYMTRI CALCULATES THE | EIGENVALUES OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF QR ITERATION. | 34160 | 111 |
| LCULATES ERROR BOUNDS FOR THE | EIGENVALUES. | 36401 | 301 |
| COMVECHES CALCULATES THE | EIGENVECTOR CORRESPONDING TO A GIVEN COMPLEX EIGENVALUE OF A REAL UPPER-HESSENBERG M | 34191 | 115 |
| REAVECHES CALCULATES AN | EIGENVECTOR CORRESPONDING TO A GIVEN REAL EIGENVALUE OF A REAL UPPER-HESSENBERG MATR | 34181 | 115 |
| EIGCOM CALCULATES THE | EIGENVECTORS AND EIGENVALUES OF A COMPLEX MATRIX. | 34375 | 123 |
| REAEIGI CALCULATES THE | EIGENVECTORS AND EIGENVALUES OF A MATRIX, PROVIDED THAT THEY ARE ALL REAL. | 34184 | 117 |




CWI

| | | | |
|---|---|---|---|
| REAEIG3 CALCULATES THE | EIGENVECTORS AND EIGENVALUES OF A MATRIX, PROVIDED THAT THEY ARE ALL REAL. | 34187 | 117 |
| ORICOM CALCULATES THE | EIGENVECTORS AND THE EIGENVALUES OF A COMPLEX UPPER-HESSENBERG MATRIX, | 34373 | 121 |
| M1 CALCULATES EIGENVALUES AND | EIGENVECTORS BY MEANS OF INVERSE ITERATION, | 34156 | 113 |
| M2 CALCULATES EIGENVALUES AND | EIGENVECTORS BY MEANS OF INVERSE ITERATION, | 34154 | 113 |
| S GENERALIZED EIGENVALUES AND | EIGENVECTORS BY MEANS OF QZ-ITERATION, | 34601 | 267 |
| ALCULATES THE EIGENVALUES AND | EIGENVECTORS OF A COMPLEX HERMITIAN MATRIX, | 34369 | 119 |
| ALCULATES THE EIGENVALUES AND | EIGENVECTORS OF A COMPLEX HERMITIAN MATRIX, | 34371 | 119 |
| ALCULATES THE EIGENVALUES AND | EIGENVECTORS OF A MATRIX, | 34194 | 117 |
| ALCULATES ALL EIGENVALUES AND | EIGENVECTORS OF A REAL UPPER-HESSENBERG MATRIX, PROVIDED THAT ALL EIGENVALUES ARE RE | 34186 | 115 |
| ALCULATES ALL EIGENVALUES AND | EIGENVECTORS OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION, | 34163 | 113 |
| VECSYMTRI CALCULATES | EIGENVECTORS OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF INVERSE ITERATION, | 34152 | 111 |
| ALCULATES THE EIGENVALUES AND | EIGENVECTORS OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF QR ITERATION, | 34161 | 111 |
| L NORMALIZES REAL AND COMPLEX | EIGENVECTORS. | 34193 | 29 |
| | EIGHRM CALCULATES THE EIGENVALUES AND EIGENVECTORS OF A COMPLEX HERMITIAN MATRIX, | 34369 | 119 |
| | EIGSYM1 CALCULATES EIGENVALUES AND EIGENVECTORS BY MEANS OF INVERSE ITERATION, | 34156 | 113 |
| | EIGSYM2 CALCULATES EIGENVALUES AND EIGENVECTORS BY MEANS OF INVERSE ITERATION, | 34154 | 113 |
| | EIGVALCOM CALCULATES THE EIGENVALUES OF A COMPLEX MATRIX, | 34374 | 123 |
| | EIGVALHRM CALCULATES THE EIGENVALUES OF A COMPLEX HERMITIAN MATRIX, | 34368 | 119 |
| | EIGVALSYM1 CALCULATES ALL ( OR SOME ) EIGENVALUES OF A SYMMETRIC MATRIX USING LINEAR | 34155 | 113 |
| | EIGVALSYM2 CALCULATES ALL ( OR SOME ) EIGENVALUES OF A SYMMETRIC MATRIX USING LINEAR | 34153 | 113 |
| ES THE MODULUS OF THE LARGEST | ELEMENT OF A MATRIX AND DELIVERS THE INDICES OF THE MAXIMAL ELEMENT, | 31069 | 241 |
| | ELIMINATION SOLVES A SYSTEM OF LINEAR EQUATIONS WITH POSITIVE REAL EIGENVALUES ( ELL | 33171 | 225 |
| H POSITIVE REAL EIGENVALUES ( | ELLIPTIC BOUNDARY VALUE PROBLEM ) BY MEANS OF A NON-STATIONARY 2ND ORDER ITERATIVE M | 33170 | 225 |
| H POSITIVE REAL EIGENVALUES ( | ELLIPTIC BOUNDARY VALUE PROBLEM ) BY MEANS OF A NON-STATIONARY 2ND ORDER ITERATIVE M | 33171 | 225 |
| | ELMCOL ADDS A CONSTANT TIMES A COLUMN VECTOR TO A COLUMN VECTOR, | 34023 | 9 |
| | ELMCOLROW ADDS A CONSTANT TIMES A ROW VECTOR TO A COLUMN VECTOR, | 34029 | 9 |
| | ELMCOLVEC ADDS A CONSTANT TIMES A VECTOR TO A COLUMN VECTOR, | 34022 | 9 |
| | ELMCOMCOL ADDS A COMPLEX NUMBER TIMES A COMPLEX COLUMN VECTOR TO A COMPLEX COLUMN VE | 34377 | 25 |
| | ELMCOMROWVEC ADDS A COMPLEX NUMBER TIMES A COMPLEX VECTOR TO A COMPLEX ROW VECTOR, | 34378 | 25 |
| | ELMCOMVECCOL ADDS A COMPLEX NUMBER TIMES A COMPLEX COLUMN VECTOR TO A COMPLEX VECTOR | 34376 | 25 |
| | ELMROW ADDS A CONSTANT TIMES A ROW VECTOR TO A ROW VECTOR, | 34024 | 9 |
| | ELMROWCOL ADDS A CONSTANT TIMES A COLUMN VECTOR TO A ROW VECTOR, | 34028 | 9 |
| | ELMROWVEC ADDS A CONSTANT TIMES A VECTOR TO A ROW VECTOR, | 34027 | 9 |
| | ELMVEC ADDS A CONSTANT TIMES A VECTOR TO A VECTOR, | 34020 | 9 |
| | ELMVECCOL ADDS A CONSTANT TIMES A COLUMN VECTOR TO A VECTOR, | 34021 | 9 |
| | ELMVECROW ADDS A CONSTANT TIMES A ROW VECTOR TO A VECTOR, | 34026 | 9 |
| | EMX COMPUTES A SEQUENCE OF EXPONENTIAL INTEGRALS E(N,X) = THE INTEGRAL FROM 1 TO INF | 35086 | 183 |
| | EQILBR EQUILIBRATES A MATRIX BY MEANS OF A DIAGONAL SIMILARITY TRANSFORMATION, | 34173 | 97 |
| | EQILBRCOM EQUILIBRATES A COMPLEX MATRIX, | 34361 | 99 |
| SINGLE 2ND ORDER DIFFERENTIAL | EQUATION ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD, | 33012 | 171 |
| SINGLE 2ND ORDER DIFFERENTIAL | EQUATION ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THIS | 33014 | 175 |
| SINGLE 1ST ORDER DIFFERENTIAL | EQUATION BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD, | 33010 | 141 |
| ATES THE ROOTS OF A QUADRATIC | EQUATION WITH COMPLEX COEFFICIENTS, | 34345 | 129 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL BOUNDARY-VALUE PROBLEM ) BY MEANS OF A STABILIZED RUNGE-KUTTA ME | 33066 | 295 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A STABILIZED RUNGE-KUTTA METHOD WITH | 33061 | 155 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A VARIABLE ORDER MULTISTEP METHOD AD | 33080 | 151 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A VARIABLE ORDER TAYLOR METHOD; THIS | 33050 | 169 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 1ST, 2ND OR 3RD ORDER ONE-STEP TAY | 33040 | 167 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 1ST, 2ND OR 3RD ORDER, EXPONENTION | 33070 | 157 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 3RD ORDER MULTISTEP METHOD; THIS M | 33191 | 223 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 3RD ORDER, EXPONENTIALLY FITTED, S | 33160 | 159 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD, | 33033 | 143 |
| TEM OF 2ND ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD, | 33013 | 173 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THE | 33017 | 147 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THE | 33018 | 149 |
| TEM OF 2ND ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THIS | 33015 | 177 |

| | | | |
|---|---|---|---|
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN EXPONENTIALLY FITTED, 3RD ORDER R | 33120 | 161 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN IMPLICIT, EXPONENTIALLY FITTED 1S | 33131 | 165 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN IMPLICIT, EXPONENTIALLY FITTED 1S | 33132 | 221 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF THE IMPLICIT MIDPOINT RULE WITH SMOO | 33135 | 231 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS ( INITIAL VALUE PROBLEM ); BY EXTRAPOLATION, APPLIED TO LOW ORDER RESULTS, | 33180 | 153 |
| TE SYMMETRIC SYSTEM OF LINEAR | EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX SHOULD BE GIVEN I | 34392 | 59 |
| TE SYMMETRIC SYSTEM OF LINEAR | EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX SHOULD BE GIVEN C | 34393 | 59 |
| BND SOLVES A SYSTEM OF LINEAR | EQUATIONS BY GAUSSIAN ELIMINATION WITH PARTIAL PIVOTING IF THE COEFFICIENT MATRIX IS | 34322 | 79 |
| A SYMMETRIC SYSTEM OF LINEAR | EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX SH | 34706 | 281 |
| A SYMMETRIC SYSTEM OF LINEAR | EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX SH | 34707 | 281 |
| OL1 SOLVES A SYSTEM OF LINEAR | EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY CHLDEC1 OR CHLDECSOL1. | 34391 | 59 |
| OL2 SOLVES A SYSTEM OF LINEAR | EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY CHLDEC2 OR CHLDECSOL2. | 34390 | 59 |
| OL1 SOLVES A SYSTEM OF LINEAR | EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY SYMDEC1 OR SYMDECSOL1. | 34705 | 281 |
| OL2 SOLVES A SYSTEM OF LINEAR | EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY SYMDEC2 OR SYMDECSOL2. | 34704 | 281 |
| SOLVES A SYSTEM OF NON-LINEAR | EQUATIONS OF WHICH THE JACOBIAN ( BEING A BAND MATRIX ) IS GIVEN. | 34430 | 217 |
| SOLVES A SYSTEM OF NON-LINEAR | EQUATIONS OF WHICH THE JACOBIAN IS A BAND MATRIX. | 34431 | 217 |
| SOL SOLVES A SYSTEM OF LINEAR | EQUATIONS WHOSE ORDER IS SMALL RELATIVE TO THE NUMBER OF BINARY DIGITS IN THE NUMBER | 34301 | 49 |
| TERMINED SYSTEM OF NON-LINEAR | EQUATIONS WITH MARQUARDT'S METHOD. | 34440 | 219 |
| TERMINED SYSTEM OF NON-LINEAR | EQUATIONS WITH THE GAUSS-NEWTON METHOD. | 34441 | 219 |
| SOL SOLVES A SYSTEM OF LINEAR | EQUATIONS. | 34232 | 49 |
| ERDETERMINED SYSTEM OF LINEAR | EQUATIONS. | 34281 | 67 |
| ERDETERMINED SYSTEM OF LINEAR | EQUATIONS. | 34283 | 69 |
| EPENDENT PARTIAL DIFFERENTIAL | EQUATIONS. | 33066 | 295 |
| TEM OF 1ST ORDER DIFFERENTIAL | EQUATIONS; THE UNKNOWN VARIABLES MAY APPEAR NON-LINEARLY BOTH IN THE DIFFERENTIAL EQ | 34444 | 259 |
| ERDETERMINED SYSTEM OF LINEAR | EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PSEUDO-INVERSE OF THE GIVEN MATRIX | 34280 | 67 |
| ERDETERMINED SYSTEM OF LINEAR | EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PSEUDO-INVERSE OF THE GIVEN MATRIX | 34282 | 69 |
| BND SOLVES A SYSTEM OF LINEAR | EQUATIONS, THE MATRIX BEING DECOMPOSED BY DECBND. | 34071 | 79 |
| THE EIGENVECTORS OF A COMPLEX | EQUILIBRATED ( BY EQILBRCOM ) MATRIX INTO THE EIGENVECTORS OF THE ORIGINAL MATRIX. | 34362 | 99 |
| EQILBRCOM | EQUILIBRATES A COMPLEX MATRIX. | 34361 | 99 |
| EQILBR | EQUILIBRATES A MATRIX BY MEANS OF A DIAGONAL SIMILARITY TRANSFORMATION. | 34173 | 97 |
| | ERBELM CALCULATES A ROUGH UPPERBOUND FOR THE ERROR IN THE SOLUTION OF A SYSTEM OF LI | 34241 | 45 |
| COMPUTES THE ERROR FUNCTION ( | ERF ) AND COMPLEMENTARY ERROR FUNCTION ( ERFC ) FOR A REAL ARGUMENT. | 35021 | 227 |
| OMPLEMENTARY ERROR FUNCTION ( | ERFC ) FOR A REAL ARGUMENT. | 35021 | 227 |
| NONEXPERFC COMPUTES | ERFC(X) * EXP(X*X). | 35022 | 227 |
| ARREB DELIVERS THE ARITHMETIC | ERROR BOUND OF THE COMPUTOR. | 30002 | 275 |
| IC EIGENSYSTEM AND CALCULATES | ERROR BOUNDS FOR THE EIGENVALUES. | 36401 | 301 |
| ERRORFUNCTION COMPUTES THE | ERROR FUNCTION ( ERF ) AND COMPLEMENTARY ERROR FUNCTION ( ERFC ) FOR A REAL ARGUMENT | 35021 | 227 |
| ION ( ERF ) AND COMPLEMENTARY | ERROR FUNCTION ( ERFC ) FOR A REAL ARGUMENT. | 35021 | 227 |
| NCTION CALCULATES THE INVERSE | ERROR FUNCTION Y = INVERF(X). | 35023 | 227 |
| ATIVELY AN UPPERBOUND FOR THE | ERROR IN THE SOLUTION IS CALCULATED. | 34253 | 53 |
| ELY AND AN UPPERBOUND FOR THE | ERROR IN THE SOLUTION IS CALCULATED. | 34254 | 53 |
| ES A ROUGH UPPERBOUND FOR THE | ERROR IN THE SOLUTION OF A SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX IS TRIANGULARLY D | 34241 | 45 |
| N UPPERBOUND FOR THE RELATIVE | ERROR IN THE SOLUTION OF THAT SYSTEM. | 34242 | 45 |
| | ERRORFUNCTION COMPUTES THE ERROR FUNCTION ( ERF ) AND COMPLEMENTARY ERROR FUNCTION ( | 35021 | 227 |
| PEIDE | ESTIMATES UNKNOWN PARAMETERS IN A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS; THE UN | 34444 | 259 |
| COMEUCNRM CALCULATES THE | EUCLIDEAN NORM OF A COMPLEX MATRIX WITH LW LOWER CODIAGONALS. | 34359 | 31 |
| | EULER PERFORMS THE SUMMATION OF AN ALTERNATING INFINITE SERIES. | 32010 | 131 |
| EI CALCULATES THE | EXPONENTIAL INTEGRAL . | 35080 | 183 |
| ENX COMPUTES A SEQUENCE OF | EXPONENTIAL INTEGRALS E(N,X) = THE INTEGRAL FROM 1 TO INFINITY OF EXP(-X * T) T**N | 35086 | 183 |
| | EXPONENTIALLY FITTED TAYLOR SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( IN | 33050 | 169 |
| EM ) BY MEANS OF AN IMPLICIT, | EXPONENTIALLY FITTED 1ST ORDER ONE-STEP METHOD; AUTOMATIC STEP-SIZE CONTROL IS NOT P | 33131 | 165 |
| EM ) BY MEANS OF AN IMPLICIT, | EXPONENTIALLY FITTED 1ST ORDER ONE-STEP METHOD;THIS METHOD CAN BE USED TO SOLVE STIF | 33132 | 221 |
| EM ) BY MEANS OF A 3RD ORDER, | EXPONENTIALLY FITTED, SEMI-IMPLICIT RUNGE-KUTTA METHOD; THIS METHOD CAN BE USED TO S | 33160 | 159 |
| ALUE PROBLEM ) BY MEANS OF AN | EXPONENTIALLY FITTED, 3RD ORDER RUNGE-KUTTA METHOD; THIS METHOD CAN BE USED TO SOLVE | 33120 | 161 |
| S OF A 1ST, 2ND OR 3RD ORDER, | EXPONENTIONALLY FITTED RUNGE-KUTTA METHOD; AUTOMATIC STEPSIZE CONTROL IS NOT PROVIDE | 33070 | 157 |
| POINT RULE WITH SMOOTHING AND | EXTRAPOLATION; THIS METHOD IS SUITABLE FOR THE INTEGRATION OF STIFF DIFFERENTIAL EQU | 33135 | 231 |




CM

| | | | |
|---|---|---|---|
| | FEMHERMSYM SOLVES A LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A FOURTH ORDER SELF- | 33303 | 265 |
| | FEMLAG SOLVES A LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJO | 33301 | 261 |
| | FEMLAGSKEW SOLVES A LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER DIFFE | 33302 | 263 |
| | FEMLAGSYM SOLVES A LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-A | 33300 | 261 |
| | FG IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF FRESNEL INTEGRALS, | 35028 | 227 |
| SERORTPOL EVALUATES A | FINITE SERIES EXPRESSED IN ORTHOGONAL POLYNOMIALS, GIVEN BY A SET OF RECURRENCE COEF | 31047 | 293 |
| | FLEMIN MINIMIZES A FUNCTION OF SEVERAL VARIABLES, | 34215 | 19 |
| | FLEUPD ADDS A RANK-2 MATRIX TO A SYMMETRIC MATRIX, | 34213 | 139 |
| | FORWARD IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS, | 35055 | 187 |
| FOUSER EVALUATES A | FOURIER SERIES WITH EQUAL SINE AND COSINE COEFFICIENTS, | 31092 | 203 |
| COMFOUSER EVALUATES A COMPLEX | FOURIER SERIES WITH REAL COEFFICIENTS, | 31095 | 203 |
| FOUSER1 EVALUATES A | FOURIER SERIES, | 31093 | 203 |
| FOUSER2 EVALUATES A | FOURIER SERIES, | 31094 | 203 |
| OMFOUSER1 EVALUATES A COMPLEX | FOURIER SERIES, | 31096 | 203 |
| OMFOUSER2 EVALUATES A COMPLEX | FOURIER SERIES, | 31097 | 203 |
| | FOUSER EVALUATES A FOURIER SERIES WITH EQUAL SINE AND COSINE COEFFICIENTS, | 31092 | 203 |
| | FOUSER1 EVALUATES A FOURIER SERIES, | 31093 | 203 |
| | FOUSER2 EVALUATES A FOURIER SERIES, | 31094 | 203 |
| LATES A TERMINATING CONTINUED | FRACTION, | 35083 | 41 |
| | FRESNEL CALCULATES THE FRESNEL INTEGRALS C(X) AND S(X), | 35027 | 227 |
| FRESNEL CALCULATES THE | FRESNEL INTEGRALS C(X) AND S(X), | 35027 | 227 |
| | FULMATVEC CALCULATES THE PRODUCT A * B, WHERE A IS A GIVEN MATRIX AND B IS A VECTOR, | 31500 | 15 |
| | FULSYMMATVEC CALCULATES THE PRODUCT A * B, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPE | 31502 | 15 |
| | FULTAMVEC CALCULATES THE PRODUCT A' * B, WHERE A' IS THE TRANSPOSED OF THE MATRIX A | 31501 | 15 |
| AN MATRIX OF AN N-DIMENSIONAL | FUNCTION OF M VARIABLES USING FORWARD DIFFERENCES, | 34438 | 213 |
| AN MATRIX OF AN N-DIMENSIONAL | FUNCTION OF N VARIABLES USING FORWARD DIFFERENCES, | 34437 | 213 |
| AN MATRIX OF AN N-DIMENSIONAL | FUNCTION OF N VARIABLES, IF THE JACOBIAN IS KNOWN TO BE A BAND MATRIX, | 34439 | 213 |
| MININ MINIMIZES A | FUNCTION OF ONE VARIABLE IN A GIVEN INTERVAL, | 34433 | 235 |
| MINDER MINIMIZES A | FUNCTION OF ONE VARIABLE IN A GIVEN INTERVAL, USING VALUES OF THE FUNCTION AND OF IT | 34435 | 237 |
| ES THE DEFINITE INTEGRAL OF A | FUNCTION OF ONE VARIABLE OVER A FINITE INTERVAL, | 32070 | 133 |
| ES THE DEFINITE INTEGRAL OF A | FUNCTION OF ONE VARIABLE OVER A FINITE OR INFINITE INTERVAL OR OVER A NUMBER OF CONS | 32051 | 135 |
| GIVEN INTERVAL ) A ZERO OF A | FUNCTION OF ONE VARIABLE USING VALUES OF THE FUNCTION AND OF ITS DERIVATIVE, | 34453 | 233 |
| GIVEN INTERVAL ) A ZERO OF A | FUNCTION OF ONE VARIABLE, | 34150 | 215 |
| GIVEN INTERVAL ) A ZERO OF A | FUNCTION OF ONE VARIABLE, | 34436 | 215 |
| LINEMIN MINIMIZES A | FUNCTION OF SEVERAL VARIABLES IN A GIVEN DIRECTION, | 34210 | 139 |
| RIKIMIN MINIMIZES A | FUNCTION OF SEVERAL VARIABLES, | 34214 | 19 |
| FLEMIN MINIMIZES A | FUNCTION OF SEVERAL VARIABLES, | 34215 | 19 |
| PRAXIS MINIMIZES A | FUNCTION OF SEVERAL VARIABLES, | 34432 | 239 |
| CALCULATES THE INVERSE ERROR | FUNCTION Y = INVERF(X), | 35023 | 227 |
| JAPLUSN CALCULATES THE BESSEL | FUNCTIONS OF THE 1ST KIND OF ORDER A+K ( 0<=K<=N, 0<=A<1 ), | 35180 | 249 |
| SS YAQ1 CALCULATES THE BESSEL | FUNCTIONS OF THE 2ND KIND ( ALSO CALLED NEUMANN'S FUNCTIONS ) OF ORDER A AND A+1 ( A | 35181 | 249 |
| YAPLUSN CALCULATES THE BESSEL | FUNCTIONS OF THE 2ND KIND OF ORDER A+N, N=0,...,NMAX , A>=0, AND ARGUMENT X>0, | 35182 | 249 |
| FFERENTIAL EQUATION BY A RITZ- | GALERKIN METHOD, | 33300 | 261 |
| FFERENTIAL EQUATION BY A RITZ- | GALERKIN METHOD, | 33302 | 263 |
| BOUNDARY CONDITIONS BY A RITZ- | GALERKIN METHOD, | 33303 | 265 |
| FFERENTIAL EQUATION BY A RITZ- | GALERKIN METHOD; THE COEFFICIENT OF Y" IS SUPPOSED TO BE UNITY, | 33301 | 261 |
| | GAMMA CALCULATES THE GAMMA FUNCTION, | 35061 | 187 |
| CULATES THE RECIPROCAL OF THE | GAMMA FUNCTION FOR ARGUMENTS IN THE RANGE [,5,1,5]; MOREOVER ODD AND EVEN PARTS ARE | 35060 | 187 |
| THE NATURAL LOGARITHM OF THE | GAMMA FUNCTION FOR POSITIVE ARGUMENTS, | 35062 | 187 |
| GAMMA CALCULATES THE | GAMMA FUNCTION, | 35061 | 187 |
| OMGAM COMPUTES THE INCOMPLETE | GAMMA FUNCTIONS, | 35030 | 187 |
| THE ABSCISSAE AND WEIGHTS FOR | GAUSS- JACOBI QUADRATURE, | 31425 | 291 |
| THE ABSCISSAE AND WEIGHTS FOR | GAUSS- LAGRANGE QUADRATURE, | 31427 | 291 |
| SYSTEM OF LINEAR EQUATIONS BY | GAUSSIAN ELIMINATION WITH PARTIAL PIVOTING IF THE COEFFICIENT MATRIX IS IN BAND FORM | 34322 | 79 |
| S-MOULTON, ADAMS-BASHFORTH OR | GEAR'S METHOD; THE ORDER OF ACCURACY IS AUTOMATIC, UP TO 5TH ORDER; THIS METHOD IS S | 33080 | 151 |
| QZI COMPUTES | GENERALIZED EIGENVALUES AND EIGENVECTORS BY MEANS OF QZ-ITERATION, | 34601 | 267 |




MC

| | | | |
|---|---|---|---|
| QZIVAL COMPUTES | GENERALIZED EIGENVALUES BY MEANS OF QZ-ITERATION. | 34600 | 267 |
| | GIANT DELIVERS THE LARGEST REPRESENTABLE REAL NUMBER. | 30004 | 275 |
| | GUS SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE | 33191 | 223 |
| MNS ACCORDING TO THE MODIFIED | GRAM-SMIDT METHOD. | 36402 | 299 |
| FROM THE NEWTON FORM INTO THE | GRUNERT FORM. | 31050 | 43 |
| | GSSELM PERFORMS A TRIANGULAR DECOMPOSITION WITH A COMBINATION OF PARTIAL AND COMPLET | 34231 | 45 |
| | GSSERB PERFORMS A TRIANGULAR DECOMPOSTION OF THE MATRIX OF A SYSTEM OF LINEAR EQUATI | 34242 | 45 |
| | GSSINV CALCULATES THE INVERSE OF A MATRIX. | 34236 | 51 |
| | GSSINVERB CALCULATES THE INVERSE OF A MATRIX AND 1-NORM, AN UPPERBOUND FOR THE ERROR | 34244 | 51 |
| | GSSITISOL SOLVES A SYSTEM OF LINEAR EQUATIONS AND THE SOLUTION IS IMPROVED ITERATIVE | 34251 | 53 |
| | GSSITISOLERB SOLVES A SYSTEM OF LINEAR EQUATIONS; THIS SOLUTION IS IMPROVED ITERATIV | 34254 | 53 |
| | GSSJACWGHTS COMPUTES THE ABSCISSAE AND WEIGHTS FOR GAUSS- JACOBI QUADRATURE. | 31425 | 291 |
| | GSSLAGWGHTS COMPUTES THE ABSCISSAE AND WEIGHTS FOR GAUSS- LAGRANGE QUADRATURE. | 31427 | 291 |
| | GSSNEWTON CALCULATES THE LEAST SQUARES SOLUTION OF AN OVERDETERMINED SYSTEM OF NON-L | 34441 | 219 |
| | GSSNRI PERFORMS A TRIANGULAR DECOMPOSITION AND CALCULATES THE 1-NORM OF THE INVERSE | 34252 | 45 |
| | GSSSOL SOLVES A SYSTEM OF LINEAR EQUATIONS. | 34232 | 49 |
| | GSSSOLERB SOLVES A SYSTEM OF LINEAR EQUATIONS AND CALCULATES A ROUGH UPPERBOUND FOR | 34243 | 49 |
| HSHHRMTRI TRANSFORMS A | HERMITIAN MATRIX INTO A SIMILAR REAL SYMMETRIC TRIDIAGONAL MATRIX. | 34363 | 105 |
| THE EIGENVALUES OF A COMPLEX | HERMITIAN MATRIX. | 34368 | 119 |
| AND EIGENVECTORS OF A COMPLEX | HERMITIAN MATRIX. | 34369 | 119 |
| THE EIGENVALUES OF A COMPLEX | HERMITIAN MATRIX. | 34370 | 119 |
| AND EIGENVECTORS OF A COMPLEX | HERMITIAN MATRIX. | 34371 | 119 |
| THE CODIAGONAL ELEMENTS OF A | HERMITIAN TRIDIAGONAL MATRIX WHICH IS UNITARY SIMILAR WITH A GIVEN HERMITIAN MATRIX. | 34364 | 105 |
| X EIGENVALUES OF A REAL UPPER- | HESSENBERG MATRIX BY MEANS OF DOUBLE QR ITERATION. | 34190 | 115 |
| AL EIGENVALUE OF A REAL UPPER- | HESSENBERG MATRIX BY MEANS OF INVERSE ITERATION. | 34181 | 115 |
| EX EIGENVALUE OF A REAL UPPER- | HESSENBERG MATRIX BY MEANS OF INVERSE ITERATION. | 34191 | 115 |
| A MATRIX INTO A SIMILAR UPPER- | HESSENBERG MATRIX BY MEANS OF WILKINSON'S TRANSFORMATION. | 34170 | 103 |
| INTO A SIMILAR UNITARY UPPER- | HESSENBERG MATRIX WITH A REAL NONNEGATIVE SUBDIAGONAL. | 34366 | 107 |
| IGENVALUES OF A COMPLEX UPPER- | HESSENBERG MATRIX WITH A REAL SUBDIAGONAL. | 34372 | 121 |
| IGENVALUES OF A COMPLEX UPPER- | HESSENBERG MATRIX. | 34373 | 121 |
| E EIGENVALUES OF A REAL UPPER- | HESSENBERG MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REAL, BY MEANS OF SINGLE QR ITE | 34180 | 115 |
| EIGENVECTORS OF A REAL UPPER- | HESSENBERG MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REAL, BY MEANS OF SINGLE QR ITE | 34186 | 115 |
| | HESTGL2 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES. | 34604 | 267 |
| | HESTGL3 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES. | 34603 | 267 |
| HOMSOLSVD SOLVES THE | HOMOGENEOUS SYSTEM OF LINEAR EQUATIONS A * X = 0 AND X' * A = 0, WHERE "A" DENOTES A | 34284 | 71 |
| HOMSOL SOLVES THE | HOMOGENEOUS SYSTEM OF LINEAR EQUATIONS OF EQUATIONS A * X = 0 AND X' * A = 0, WHERE | 34285 | 71 |
| | HOMSOL SOLVES THE HOMOGENEOUS SYSTEM OF LINEAR EQUATIONS OF EQUATIONS A * X = 0 AND | 34285 | 71 |
| | HOMSOLSVD SOLVES THE HOMOGENEOUS SYSTEM OF LINEAR EQUATIONS A * X = 0 AND X' * A = 0 | 34284 | 71 |
| T PREMULTIPLIES A MATRIX BY A | HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN AS A COLUMN IN A | 31071 | 269 |
| POSTMULTIPLIES A MATRIX BY A | HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN AS A COLUMN IN A | 31074 | 269 |
| T PREMULTIPLIES A MATRIX BY A | HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN AS A ROW IN A TW | 31072 | 269 |
| POSTMULTIPLIES A MATRIX BY A | HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN AS A ROW IN A TW | 31075 | 269 |
| T PREMULTIPLIES A MATRIX BY A | HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN IN A ONE-DIMENSI | 31070 | 269 |
| POSTMULTIPLIES A MATRIX BY A | HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN IN A ONE-DIMENSI | 31073 | 269 |
| NEAR LEAST SQUARES PROBLEM BY | HOUSEHOLDER TRIANGULARIZATION WITH COLUMN INTERCHANGES AND CALCULATES THE DIAGONAL O | 34135 | 65 |
| LSQORTDEC DELIVERS THE | HOUSEHOLDER TRIANGULARIZATION WITH COLUMN INTERCHANGES OF THE MATRIX OF A LINEAR LEA | 34134 | 63 |
| A COMPLEX MATRIX BY MEANS OF | HOUSEHOLDER'S TRANSFORMATION FOLLOWED BY A COMPLEX DIAGONAL TRANSFORMATION INTO A SI | 34366 | 107 |
| R TRIDIAGONAL ONE BY MEANS OF | HOUSEHOLDER'S TRANSFORMATION. | 34143 | 101 |
| R TRIDIAGONAL ONE BY MEANS OF | HOUSEHOLDER'S TRANSFORMATION. | 34140 | 101 |
| | HSHCOLMAT PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS H | 31071 | 269 |
| | HSHCOLTAM POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS | 31074 | 269 |
| | HSHCOMCOL TRANSFORMS A COMPLEX VECTOR INTO A VECTOR PROPORTIONAL TO A UNIT VECTOR. | 34355 | 23 |
| | HSHCOMHES TRANSFORMS A COMPLEX MATRIX BY MEANS OF HOUSEHOLDER'S TRANSFORMATION FOLLO | 34366 | 107 |
| ANSFORMATION CORRESPONDING TO | HSHCOMHES. | 34367 | 107 |
| | HSHCOMPRD PREMULTIPLIES A COMPLEX MATRIX WITH A COMPLEX HOUSEHOLDER MATRIX. | 34356 | 23 |
| | HSHDECMUL IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES. | 34602 | 267 |

| | | | |
|---|---|---|---|
| ANSFORMATION CORRESPONDING TO | HSHHRMTRI TRANSFORMS A HERMITIAN MATRIX INTO A SIMILAR REAL SYMMETRIC TRIDIAGONAL MA | 34363 | 105 |
| | HSHHRMTRI, | 34365 | 105 |
| | HSHHRMTRIVAL DELIVERS THE MAIN DIAGONAL ELEMENTS AND THE SQUARES OF THE CODIAGONAL E | 34364 | 105 |
| | HSHREABID TRANSFORMS A MATRIX TO BIDIAGONAL FORM, BY PREMULTIPLYING AND POSTMULTIPLY | 34260 | 109 |
| IX FROM THE DATA GENERATED BY | HSHREABID, | 34261 | 109 |
| IX FROM THE DATA GENERATED BY | HSHREABID, | 34262 | 109 |
| | HSHROWMAT PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS H | 31072 | 269 |
| | HSHROWTAM POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS | 31075 | 269 |
| | HSHVECMAT PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS H | 31070 | 269 |
| | HSHVECTAM POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS | 31073 | 269 |
| | HSH2COL IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34605 | 267 |
| | HSH2ROW2 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34608 | 267 |
| | HSH2ROW3 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34607 | 267 |
| | HSH3COL IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34606 | 267 |
| | HSH3ROW2 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34610 | 267 |
| | HSH3ROW3 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES, | 34609 | 267 |
| COSH COMPUTES THE | HYPERBOLIC COSINE FOR A REAL ARGUMENT X, | 35112 | 181 |
| ARCCOSH COMPUTES THE INVERSE | HYPERBOLIC COSINE FOR A REAL ARGUMENT X, | 35115 | 181 |
| SINH COMPUTES THE | HYPERBOLIC SINE FOR A REAL ARGUMENT X, | 35111 | 181 |
| ARCSINH COMPUTES THE INVERSE | HYPERBOLIC SINE FOR A REAL ARGUMENT X, | 35114 | 181 |
| TANH COMPUTES THE | HYPERBOLIC TANGENT FOR A REAL ARGUMENT X, | 35113 | 181 |
| ARCTANH COMPUTES THE INVERSE | HYPERBOLIC TANGENT FOR A REAL ARGUMENT X, | 35116 | 181 |
| COMPLETE BETA-FUNCTION RATIOS | I(X,P+N,Q) FOR N = 0 (1) NMAX, 0 <= X <= 1, P > 0, Q > 0, | 35051 | 187 |
| THE INCOMPLETE BETA-FUNCTION | I(X,P,Q); 0 <= X <= 1, P > 0, Q > 0, | 35050 | 187 |
| COMPLETE BETA-FUNCTION RATIOS | I(X,P,Q+N) FOR N = 0 (1) NMAX, 0 <= X <= 1, P > 0, Q > 0, | 35052 | 187 |
| | IBPPLUSN COMPUTES INCOMPLETE BETA-FUNCTION RATIOS I(X,P+N,Q) FOR N = 0 (1) NMAX, 0 < | 35051 | 187 |
| | IBQPLUSN COMPUTES INCOMPLETE BETA-FUNCTION RATIOS I(X,P,Q+N) FOR N = 0 (1) NMAX, 0 < | 35052 | 187 |
| | ICHCOL INTERCHANGES TWO COLUMNS OF A MATRIX, | 34031 | 11 |
| | ICHROW INTERCHANGES TWO ROWS OF MATRIX, | 34032 | 11 |
| | ICHROWCOL INTERCHANGES A ROW AND A COLUMN OF A MATRIX, | 34033 | 11 |
| | ICHSEQ INTERCHANGES TWO COLUMNS OF AN UPPERTRIANGULAR MATRIX, WHICH IS STORED COLUMN | 34035 | 11 |
| | ICHSEQVEC INTERCHANGES A ROW AND A COLUMN OF AN UPPERTRIANGULAR MATRIX, WHICH IS STO | 34034 | 11 |
| | ICHVEC INTERCHANGES TWO VECTORS GIVEN IN ARRAY A[L:U] AND ARRAY A[SHIFT + L : SHIFT | 34030 | 11 |
| | IMPEX SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALU | 33135 | 231 |
| ALUE PROBLEM ) BY MEANS OF AN | IMPLICIT, EXPONENTIALLY FITTED 1ST ORDER ONE-STEP METHOD; AUTOMATIC STEP-SIZE CONTRO | 33131 | 165 |
| ALUE PROBLEM ) BY MEANS OF AN | IMPLICIT, EXPONENTIALLY FITTED 1ST ORDER ONE-STEP METHOD;THIS METHOD CAN BE USED TO | 33132 | 221 |
| D BY GSSNRI; THIS SOLUTION IS | IMPROVED ITERATIVELY AN UPPERBOUND FOR THE ERROR IN THE SOLUTION IS CALCULATED, | 34253 | 53 |
| R EQUATIONS; THIS SOLUTION IS | IMPROVED ITERATIVELY AND AN UPPERBOUND FOR THE ERROR IN THE SOLUTION IS CALCULATED, | 34254 | 53 |
| M OR GSSERB, THIS SOLUTION IS | IMPROVED ITERATIVELY, | 34250 | 53 |
| EQUATIONS AND THE SOLUTION IS | IMPROVED ITERATIVELY, | 34251 | 53 |
| SYMEIGINP | IMPROVES AN APPROXIMATION OF A REAL SYMMETRIC EIGENSYSTEM AND CALCULATES ERROR BOUND | 36401 | 301 |
| | INCBETA COMPUTES THE INCOMPLETE BETA-FUNCTION I(X,P,Q); 0 <= X <= 1, P > 0, Q > 0, | 35050 | 187 |
| | INCOMGAM COMPUTES THE INCOMPLETE GAMMA FUNCTIONS, | 35030 | 187 |
| INCBETA COMPUTES THE | INCOMPLETE BETA-FUNCTION I(X,P,Q); 0 <= X <= 1, P > 0, Q > 0, | 35050 | 187 |
| IBPPLUSN COMPUTES | INCOMPLETE BETA-FUNCTION RATIOS I(X,P+N,Q) FOR N = 0 (1) NMAX, 0 <= X <= 1, P > 0, Q | 35051 | 187 |
| IBQPLUSN COMPUTES | INCOMPLETE BETA-FUNCTION RATIOS I(X,P,Q+N) FOR N = 0 (1) NMAX, 0 <= X <= 1, P > 0, Q | 35052 | 187 |
| INCOMGAM COMPUTES THE | INCOMPLETE GAMMA FUNCTIONS, | 35030 | 187 |
| INTCHS COMPUTES THE | INDEFINITE INTEGRAL OF A GIVEN CHEBYSHEV SERIES, | 31248 | 205 |
| S PERFORMS THE SUMMATION OF A | INFINITE SERIES WITH POSITIVE MONOTONICALLY DECREASING TERMS USING THE VAN WIJNGAARD | 32020 | 131 |
| E SUMMATION OF AN ALTERNATING | INFINITE SERIES, | 32010 | 131 |
| INFNRMCOL CALCULATES THE | INFINITY-NORM OF A COLUMN VECTOR, | 31063 | 241 |
| INFNRMMAT CALCULATES THE | INFINITY-NORM OF A MATRIX, | 31064 | 241 |
| INFNRMROW CALCULATES THE | INFINITY-NORM OF A ROW VECTOR, | 31062 | 241 |
| INFNRMVEC CALCULATES THE | INFINITY-NORM OF A VECTOR, | 31061 | 241 |
| | INFNRMCOL CALCULATES THE INFINITY-NORM OF A COLUMN VECTOR, | 31063 | 241 |
| | INFNRMMAT CALCULATES THE INFINITY-NORM OF A MATRIX, | 31064 | 241 |

| | | | |
|---|---|---|---|
| | INFNRMROW CALCULATES THE INFINITY-NORM OF A ROW VECTOR. | 31062 | 241 |
| | INFNRMVEC CALCULATES THE INFINITY-NORM OF A VECTOR. | 31061 | 241 |
| | INI SELECTS A (SUB)SET OF INTEGERS OUT OF A GIVEN SET OF INTEGERS; IT IS AN AUXILIAR | 36020 | 197 |
| | INIMAT INITIALIZES A MATRIX WITH A CONSTANT. | 31011 | 1 |
| | INIMATD INITIALIZES A (CO)DIAGONAL OF A MATRIX. | 31012 | 1 |
| | INISYMD INITIALIZES A (CO)DIAGONAL OF A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STO | 31013 | 1 |
| | INISYMROW INITIALIZES A ROW OF A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COL | 31014 | 1 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL BOUNDARY-VALUE PROBLEM ) BY MEANS OF A STABILIZED RUNGE-KUTTA METHOD, IN PAR | 33066 | 295 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A STABILIZED RUNGE-KUTTA METHOD WITH LIMITED STO | 33061 | 155 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A VARIABLE ORDER MULTISTEP METHOD ADAMS-MOULTON, | 33080 | 151 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A VARIABLE ORDER TAYLOR METHOD; THIS METHOD CAN | 33050 | 169 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 1ST, 2ND OR 3RD ORDER ONE-STEP TAYLOR METHOD; | 33040 | 167 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 1ST, 2ND OR 3RD ORDER, EXPONENTIONALLY FITTED | 33070 | 157 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 3RD ORDER MULTISTEP METHOD; THIS METHOD CAN BE | 33191 | 223 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 3RD ORDER, EXPONENTIALLY FITTED, SEMI-IMPLICIT | 33160 | 159 |
| ORDER DIFFERENTIAL EQUATION ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD. | 33033 | 143 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD. | 33012 | 171 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD. | 33013 | 173 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THE ARC LENGTH I | 33018 | 149 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THE INTEGRATION | 33017 | 147 |
| ORDER DIFFERENTIAL EQUATION ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THIS METHOD CAN | 33014 | 175 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THIS METHOD CAN | 33015 | 177 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF AN EXPONENTIALLY FITTED, 3RD ORDER RUNGE-KUTTA M | 33120 | 161 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF AN IMPLICIT, EXPONENTIALLY FITTED 1ST ORDER ONE- | 33131 | 165 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF AN IMPLICIT, EXPONENTIALLY FITTED 1ST ORDER ONE- | 33132 | 221 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ) BY MEANS OF THE IMPLICIT MIDPOINT RULE WITH SMOOTHING AND EX | 33135 | 231 |
| RDER DIFFERENTIAL EQUATIONS ( | INITIAL VALUE PROBLEM ); BY EXTRAPOLATION, APPLIED TO LOW ORDER RESULTS, A HIGH ORDE | 33180 | 153 |
| INIMATD | INITIALIZES A (CO)DIAGONAL OF A MATRIX. | 31012 | 1 |
| INISYMD | INITIALIZES A (CO)DIAGONAL OF A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLU | 31013 | 1 |
| INIMAT | INITIALIZES A MATRIX WITH A CONSTANT. | 31011 | 1 |
| INISYMROW | INITIALIZES A ROW OF A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN | 31014 | 1 |
| INIVEC | INITIALIZES A VECTOR WITH A CONSTANT. | 31010 | 1 |
| | INIVEC INITIALIZES A VECTOR WITH A CONSTANT. | 31010 | 1 |
| | INTCAP DELIVERS THE INTEGER CAPACITY. | 30005 | 275 |
| | INTCHS COMPUTES THE INDEFINITE INTEGRAL OF A GIVEN CHEBYSHEV SERIES. | 31248 | 205 |
| WHERE U IS A LONG NONNEGATIVE | INTEGER AND POWER IS THE POSITIVE ( SINGLE-LENGTH ) EXPONENT. | 31204 | 201 |
| INTCAP DELIVERS THE | INTEGER CAPACITY. | 30005 | 275 |
| S THE SUM OF LONG NONNEGATIVE | INTEGERS. | 31200 | 201 |
| IFFERENCE OF LONG NONNEGATIVE | INTEGERS. | 31201 | 201 |
| E PRODUCT OF LONG NONNEGATIVE | INTEGERS. | 31202 | 201 |
| REMAINDER OF LONG NONNEGATIVE | INTEGERS. | 31203 | 201 |
| EI CALCULATES THE EXPONENTIAL | INTEGRAL , | 35080 | 183 |
| | INTEGRAL CALCULATES THE DEFINITE INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINIT | 32051 | 135 |
| INTEGRAL SI(X) AND THE COSINE | INTEGRAL CI(X). | 35084 | 185 |
| QADRAT COMPUTES THE DEFINITE | INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINITE INTERVAL. | 32070 | 133 |
| EGRAL CALCULATES THE DEFINITE | INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINITE OR INFINITE INTERVAL OR OVER A | 32051 | 135 |
| TRICUB COMPUTES THE DEFINITE | INTEGRAL OF A FUNCTION OF TWO VARIABLES OVER A TRIANGULAR DOMAIN. | 32075 | 257 |
| NTCHS COMPUTES THE INDEFINITE | INTEGRAL OF A GIVEN CHEBYSHEV SERIES. | 31248 | 205 |
| SINCOSINT CALCULATES THE SINE | INTEGRAL SI(X) AND THE COSINE INTEGRAL CI(X). | 35084 | 185 |
| RESNEL CALCULATES THE FRESNEL | INTEGRALS C(X) AND S(X). | 35027 | 227 |
| TES A SEQUENCE OF EXPONENTIAL | INTEGRALS E(N,X) = THE INTEGRAL FROM 1 TO INFINITY OF EXP(-X * T) T**N DT. | 35086 | 183 |
| ICHROWCOL | INTERCHANGES A ROW AND A COLUMN OF A MATRIX. | 34033 | 11 |
| ICHSEQVEC | INTERCHANGES A ROW AND A COLUMN OF AN UPPERTRIANGULAR MATRIX, WHICH IS STORED COLUMN | 34034 | 11 |
| ICHCOL | INTERCHANGES TWO COLUMNS OF A MATRIX. | 34031 | 11 |
| ICHSEQ | INTERCHANGES TWO COLUMNS OF AN UPPERTRIANGULAR MATRIX, WHICH IS STORED COLUMNWISE IN | 34035 | 11 |
| ICHROW | INTERCHANGES TWO ROWS OF MATRIX. | 34032 | 11 |



CWI

| | | | |
|---|---|---|---|
| ICHVEC | INTERCHANGES TWO VECTORS GIVEN IN ARRAY A[L:U] AND ARRAY A[SHIFT + L : SHIFT + U]. | 34030 | 11 |
| WTON POLYNOMIAL THROUGH GIVEN | INTERPOLATION POINTS AND CORRESPONDING FUNCTION VALUES. | 36010 | 195 |
| | INV CALCULATES THE INVERSE OF A MATRIX THAT HAS BEEN TRIANGULARLY DECOMPOSED BY DEC. | 34053 | 51 |
| | INVERSE ERROR FUNCTION CALCULATES THE INVERSE ERROR FUNCTION Y = INVERF(X). | 35023 | 227 |
| ARCCOSH COMPUTES THE | INVERSE HYPERBOLIC COSINE FOR A REAL ARGUMENT X. | 35115 | 181 |
| ARCSINH COMPUTES THE | INVERSE HYPERBOLIC SINE FOR A REAL ARGUMENT X. | 35114 | 181 |
| ARCTANH COMPUTES THE | INVERSE HYPERBOLIC TANGENT FOR A REAL ARGUMENT X. | 35116 | 181 |
| RIDIAGONAL MATRIX BY MEANS OF | INVERSE ITERATION. | 34152 | 111 |
| AND EIGENVECTORS BY MEANS OF | INVERSE ITERATION. | 34156 | 113 |
| AND EIGENVECTORS BY MEANS OF | INVERSE ITERATION. | 34154 | 113 |
| HESSENBERG MATRIX BY MEANS OF | INVERSE ITERATION. | 34181 | 115 |
| HESSENBERG MATRIX BY MEANS OF | INVERSE ITERATION. | 34191 | 115 |
| CALCULATES THE 1-NORM OF THE | INVERSE MATRIX. | 34252 | 45 |
| GSSINVERB CALCULATES THE | INVERSE OF A MATRIX AND 1-NORM, AN UPPERBOUND FOR THE ERROR IN THE INVERSE MATRIX IS | 34244 | 51 |
| INV CALCULATES THE | INVERSE OF A MATRIX THAT HAS BEEN TRIANGULARLY DECOMPOSED BY DEC. | 34053 | 51 |
| INV1 CALCULATES THE | INVERSE OF A MATRIX THAT HAS BEEN TRIANGULARLY DECOMPOSED BY GSSELM OR GSSERB,THE 1- | 34235 | 51 |
| DECINV CALCULATES THE | INVERSE OF A MATRIX WHOSE ORDER IS SMALL RELATIVE TO THE NUMBER OF BINARY DIGITS IN | 34302 | 51 |
| CALCULATES THE 1-NORM OF THE | INVERSE OF A MATRIX WHOSE TRIANGULARLY DECOMPOSED FORM IS DELIVERED BY GSSELM. | 34240 | 45 |
| GSSINV CALCULATES THE | INVERSE OF A MATRIX. | 34236 | 51 |
| CHLDECINV2 CALCULATES THE | INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX BY CHOLESKY'S SQUARE ROOT METHOD; TH | 34402 | 61 |
| CHLDECINV1 CALCULATES THE | INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX BY CHOLESKY'S SQUARE ROOT METHOD; TH | 34403 | 61 |
| CHLINV2 CALCULATES THE | INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX, IF THE MATRIX HAS BEEN DECOMPOSED B | 34400 | 61 |
| CHLINV1 CALCULATES THE | INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX, IF THE MATRIX HAS BEEN DECOMPOSED B | 34401 | 61 |
| SYMDECINV2 CALCULATES THE | INVERSE OF A SYMMETRIC MATRIX BY A SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE | 34710 | 283 |
| SYMDECINV1 CALCULATES THE | INVERSE OF A SYMMETRIC MATRIX BY A SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE | 34711 | 283 |
| SYMINV1 CALCULATES THE | INVERSE OF A SYMMETRIC MATRIX, USING THE SYMMETRIC DECOMPOSITION FORMED BY SYMDEC1 O | 34709 | 283 |
| SYMINV2 CALCULATES THE | INVERSE OF A SYMMETRIC MATRIX, USING THE SYMMETRIC DECOMPOSITION FORMED BY SYMDEC2 O | 34708 | 281 |
| LSQINV CALCULATES THE | INVERSE OF THE MATRIX S'S, WHERE S IS THE COEFFICIENT MATRIX OF A LINEAR LEAST SQUAR | 34136 | 207 |
| | INV1 CALCULATES THE INVERSE OF A MATRIX THAT HAS BEEN TRIANGULARLY DECOMPOSED BY GSS | 34235 | 51 |
| AL MATRIX BY MEANS OF INVERSE | ITERATION. | 34152 | 111 |
| IAGONAL MATRIX BY MEANS OF QR | ITERATION. | 34160 | 111 |
| IAGONAL MATRIX BY MEANS OF QR | ITERATION. | 34161 | 111 |
| ENVECTORS BY MEANS OF INVERSE | ITERATION. | 34156 | 113 |
| ENVECTORS BY MEANS OF INVERSE | ITERATION. | 34154 | 113 |
| MMETRIC MATRIX BY MEANS OF QR | ITERATION. | 34164 | 113 |
| MMETRIC MATRIX BY MEANS OF QR | ITERATION. | 34162 | 113 |
| MMETRIC MATRIX BY MEANS OF QR | ITERATION. | 34163 | 113 |
| E REAL, BY MEANS OF SINGLE QR | ITERATION. | 34180 | 115 |
| RG MATRIX BY MEANS OF INVERSE | ITERATION. | 34181 | 115 |
| E REAL, BY MEANS OF SINGLE QR | ITERATION. | 34186 | 115 |
| MATRIX BY MEANS OF DOUBLE QR | ITERATION. | 34190 | 115 |
| RG MATRIX BY MEANS OF INVERSE | ITERATION. | 34191 | 115 |
| OF A NON-STATIONARY 2ND ORDER | ITERATIVE METHOD. | 33170 | 225 |
| OF A NON-STATIONARY 2ND ORDER | ITERATIVE METHOD, WHICH IS AN ACCELERATION OF RICHARDSON'S METHOD. | 33171 | 225 |
| RI; THIS SOLUTION IS IMPROVED | ITERATIVELY AN UPPERBOUND FOR THE ERROR IN THE SOLUTION IS CALCULATED. | 34253 | 53 |
| NS; THIS SOLUTION IS IMPROVED | ITERATIVELY AND AN UPPERBOUND FOR THE ERROR IN THE SOLUTION IS CALCULATED. | 34254 | 53 |
| RB. THIS SOLUTION IS IMPROVED | ITERATIVELY. | 34250 | 53 |
| AND THE SOLUTION IS IMPROVED | ITERATIVELY. | 34251 | 53 |
| | ITISOL SOLVES A SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMP | 34250 | 53 |
| | ITISOLERB SOLVES A SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS TRIANGULARLY DECOMPOS | 34253 | 53 |
| | IXPFIX IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS. | 35054 | 187 |
| | IXQFIX IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS. | 35053 | 187 |
| CISSAE AND WEIGHTS FOR GAUSS- | JACOBI QUADRATURE. | 31425 | 291 |
| LINEAR EQUATIONS OF WHICH THE | JACOBIAN ( BEING A BAND MATRIX ) IS GIVEN. | 34430 | 217 |
| LINEAR EQUATIONS OF WHICH THE | JACOBIAN IS A BAND MATRIX. | 34431 | 217 |
| JACOBNMF CALCULATES THE | JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF M VARIABLES USING FORWARD DIFFERENCE | 34438 | 213 |

| | | | |
|---|---|---|---|
| JACOBNNF CALCULATES THE | JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF N VARIABLES USING FORWARD DIFFERENCE | 34437 | 213 |
| JACOBNBNDF CALCULATES THE | JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF N VARIABLES, IF THE JACOBIAN IS KNOW | 34439 | 213 |
| | JACOBNBNDF CALCULATES THE JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF N VARIABLE | 34439 | 213 |
| | JACOBNMF CALCULATES THE JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF M VARIABLES | 34438 | 213 |
| | JACOBINF CALCULATES THE JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF N VARIABLES | 34437 | 213 |
| | JFRAC CALCULATES A TERMINATING CONTINUED FRACTION. | 35083 | 41 |
| CISSAE AND WEIGHTS FOR GAUSS- | LAGRANGE QUADRATURE. | 31427 | 291 |
| CALCULATES THE MODULUS OF THE | LARGEST ELEMENT OF A MATRIX AND DELIVERS THE INDICES OF THE MAXIMAL ELEMENT. | 31069 | 241 |
| GIANT DELIVERS THE | LARGEST REPRESENTABLE REAL NUMBER. | 30004 | 275 |
| LSQORTDECSOL SOLVES A LINEAR | LEAST SQUARES PROBLEM BY HOUSEHOLDER TRIANGULARIZATION WITH COLUMN INTERCHANGES AND | 34135 | 65 |
| LSQSOL SOLVES A LINEAR | LEAST SQUARES PROBLEM IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY LSQORTDEC. | 34131 | 65 |
| GES OF THE MATRIX OF A LINEAR | LEAST SQUARES PROBLEM. | 34134 | 63 |
| OEFFICIENT MATRIX OF A LINEAR | LEAST SQUARES PROBLEM. | 34136 | 207 |
| MARQUARDT CALCULATES THE | LEAST SQUARES SOLUTION OF AN OVERDETERMINED SYSTEM OF NON-LINEAR EQUATIONS WITH MARQ | 34440 | 219 |
| GSSNEWTON CALCULATES THE | LEAST SQUARES SOLUTION OF AN OVERDETERMINED SYSTEM OF NON-LINEAR EQUATIONS WITH THE | 34441 | 219 |
| VES THE HOMOGENEOUS SYSTEM OF | LINEAR EQUATIONS A * X = 0 AND X' * A = 0, WHERE "A" DENOTES A MATRIX AND "X" A VECT | 34284 | 71 |
| GSSSOLERB SOLVES A SYSTEM OF | LINEAR EQUATIONS AND CALCULATES A ROUGH UPPERBOUND FOR THE RELATIVE ERROR IN THE CAL | 34243 | 49 |
| OF THE MATRIX OF A SYSTEM OF | LINEAR EQUATIONS AND CALCULATES AN UPPERBOUND FOR THE RELATIVE ERROR IN THE SOLUTION | 34242 | 45 |
| OLVES A TRIDIAGONAL SYSTEM OF | LINEAR EQUATIONS AND PERFORMS THE TRIANGULAR DECOMPOSITION WITH PARTIAL PIVOTING. | 34428 | 83 |
| OLVES A TRIDIAGONAL SYSTEM OF | LINEAR EQUATIONS AND PERFORMS THE TRIANGULAR DECOMPOSITION WITHOUT PIVOTING. | 34425 | 83 |
| MMETRIC TRIDIAGONAL SYSTEM OF | LINEAR EQUATIONS AND PERFORMS THE TRIDIAGONAL DECOMPOSITION. | 34422 | 93 |
| GSSITISOL SOLVES A SYSTEM OF | LINEAR EQUATIONS AND THE SOLUTION IS IMPROVED ITERATIVELY. | 34251 | 53 |
| DEFINITE SYMMETRIC SYSTEM OF | LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX SHOULD BE | 34392 | 59 |
| DEFINITE SYMMETRIC SYSTEM OF | LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX SHOULD BE | 34393 | 59 |
| DECSOLBND SOLVES A SYSTEM OF | LINEAR EQUATIONS BY GAUSSIAN ELIMINATION WITH PARTIAL PIVOTING IF THE COEFFICIENT MA | 34322 | 79 |
| SOLVES A SYMMETRIC SYSTEM OF | LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MA | 34706 | 281 |
| SOLVES A SYMMETRIC SYSTEM OF | LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MA | 34707 | 281 |
| DEFINITE SYMMETRIC SYSTEM OF | LINEAR EQUATIONS BY THE METHOD OF CONJUGATE GRADIENTS. | 34220 | 95 |
| CHLSOL1 SOLVES A SYSTEM OF | LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY CHLDEC1 OR CHLDECS | 34391 | 59 |
| CHLSOL2 SOLVES A SYSTEM OF | LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY CHLDEC2 OR CHLDECS | 34390 | 59 |
| SYMSOL1 SOLVES A SYSTEM OF | LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY SYMDEC1 OR SYMDECS | 34705 | 281 |
| SYMSOL2 SOLVES A SYSTEM OF | LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY SYMDEC2 OR SYMDECS | 34704 | 281 |
| VES THE HOMOGENEOUS SYSTEM OF | LINEAR EQUATIONS OF EQUATIONS A * X = 0 AND X' * A = 0, WHERE "A" DENOTES A MATRIX A | 34285 | 71 |
| OLVES A TRIDIAGONAL SYSTEM OF | LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34424 | 83 |
| OLVES A TRIDIAGONAL SYSTEM OF | LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34427 | 83 |
| SOL SOLVES THE SYSTEM OF | LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY DEC. | 34051 | 49 |
| SOLELM SOLVES A SYSTEM OF | LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY GSSELM OR GSSERB. | 34061 | 49 |
| ITISOL SOLVES A SYSTEM OF | LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY GSSELM OR GSSERB. | 34250 | 53 |
| ITISOLERB SOLVES A SYSTEM OF | LINEAR EQUATIONS WHOSE MATRIX HAS TRIANGULARLY DECOMPOSED BY GSSNRI; THIS SOLUTION I | 34253 | 53 |
| N THE SOLUTION OF A SYSTEM OF | LINEAR EQUATIONS WHOSE MATRIX IS TRIANGULARLY DECOMPOSED BY GSSELM. | 34241 | 45 |
| DECSOL SOLVES A SYSTEM OF | LINEAR EQUATIONS WHOSE ORDER IS SMALL RELATIVE TO THE NUMBER OF BINARY DIGITS IN THE | 34301 | 49 |
| RICHARDSON SOLVES A SYSTEM OF | LINEAR EQUATIONS WITH POSITIVE REAL EIGENVALUES ( ELLIPTIC BOUNDARY VALUE PROBLEM ) | 33170 | 225 |
| LIMINATION SOLVES A SYSTEM OF | LINEAR EQUATIONS WITH POSITIVE REAL EIGENVALUES ( ELLIPTIC BOUNDARY VALUE PROBLEM ) | 33171 | 225 |
| GSSSOL SOLVES A SYSTEM OF | LINEAR EQUATIONS. | 34232 | 49 |
| S AN OVERDETERMINED SYSTEM OF | LINEAR EQUATIONS. | 34281 | 67 |
| AN UNDERDETERMINED SYSTEM OF | LINEAR EQUATIONS. | 34283 | 69 |
| SITISOLERB SOLVES A SYSTEM OF | LINEAR EQUATIONS; THIS SOLUTION IS IMPROVED ITERATIVELY AND AN UPPERBOUND FOR THE ER | 34254 | 53 |
| S AN OVERDETERMINED SYSTEM OF | LINEAR EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PSEUDO-INVERSE OF THE GIVEN | 34280 | 67 |
| AN UNDERDETERMINED SYSTEM OF | LINEAR EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PSEUDO-INVERSE OF THE GIVEN | 34282 | 69 |
| SOLBND SOLVES A SYSTEM OF | LINEAR EQUATIONS, THE MATRIX BEING DECOMPOSED BY DECBND. | 34071 | 79 |
| MMETRIC TRIDIAGONAL SYSTEM OF | LINEAR EQUATIONS, THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34421 | 93 |
| LSQORTDECSOL SOLVES A | LINEAR LEAST SQUARES PROBLEM BY HOUSEHOLDER TRIANGULARIZATION WITH COLUMN INTERCHANG | 34135 | 65 |
| LSQSOL SOLVES A | LINEAR LEAST SQUARES PROBLEM IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY LSQORT | 34131 | 65 |
| TERCHANGES OF THE MATRIX OF A | LINEAR LEAST SQUARES PROBLEM. | 34134 | 63 |
| S THE COEFFICIENT MATRIX OF A | LINEAR LEAST SQUARES PROBLEM. | 34136 | 207 |
| A POSITIVE DEFINITE SYMMETRIC | LINEAR SYSTEM AND PERFORMS THE TRIANGULAR DECOMPOSITION BY CHOLESKY'S METHOD. | 34333 | 89 |

2-nd REVISION, 1977

CWI

| | | |
|---|---|---|
| A POSITIVE DEFINITE SYMMETRIC | LINEAR SYSTEM, THE TRIANGULAR DECOMPOSITION BEING GIVEN, | 34332 89 |
| FEMHERMSYM SOLVES A | LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A FOURTH ORDER SELF-ADJOINT DIFFERENTIAL | 33303 265 |
| FEMLAGSKEW SOLVES A | LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER DIFFERENTIAL EQUATION BY | 33302 263 |
| FEMLAGSYM SOLVES A | LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJOINT DIFFERENTIAL | 33300 261 |
| FEMLAG SOLVES A | LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJOINT DIFFERENTIAL | 33301 261 |
| | LINEMIN MINIMIZES A FUNCTION OF SEVERAL VARIABLES IN A GIVEN DIRECTION, | 34210 139 |
| | LINIGER1VS SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL | 33132 221 |
| | LINIGER2 SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL V | 33131 165 |
| | LNGADD ADDS TWO DOUBLE PRECISION NUMBERS, | 31105 271 |
| | LNGDIV DIVIDES TWO DOUBLE PRECISION NUMBERS, | 31108 271 |
| | LNGFULMATVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE PRODUCT A * B, WHERE A IS | 31505 285 |
| | LNGFULSYMMATVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE PRODUCT A * B, WHERE A | 31507 285 |
| | LNGFULTAMVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE PRODUCT A' * B, WHERE A' | 31506 285 |
| | LNGINTADD COMPUTES THE SUM OF LONG NONNEGATIVE INTEGERS, | 31200 201 |
| | LNGINTDIVIDE COMPUTES THE QUOTIENT WITH REMAINDER OF LONG NONNEGATIVE INTEGERS, | 31203 201 |
| | LNGINTMULT COMPUTES THE PRODUCT OF LONG NONNEGATIVE INTEGERS, | 31202 201 |
| | LNGINTPOWER COMPUTES U**POWER, WHERE U IS A LONG NONNEGATIVE INTEGER AND POWER IS TH | 31204 201 |
| | LNGINTSUBTRACT COMPUTES THE DIFFERENCE OF LONG NONNEGATIVE INTEGERS, | 31201 201 |
| | LNGMATMAT CALCULATES THE SCALAR PRODUCT OF A ROW OF A VECTOR AND A COLUMN VECTOR BY | 34413 285 |
| | LNGMATTAM CALCULATES THE SCALAR PRODUCT OF TWO ROW VECTORS BY DOUBLE PRECISION ARITH | 34415 285 |
| | LNGMATVEC CALCULATES THE SCALAR PRODUCT OF A VECTOR AND A ROW VECTOR BY DOUBLE PRECI | 34411 285 |
| | LNGMUL MULTIPLIES TWO DOUBLE PRECISION NUMBERS, | 31107 271 |
| | LNGPOW COMPUTES THE DOUBLE PRECISION POWER OF A DOUBLE PRECISION NUMBER, | 31110 271 |
| | LNGREATODECI CONVERTS A DOUBLE PRECISION NUMBER TO ITS DECIMAL REPRESENTATION, | 31100 289 |
| | LNGRESVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE RESIDUAL VECTOR A * B + X * | 31508 285 |
| | LNGSCAPRD1 CALCULATES THE SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARR | 34417 285 |
| | LNGSEQVEC CALCULATES THE SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRA | 34416 285 |
| | LNGSUB SUBTRACTS TWO DOUBLE PRECISION NUMBERS, | 31106 271 |
| | LNGSYMMATVEC CALCULATES THE SCALAR PRODUCT OF A VECTOR GIVEN IN A ONE-DIMENSIONAL AR | 34418 285 |
| | LNGSYMRESVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE RESIDUAL VECTOR A * B + X | 31509 285 |
| | LNGTAMMAT CALCULATES THE SCALAR PRODUCT OF TWO COLUMN VECTORS BY DOUBLE PRECISION AR | 34414 285 |
| | LNGTAMVEC CALCULATES THE SCALAR PRODUCT OF A VECTOR AND A COLUMN VECTOR BY DOUBLE PR | 34412 285 |
| | LNGVECVEC CALCULATES THE SCALAR PRODUCT OF TWO VECTORS BY DOUBLE LENTGH ARITHMETIC, | 34410 285 |
| | LOG GAMMA CALCULATES THE NATURAL LOGARITHM OF THE GAMMA FUNCTION FOR POSITIVE ARGUME | 35062 187 |
| GAMMA CALCULATES THE NATURAL | LOGARITHM OF THE GAMMA FUNCTION FOR POSITIVE ARGUMENTS, | 35062 187 |
| MPUTES U**POWER, WHERE U IS A | LONG NONNEGATIVE INTEGER AND POWER IS THE POSITIVE ( SINGLE-LENGTH ) EXPONENT, | 31204 201 |
| LNGINTADD COMPUTES THE SUM OF | LONG NONNEGATIVE INTEGERS, | 31200 201 |
| CT COMPUTES THE DIFFERENCE OF | LONG NONNEGATIVE INTEGERS, | 31201 201 |
| TMULT COMPUTES THE PRODUCT OF | LONG NONNEGATIVE INTEGERS, | 31202 201 |
| HE QUOTIENT WITH REMAINDER OF | LONG NONNEGATIVE INTEGERS, | 31203 201 |
| | LSQDGLINV CALCULATES THE DIAGONAL ELEMENTS OF THE INVERSE OF M'M, WHERE M IS THE COE | 34132 63 |
| | LSQINV CALCULATES THE INVERSE OF THE MATRIX S'S, WHERE S IS THE COEFFICIENT MATRIX O | 34136 207 |
| | LSQORTDEC DELIVERS THE HOUSEHOLDER TRIANGULARIZATION WITH COLUMN INTERCHANGES OF THE | 34134 63 |
| | LSQORTDECSOL SOLVES A LINEAR LEAST SQUARES PROBLEM BY HOUSEHOLDER TRIANGULARIZATION | 34135 65 |
| | LSQSOL SOLVES A LINEAR LEAST SQUARES PROBLEM IF THE COEFFICIENT MATRIX HAS BEEN DECO | 34131 65 |
| | LUPZERORTPOL CALCULATES A NUMBER OF ADJACENT UPPER OR LOWER ZEROS OF AN ORTHOGONAL P | 31363 211 |
| | MARQUARDT CALCULATES THE LEAST SQUARES SOLUTION OF AN OVERDETERMINED SYSTEM OF NON-L | 34440 219 |
| | MATMAT := SCALAR PRODUCT OF A ROW VECTOR AND A COLUMN VECTOR, | 34013 7 |
| DUPMAT COPIES A | MATRIX INTO ANOTHER MATRIX, | 31035 3 |
| OMPRD PREMULTIPLIES A COMPLEX | MATRIX WITH A COMPLEX HOUSEHOLDER MATRIX, | 34356 23 |
| INIMAT INITIALIZES A | MATRIX WITH A CONSTANT, | 31011 1 |
| ULATES THE INFINITY-NORM OF A | MATRIX, | 31064 241 |
| AT CALCULATES THE 1-NORM OF A | MATRIX, | 31068 241 |
| | MATTAM := SCALAR PRODUCT OF A ROW VECTOR AND A ROW VECTOR, | 34015 7 |
| | MATVEC := SCALAR PRODUCT OF A ROW VECTOR AND A VECTOR, | 34011 7 |
| | MAXELMROW ADDS A CONSTANT TIMES A ROW VECTOR TO A ROW VECTOR, MAXELMROW:=THE SUBSCRI | 34025 9 |

2-nd REVISION, 1977

CWI

| | | | |
|---|---|---|---|
| A ROW VECTOR TO A ROW VECTOR, | MAXELNROW;=THE SUBSCRIPT OF AN ELEMENT OF THE NEW ROW VECTOR WHICH IS OF MAXIMUM ABS | 34025 | 9 |
| | MBASE DELIVERS THE BASE OF THE ARITHMETIC OF THE COMPUTOR, | 30001 | 275 |
| | MERGESORT DELIVERS A PERMUTATION OF INDICES CORRESPONDING TO SORTING THE ELEMENTS OF | 36405 | 297 |
| MININ | MINIMIZES A FUNCTION OF ONE VARIABLE IN A GIVEN INTERVAL, | 34433 | 235 |
| MININDER | MINIMIZES A FUNCTION OF ONE VARIABLE IN A GIVEN INTERVAL, USING VALUES OF THE FUNCTI | 34435 | 237 |
| LINEMIN | MINIMIZES A FUNCTION OF SEVERAL VARIABLES IN A GIVEN DIRECTION, | 34210 | 139 |
| RNK1MIN | MINIMIZES A FUNCTION OF SEVERAL VARIABLES, | 34214 | 19 |
| FLEMIN | MINIMIZES A FUNCTION OF SEVERAL VARIABLES, | 34215 | 19 |
| PRAXIS | MINIMIZES A FUNCTION OF SEVERAL VARIABLES, | 34432 | 239 |
| | MININ MINIMIZES A FUNCTION OF ONE VARIABLE IN A GIVEN INTERVAL, | 34433 | 235 |
| | MININDER MINIMIZES A FUNCTION OF ONE VARIABLE IN A GIVEN INTERVAL, USING VALUES OF T | 34435 | 237 |
| | MINMAXPOL CALCULATES THE COEFFICIENTS OF THE POLYNOMIAL THAT APPROXIMATES A FUNCTION | 36022 | 197 |
| BESS I1 CALCULATES THE | MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE, | 35171 | 255 |
| NONEXP BESS I1 CALCULATES THE | MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE; THE RESULT IS MULTIPLIED BY E | 35176 | 255 |
| BESS I0 CALCULATES THE | MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO, | 35170 | 255 |
| NONEXP BESS I0 CALCULATES THE | MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO; THE RESULT IS MULTIPLIED BY | 35175 | 255 |
| BESS IAPLUSN CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGU | 35190 | 251 |
| P BESS IAPLUSN CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGU | 35193 | 251 |
| BESS I CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ), | 35172 | 255 |
| NONEXP BESS I CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ); THE RESULT IS | 35177 | 255 |
| NEXP BESS KA01 CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A AND A+1, A>=0 AND ARGUMENT X, X | 35194 | 251 |
| BESS KA01 CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A AND A+1, A>=0, AND ARGUMENT X, | 35191 | 251 |
| P BESS KAPLUSN CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGU | 35195 | 251 |
| BESS KAPLUSN CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A+N, N=0,...,NMAX , A>=0, AND ARG | 35192 | 251 |
| BESS K CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X | 35174 | 255 |
| NONEXP BESS K CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X | 35179 | 255 |
| ONEXP BESS K01 CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER ZERO AND ONE WITH ARGUMENT X, X>0 | 35178 | 255 |
| BESS K01 CALCULATES THE | MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDERS ZERO AND ONE WITH ARGUMENT X, X | 35173 | 255 |
| TRIX COLUMNS ACCORDING TO THE | MODIFIED GRAM-SMIDT METHOD, | 36402 | 299 |
| P SPHER BESS I CALCULATES THE | MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND MULTIPIED BY EXP(-X); I(K+.5)(X) | 35154 | 247 |
| SPHER BESS I CALCULATES THE | MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND; I(K+.5)(X)*SQRT(PI (2*X)), K=0, | 35152 | 247 |
| P SPHER BESS K CALCULATES THE | MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND MULTIPLIED BY EXP(+X); K(I+.5)(X | 35155 | 247 |
| SPHER BESS K CALCULATES THE | MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND; K(I+.5)(X)*SQRT(PI (2*X)), I=0, | 35153 | 247 |
| | MODIFIED TAYLOR SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE | 33040 | 167 |
| COMABS CALCULATES THE | MODULUS OF A COMPLEX NUMBER, | 34340 | 35 |
| | MULCOL STORES A CONSTANT MULTIPLIED BY A COLUMN VECTOR INTO A COLUMN VECTOR, | 31022 | 5 |
| | MULROW STORES A CONSTANT MULTIPLIED BY A ROW VECTOR INTO A ROW VECTOR, | 31021 | 5 |
| MULCOL STORES A CONSTANT | MULTIPLIED BY A COLUMN VECTOR INTO A COLUMN VECTOR, | 31022 | 5 |
| MULROW STORES A CONSTANT | MULTIPLIED BY A ROW VECTOR INTO A ROW VECTOR, | 31021 | 5 |
| MULVEC STORES A CONSTANT | MULTIPLIED BY A VECTOR INTO A VECTOR, | 31020 | 5 |
| COLCST | MULTIPLIES A COLUMN VECTOR BY A CONSTANT, | 31131 | 5 |
| COMCOLCST | MULTIPLIES A COMPLEX COLUMN VECTOR BY A COMPLEX NUMBER, | 34352 | 21 |
| COMROWCST | MULTIPLIES A COMPLEX ROW VECTOR BY A COMPLEX NUMBER, | 34353 | 21 |
| ROWCST | MULTIPLIES A ROW VECTOR BY A CONSTANT, | 31132 | 5 |
| LNGMUL | MULTIPLIES TWO DOUBLE PRECISION NUMBERS, | 31107 | 271 |
| DPMUL | MULTIPLIES TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION PRODUCT, | 31103 | 271 |
| LEM ) BY MEANS OF A 3RD ORDER | MULTISTEP METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS, | 33191 | 223 |
| | MULTISTEP SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLE | 33080 | 151 |
| | MULVEC STORES A CONSTANT MULTIPLIED BY A VECTOR INTO A VECTOR, | 31020 | 5 |
| LOG GAMMA CALCULATES THE | NATURAL LOGARITHM OF THE GAMMA FUNCTION FOR POSITIVE ARGUMENTS, | 35062 | 187 |
| OF THE 2ND KIND ( ALSO CALLED | NEUMANN'S FUNCTIONS ) OF ORDER A AND A+1 ( A>=0 ) AND ARGUMENT X>0, | 35181 | 249 |
| | NEWGRN TRANSFORMS A POLYNOMIAL FROM THE NEWTON FORM INTO THE GRUNERT FORM, | 31050 | 43 |
| | NEWTON CALCULATES THE COEFFICIENTS OF THE NEWTON POLYNOMIAL THROUGH GIVEN INTERPOLAT | 36010 | 195 |
| NSFORMS A POLYNOMIAL FROM THE | NEWTON FORM INTO THE GRUNERT FORM, | 31050 | 43 |
| QUANEW3ND SOLVES A SYSTEM OF | NON-LINEAR EQUATIONS OF WHICH THE JACOBIAN ( BEING A BAND MATRIX ) IS GIVEN, | 34430 | 217 |
| QUANEW8ND1 SOLVES A SYSTEM OF | NON-LINEAR EQUATIONS OF WHICH THE JACOBIAN IS A BAND MATRIX, | 34431 | 217 |




CDC

| | | | |
|---|---|---|---|
| F AN OVERDETERMINED SYSTEM OF | NON-LINEAR EQUATIONS WITH MARQUARDT'S METHOD. | 34440 | 219 |
| F AN OVERDETERMINED SYSTEM OF | NON-LINEAR EQUATIONS WITH THE GAUSS-NEWTON METHOD. | 34441 | 219 |
| | NONEXP BESS I CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( | 35177 | 255 |
| | NONEXP BESS IAPLUSN CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDE | 35193 | 251 |
| | NONEXP BESS I0 CALCULATES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO | 35175 | 255 |
| | NONEXP BESS I1 CALCULATES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE, | 35176 | 255 |
| | NONEXP BESS K CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER L ( | 35179 | 255 |
| | NONEXP BESS KAPLUSN CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDE | 35195 | 251 |
| | NONEXP BESS KA01 CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A | 35194 | 251 |
| | NONEXP BESS K01 CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER ZE | 35178 | 255 |
| | NONEXP ENX COMPUTES A SEQUENCE OF INTEGRALS EXP(X) * E(N,X). | 35087 | 183 |
| | NONEXP SPHER BESS I CALCULATES THE MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 1ST KI | 35154 | 247 |
| | NONEXP SPHER BESS K CALCULATES THE MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 3RD KI | 35155 | 247 |
| | NONEXPERFC COMPUTES ERFC(X) * EXP(X*X). | 35022 | 227 |
| | NORDERPOL EVALUATES THE FIRST K NORMALIZED DERIVATIVES OF A POLYNOMIAL ( I.E. J-TH D | 31242 | 245 |
| RMCOL CALCULATES THE INFINITY- | NORM OF A COLUMN VECTOR. | 31063 | 241 |
| ONENRMCOL CALCULATES THE 1- | NORM OF A COLUMN VECTOR. | 31067 | 241 |
| CNRM CALCULATES THE EUCLIDEAN | NORM OF A COMPLEX MATRIX WITH LW LOWER CODIAGONALS. | 34359 | 31 |
| RMMAT CALCULATES THE INFINITY- | NORM OF A MATRIX. | 31064 | 241 |
| ONENRMMAT CALCULATES THE 1- | NORM OF A MATRIX. | 31068 | 241 |
| RMROW CALCULATES THE INFINITY- | NORM OF A ROW VECTOR. | 31062 | 241 |
| ONENRMROW CALCULATES THE 1- | NORM OF A ROW VECTOR. | 31066 | 241 |
| RMVEC CALCULATES THE INFINITY- | NORM OF A VECTOR. | 31061 | 241 |
| ONENRMVEC CALCULATES THE 1- | NORM OF A VECTOR. | 31065 | 241 |
| POSITION AND CALCULATES THE 1- | NORM OF THE INVERSE MATRIX. | 34252 | 45 |
| ONENRMINV CALCULATES THE 1- | NORM OF THE INVERSE OF A MATRIX WHOSE TRIANGULARLY DECOMPOSED FORM IS DELIVERED BY G | 34240 | 45 |
| THE INVERSE OF A MATRIX AND 1- | NORM, AN UPPERBOUND FOR THE ERROR IN THE INVERSE MATRIX IS ALSO GIVEN. | 34244 | 51 |
| RDERPOL EVALUATES THE FIRST K | NORMALIZED DERIVATIVES OF A POLYNOMIAL ( I.E. J-TH DERIVATIVE (J FACTORIAL) ), J=0,1 | 31242 | 245 |
| CONSCL | NORMALIZES REAL AND COMPLEX EIGENVECTORS. | 34193 | 29 |
| SCLCOM | NORMALIZES THE COLUMNS OF A COMPLEX MATRIX. | 34360 | 29 |
| REASCL | NORMALIZES THE COLUMNS OF A TWO-DIMENSIONAL ARRAY. | 34183 | 17 |
| | ONENRMCOL CALCULATES THE 1-NORM OF A COLUMN VECTOR. | 31067 | 241 |
| | ONENRMINV CALCULATES THE 1-NORM OF THE INVERSE OF A MATRIX WHOSE TRIANGULARLY DECOMP | 34240 | 45 |
| | ONENRMMAT CALCULATES THE 1-NORM OF A MATRIX. | 31068 | 241 |
| | ONENRMROW CALCULATES THE 1-NORM OF A ROW VECTOR. | 31066 | 241 |
| | ONENRMVEC CALCULATES THE 1-NORM OF A VECTOR. | 31065 | 241 |
| BESS J1 CALCULATES THE | ORDINARY BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE. | 35161 | 253 |
| BESS J0 CALCULATES THE | ORDINARY BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO. | 35160 | 253 |
| BESS J CALCULATES THE | ORDINARY BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ). | 35162 | 253 |
| BESS Y CALCULATES THE | ORDINARY BESSEL FUNCTIONS OF THE 2ND KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X | 35164 | 253 |
| BESS Y01 CALCULATES THE | ORDINARY BESSEL FUNCTIONS OF THE 2ND KIND ORDER ZERO AND ONE WITH ARGUMENT X, X > 0. | 35163 | 253 |
| | ORTHOG ORTHOGONALIZES SOME ADJACENT MATRIX COLUMNS ACCORDING TO THE MODIFIED GRAM-SMI | 36402 | 299 |
| OL CALCULATES ALL ZEROS OF AN | ORTHOGONAL POLYNOMIAL. | 31362 | 211 |
| NT UPPER OR LOWER ZEROS OF AN | ORTHOGONAL POLYNOMIAL. | 31363 | 211 |
| UMBER OF ADJACENT ZEROS OF AN | ORTHOGONAL POLYNOMIAL. | 31364 | 211 |
| ATES THE VALUE OF AN N-DEGREE | ORTHOGONAL POLYNOMIAL, GIVEN BY A SET OF RECUPRENCE COEFFICIENTS. | 31044 | 293 |
| OL EVALUATES THE VALUE OF ALL | ORTHOGONAL POLYNOMIALS UP TO A GIVEN DEGREE, GIVEN A SET OF RECURRENCE COEFFICIENTS. | 31045 | 293 |
| A FINITE SERIES EXPRESSED IN | ORTHOGONAL POLYNOMIALS, GIVEN BY A SET OF RECURRENCE COEFFICIENTS. | 31047 | 293 |
| | ORTPOL EVALUATES THE VALUE OF AN N-DEGREE ORTHOGONAL POLYNOMIAL, GIVEN BY A SET OF R | 31044 | 293 |
| ORTHOG | OTHOGONALIZES SOME ADJACENT MATRIX COLUMNS ACCORDING TO THE MODIFIED GRAM-SMIDT METH | 36402 | 299 |
| S DECOMPOSITION AND SOLVES AN | OVERDETERMINED SYSTEM OF LINEAR EQUATIONS. | 34281 | 67 |
| SOLSVDOVR SOLVES AN | OVERDETERMINED SYSTEM OF LINEAR EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PS | 34280 | 67 |
| LEAST SQUARES SOLUTION OF AN | OVERDETERMINED SYSTEM OF NON-LINEAR EQUATIONS WITH MARQUARDT'S METHOD. | 34440 | 219 |
| LEAST SQUARES SOLUTION OF AN | OVERDETERMINED SYSTEM OF NON-LINEAR EQUATIONS WITH THE GAUSS-NEWTON METHOD. | 34441 | 219 |
| | OVERFLOW TESTS WHETHER A VALUE IS AN OVERFLOW VALUE. | 30008 | 275 |
| PEIDE ESTIMATES UNKNOWN | PARAMETERS IN A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS; THE UNKNOWN VARIABLES MA | 34444 | 259 |




IMSL

| | | | |
|---|---|---|---|
| OSITION WITH A COMBINATION OF | PARTIAL AND COMPLETE PIVOTING. | 34231 | 45 |
| WO-DIMENSIONAL TIME-DEPENDENT | PARTIAL DIFFERENTIAL EQUATIONS. | 33066 | 295 |
| TRIANGULAR DECOMPOSITION WITH | PARTIAL PIVOTING. | 34300 | 45 |
| | PEIDE ESTIMATES UNKNOWN PARAMETERS IN A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS; | 34444 | 259 |
| BAKCOMHES | PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO HSHCOMHES. | 34367 | 107 |
| MERGESORT DELIVERS A | PERMUTATION OF INDICES CORRESPONDING TO SORTING THE ELEMENTS OF A GIVEN VECTOR INTO | 36405 | 297 |
| N VECTOR ACCORDING TO A GIVEN | PERMUTATION OF INDICES. | 36404 | 297 |
| A MATRIX ACCORDING TO A GIVEN | PERMUTATION OF INDICES. | 36403 | 297 |
| ROWPERM | PERMUTES THE ELEMENTS OF A GIVEN ROW OF A MATRIX ACCORDING TO A GIVEN PERMUTATION OF | 36403 | 297 |
| VECPERM | PERMUTES THE ELEMENTS OF A GIVEN VECTOR ACCORDING TO A GIVEN PERMUTATION OF INDICES. | 36404 | 297 |
| | PI DELIVERS A FULL PRECISION APPROXIMATION TO PI= 3,14... | 30006 | 273 |
| SIAN ELIMINATION WITH PARTIAL | PIVOTING IF THE COEFFICIENT MATRIX IS IN BAND FORM AND IS STORED ROWWISE IN A ONE-DI | 34322 | 79 |
| AR DECOMPOSITION WITH PARTIAL | PIVOTING. | 34300 | 45 |
| ATION OF PARTIAL AND COMPLETE | PIVOTING. | 34231 | 45 |
| | POL EVALUATES A POLYNOMIAL. | 31040 | 245 |
| ATES OF A COMPLEX NUMBER INTO | POLAR COORDINATES. | 34344 | 35 |
| K NORMALIZED DERIVATIVES OF A | POLYNOMIAL ( I.E. J-TH DERIVATIVE (J FACTORIAL) ), J=0,1,...,K <= DEGREE. | 31242 | 245 |
| NEWGRN TRANSFORMS A | POLYNOMIAL FROM THE NEWTON FORM INTO THE GRUNERT FORM. | 31050 | 43 |
| LATES THE COEFFICIENTS OF THE | POLYNOMIAL THAT APPROXIMATES A FUNCTION, GIVEN FOR DISCRETE ARGUMENTS, SUCH THAT THE | 36022 | 197 |
| HE COEFFICIENTS OF THE NEWTON | POLYNOMIAL THROUGH GIVEN INTERPOLATION POINTS AND CORRESPONDING FUNCTION VALUES. | 36010 | 195 |
| ROS CALCULATES ALL ZEROS OF A | POLYNOMIAL WITH REAL COEFFICIENTS. | 34500 | 209 |
| ES ALL ZEROS OF AN ORTHOGONAL | POLYNOMIAL. | 31362 | 211 |
| LOWER ZEROS OF AN ORTHOGONAL | POLYNOMIAL. | 31363 | 211 |
| JACENT ZEROS OF AN ORTHOGONAL | POLYNOMIAL. | 31364 | 211 |
| CHEPOL EVALUATES A CHEBYSHEV | POLYNOMIAL. | 31042 | 229 |
| POL EVALUATES A | POLYNOMIAL. | 31040 | 245 |
| THE FIRST K DERIVATIVES OF A | POLYNOMIAL. | 31243 | 245 |
| LUE OF AN N-DEGREE ORTHOGONAL | POLYNOMIAL, GIVEN BY A SET OF RECURRENCE COEFFICIENTS. | 31044 | 293 |
| HEPOL EVALUATES ALL CHEBYSHEV | POLYNOMIALS UP TO A CERTAIN DEGREE. | 31043 | 229 |
| S THE VALUE OF ALL ORTHOGONAL | POLYNOMIALS UP TO A GIVEN DEGREE, GIVEN A SET OF RECURRENCE COEFFICIENTS. | 31045 | 293 |
| ERIES EXPRESSED IN ORTHOGONAL | POLYNOMIALS, GIVEN BY A SET OF RECURRENCE COEFFICIENTS. | 31047 | 293 |
| | POLZEROS CALCULATES ALL ZEROS OF A POLYNOMIAL WITH REAL COEFFICIENTS. | 34500 | 209 |
| E CHOLESKY DECOMPOSITION OF A | POSITIVE DEFINITE SYMMETRIC BAND MATRIX. | 34330 | 85 |
| LCULATES THE DETERMINANT OF A | POSITIVE DEFINITE SYMMETRIC BAND MATRIX. | 34331 | 87 |
| CHLDECSOLBND SOLVES A | POSITIVE DEFINITE SYMMETRIC LINEAR SYSTEM AND PERFORMS THE TRIANGULAR DECOMPOSITION | 34333 | 89 |
| CHLSOLBND SOLVES A | POSITIVE DEFINITE SYMMETRIC LINEAR SYSTEM, THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34332 | 89 |
| 2 CALCULATES THE INVERSE OF A | POSITIVE DEFINITE SYMMETRIC MATRIX BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT | 34402 | 61 |
| 1 CALCULATES THE INVERSE OF A | POSITIVE DEFINITE SYMMETRIC MATRIX BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT | 34403 | 61 |
| E CHOLESKY DECOMPOSITION OF A | POSITIVE DEFINITE SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN COLUMNWISE IN A ONE | 34311 | 55 |
| E CHOLESKY DECOMPOSITION OF A | POSITIVE DEFINITE SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN IN A TWO-DIMENSIONA | 34310 | 55 |
| 1 CALCULATES THE INVERSE OF A | POSITIVE DEFINITE SYMMETRIC MATRIX, IF THE MATRIX HAS BEEN DECOMPOSED BY CHLDEC1 OR | 34401 | 61 |
| 2 CALCULATES THE INVERSE OF A | POSITIVE DEFINITE SYMMETRIC MATRIX, IF THE MATRIX HAS BEEN DECOMPOSED BY CHLDEC2 OR | 34400 | 61 |
| LCULATES THE DETERMINANT OF A | POSITIVE DEFINITE SYMMETRIC MATRIX, THE CHOLESKY DECOMPOSITION BEING GIVEN COLUMNWIS | 34313 | 57 |
| LATES OF THE DETERMINANT OF A | POSITIVE DEFINITE SYMMETRIC MATRIX, THE CHOLESKY DECOMPOSITION BEING GIVEN IN A TWO- | 34312 | 57 |
| CHLDECSOL2 SOLVES A | POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT MET | 34392 | 59 |
| CHLDECSOL1 SOLVES A | POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT MET | 34393 | 59 |
| CONJ GRAD SOLVES A | POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY THE METHOD OF CONJUGATE GR | 34220 | 95 |
| HSHVECTAM | POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX | 31073 | 269 |
| HSHCOLTAM | POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX | 31074 | 269 |
| HSHROWTAM | POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX | 31075 | 269 |
| PSTTFMAT CALCULATES THE | POSTMULTIPLYING MATRIX FROM THE DATA GENERATED BY HSHREABID. | 34261 | 109 |
| L FORM, BY PREMULTIPLYING AND | POSTMULTIPLYING WITH ORTHOGONAL MATRICES. | 34260 | 109 |
| COMPUTES THE DOUBLE PRECISION | POWER OF A DOUBLE PRECISION NUMBER. | 31110 | 271 |
| COMPUTES THE DOUBLE PRECISION | POWER OF A SINGLE PRECISION NUMBER. | 31109 | 271 |
| | PRAXIS MINIMIZES A FUNCTION OF SEVERAL VARIABLES. | 34432 | 239 |
| E DELIVERS A FULL | PRECISION APPROXIMATION TO E= 2,718... | 30007 | 273 |


2-nd REVISION, 1977

CWI

| | | |
|---|---|---|
| PI DELIVERS A FULL | PRECISION APPROXIMATION TO PI= 3.14... | 30006 273 |
| DPSUB SUBTRACTS TWO SINGLE | PRECISION NUMBERS TO A DOUBLE PRECISION DIFFERENCE. | 31102 271 |
| DPMUL MULTIPLIES TWO SINGLE | PRECISION NUMBERS TO A DOUBLE PRECISION PRODUCT. | 31103 271 |
| DPDIV DIVIDES TWO SINGLE | PRECISION NUMBERS TO A DOUBLE PRECISION QUOTIENT. | 31104 271 |
| DPADD ADDS TWO SINGLE | PRECISION NUMBERS TO A DOUBLE PRECISION SUM. | 31101 271 |
| LNGADD ADDS TWO DOUBLE | PRECISION NUMBERS. | 31105 271 |
| LNGSUB SUBTRACTS TWO DOUBLE | PRECISION NUMBERS. | 31106 271 |
| LNGMUL MULTIPLIES TWO DOUBLE | PRECISION NUMBERS. | 31107 271 |
| LNGDIV DIVIDES TWO DOUBLE | PRECISION NUMBERS. | 31108 271 |
| HSHCOMPRD | PREMULTIPLIES A COMPLEX MATRIX WITH A COMPLEX HOUSEHOLDER MATRIX. | 34356 23 |
| HSHVECMAT | PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX | 31070 269 |
| HSHCOLMAT | PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX | 31071 269 |
| HSHROWMAT | PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX | 31072 269 |
| MATRIX TO BIDIAGONAL FORM, BY | PREMULTIPLYING AND POSTMULTIPLYING WITH ORTHOGONAL MATRICES. | 34260 109 |
| PRETFMMAT CALCULATES THE | PREMULTIPLYING MATRIX FROM THE DATA GENERATED BY HSHREABID. | 34262 109 |
| | PRETFMMAT CALCULATES THE PREMULTIPLYING MATRIX FROM THE DATA GENERATED BY HSHREABID. | 34262 109 |
| FULMATVEC CALCULATES THE | PRODUCT A * B, WHERE A IS A GIVEN MATRIX AND B IS A VECTOR. | 31500 15 |
| UBLE PRECISION ARITHMETIC THE | PRODUCT A * B, WHERE A IS A GIVEN MATRIX AND B IS A VECTOR. | 31505 285 |
| FULSYMMATVEC CALCULATES THE | PRODUCT A * B, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWI | 31502 15 |
| UBLE PRECISION ARITHMETIC THE | PRODUCT A * B, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWI | 31507 285 |
| FULTAMVEC CALCULATES THE | PRODUCT A' * B, WHERE A' IS THE TRANSPOSED OF THE MATRIX A AND B IS A VECTOR. | 31501 15 |
| UBLE PRECISION ARITHMETIC THE | PRODUCT A' * B, WHERE A' IS THE TRANSPOSED OF THE MATRIX A AND B IS A VECTOR. | 31506 285 |
| LNGINTMULT COMPUTES THE | PRODUCT OF LONG NONNEGATIVE INTEGERS. | 31202 201 |
| COMMUL CALCULATES THE | PRODUCT OF TWO COMPLEX NUMBERS. | 34341 37 |
| | PSDINV CALCULATES THE PSEUDO-INVERSE OF A MATRIX. | 34287 73 |
| | PSDINVSVD CALCULATES THE PSEUDO-INVERSE OF A MATRIX; ( THE SINGULAR VALUE DECOMPOSIT | 34286 73 |
| PSDINV CALCULATES THE | PSEUDO-INVERSE OF A MATRIX. | 34287 73 |
| PSDINVSVD CALCULATES THE | PSEUDO-INVERSE OF A MATRIX; ( THE SINGULAR VALUE DECOMPOSITION BEING GIVEN ). | 34286 73 |
| | PSTTFMMAT CALCULATES THE POSTMULTIPLYING MATRIX FROM THE DATA GENERATED BY HSHREABID | 34261 109 |
| | QADRAT COMPUTES THE DEFINITE INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINITE IN | 32070 133 |
| RIDIAGONAL MATRIX BY MEANS OF | QR ITERATION. | 34160 111 |
| RIDIAGONAL MATRIX BY MEANS OF | QR ITERATION. | 34161 111 |
| SYMMETRIC MATRIX BY MEANS OF | QR ITERATION. | 34164 113 |
| SYMMETRIC MATRIX BY MEANS OF | QR ITERATION. | 34162 113 |
| SYMMETRIC MATRIX BY MEANS OF | QR ITERATION. | 34163 113 |
| ARE REAL, BY MEANS OF SINGLE | QR ITERATION. | 34180 115 |
| ARE REAL, BY MEANS OF SINGLE | QR ITERATION. | 34186 115 |
| ERG MATRIX BY MEANS OF DOUBLE | QR ITERATION. | 34190 115 |
| | QRICOM CALCULATES THE EIGENVECTORS AND THE EIGENVALUES OF A COMPLEX UPPER-HESSENBERG | 34373 121 |
| | QRIHRM CALCULATES THE EIGENVALUES AND EIGENVECTORS OF A COMPLEX HERMITIAN MATRIX. | 34371 119 |
| | QRISNGVAL CALCULATES THE SINGULAR VALUES OF A GIVEN MATRIX. | 34272 127 |
| | QRISNGVALBID CALCULATES THE SINGULAR VALUES OF A BIDIAGONAL MATRIX. | 34270 125 |
| | QRISNGVALDEC CALCULATES THE SINGULAR VALUES DECOMPOSITION U * S * V', WITH U AND V O | 34273 127 |
| | QRISNGVALDECBID CALCULATES THE SINGULAR VALUES DECOMPOSITION OF A MATRIX OF WHICH TH | 34271 125 |
| | QRISYM CALCULATES ALL EIGENVALUES AND EIGENVECTORS OF A SYMMETRIC MATRIX BY MEANS OF | 34163 113 |
| | QRISYMTRI CALCULATES THE EIGENVALUES AND EIGENVECTORS OF A SYMMETRIC TRIDIAGONAL MAT | 34161 111 |
| | QRIVALHRM CALCULATES THE EIGENVALUES OF A COMPLEX HERMITIAN MATRIX. | 34370 119 |
| | QRIVALSYMTRI CALCULATES THE EIGENVALUES OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS O | 34160 111 |
| | QRIVALSYM1 CALCULATES THE EIGENVALUES OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION | 34164 113 |
| | QRIVALSYM2 CALCULATES THE EIGENVALUES OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION | 34162 113 |
| KWD CALCULATES THE ROOTS OF A | QUADRATIC EQUATION WITH COMPLEX COEFFICIENTS. | 34345 129 |
| AND WEIGHTS FOR GAUSS- JACOBI | QUADRATURE. | 31425 291 |
| D WEIGHTS FOR GAUSS- LAGRANGE | QUADRATURE. | 31427 291 |
| | QUANEWBND SOLVES A SYSTEM OF NON-LINEAR EQUATIONS OF WHICH THE JACOBIAN ( BEING A BA | 34430 217 |
| | QUANEWBND1 SOLVES A SYSTEM OF NON-LINEAR EQUATIONS OF WHICH THE JACOBIAN IS A BAND M | 34431 217 |
| COMDIV CALCULATES THE | QUOTIENT OF TWO COMPLEX NUMBERS. | 34342 37 |




MC M

| | | |
|---|---|---|
| LNGINTDIVIDE COMPUTES THE | QUOTIENT WITH REMAINDER OF LONG NONNEGATIVE INTEGERS. | 31203 201 |
| | QZI COMPUTES GENERALIZED EIGENVALUES AND EIGENVECTORS BY MEANS OF QZ-ITERATION. | 34601 267 |
| | QZIVAL COMPUTES GENERALIZED EIGENVALUES BY MEANS OF QZ-ITERATION. | 34600 267 |
| RNK1UPD ADDS A | RANK-1 MATRIX TO A SYMMETRIC MATRIX. | 34211 139 |
| DAVUPD ADDS A | RANK-2 MATRIX TO A SYMMETRIC MATRIX. | 34212 139 |
| FLEUPD ADDS A | RANK-2 MATRIX TO A SYMMETRIC MATRIX. | 34213 139 |
| | REAEIGVAL CALCULATES THE EIGENVALUES OF A MATRIX, PROVIDED THAT ALL EIGENVALUES ARE | 34182 117 |
| | REAEIG1 CALCULATES THE EIGENVECTORS AND EIGENVALUES OF A MATRIX, PROVIDED THAT THEY | 34184 117 |
| | REAEIG3 CALCULATES THE EIGENVECTORS AND EIGENVALUES OF A MATRIX, PROVIDED THAT THEY | 34187 117 |
| MPROVES AN APPROXIMATION OF A | REAL SYMMETRIC EIGENSYSTEM AND CALCULATES ERROR BOUNDS FOR THE EIGENVALUES. | 36401 301 |
| | REAQRI CALCULATES ALL EIGENVALUES AND EIGENVECTORS OF A REAL UPPER-HESSENBERG MATRIX | 34186 115 |
| | REASCL NORMALIZES THE COLUMNS OF A TWO-DIMENSIONAL ARRAY. | 34183 17 |
| | REAVALQRI CALCULATES THE EIGENVALUES OF A REAL UPPER-HESSENBERG MATRIX, PROVIDED THA | 34180 115 |
| | REAVECHES CALCULATES AN EIGENVECTOR CORRESPONDING TO A GIVEN REAL EIGENVALUE OF A RE | 34181 115 |
| | RECIP GAMMA CALCULATES THE RECIPROCAL OF THE GAMMA FUNCTION FOR ARGUMENTS IN THE RAN | 35060 187 |
| RECIP GAMMA CALCULATES THE | RECIPROCAL OF THE GAMMA FUNCTION FOR ARGUMENTS IN THE RANGE [.5,1.5]; MOREOVER ODD A | 35060 187 |
| POLYNOMIAL, GIVEN BY A SET OF | RECURRENCE COEFFICIENTS. | 31044 293 |
| GIVEN DEGREE, GIVEN A SET OF | RECURRENCE COEFFICIENTS. | 31045 293 |
| OLYNOMIALS, GIVEN BY A SET OF | RECURRENCE COEFFICIENTS. | 31047 293 |
| DE COMPUTES THE QUOTIENT WITH | REMAINDER OF LONG NONNEGATIVE INTEGERS. | 31203 201 |
| MALLEST ( IN ABSOLUTE VALUE ) | REPRESENTABLE REAL NUMBER. | 30003 275 |
| GIANT DELIVERS THE LARGEST | REPRESENTABLE REAL NUMBER. | 30004 275 |
| ECISION NUMBER TO ITS DECIMAL | REPRESENTATION. | 31100 289 |
| RESVEC CALCULATES THE | RESIDUAL VECTOR A * B + X * C, WHERE A IS A GIVEN MATRIX, B AND C ARE VECTORS AND X | 31503 15 |
| UBLE PRECISION ARITHMETIC THE | RESIDUAL VECTOR A * B + X * C, WHERE A IS A GIVEN MATRIX, B AND C ARE VECTORS AND X | 31508 285 |
| SYMRESVEC CALCULATES THE | RESIDUAL VECTOR A * B + X * C, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS | 31504 15 |
| UBLE PRECISION ARITHMETIC THE | RESIDUAL VECTOR A * B + X * C, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS | 31509 285 |
| | RESVEC CALCULATES THE RESIDUAL VECTOR A * B + X * C, WHERE A IS A GIVEN MATRIX, B AN | 31503 15 |
| | RICHARDSON SOLVES A SYSTEM OF LINEAR EQUATIONS WITH POSITIVE REAL EIGENVALUES ( ELLI | 33170 225 |
| , WHICH IS AN ACCELERATION OF | RICHARDSON'S METHOD. | 33171 225 |
| NT DIFFERENTIAL EQUATION BY A | RITZ-GALERKIN METHOD. | 33300 261 |
| ER DIFFERENTIAL EQUATION BY A | RITZ-GALERKIN METHOD. | 33302 263 |
| HLET BOUNDARY CONDITIONS BY A | RITZ-GALERKIN METHOD. | 33303 265 |
| NT DIFFERENTIAL EQUATION BY A | RITZ-GALERKIN METHOD; THE COEFFICIENT OF Y" IS SUPPOSED TO BE UNITY. | 33301 261 |
| | RKE SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY | 33033 143 |
| | RK1 SOLVES A SINGLE 1ST ORDER DIFFERENTIAL EQUATION BY MEANS OF A 5TH ORDER RUNGE-KU | 33010 141 |
| | RK2 INTEGRATES A SINGLE 2ND ORDER DIFFERENTIAL EQUATION ( INITIAL VALUE PROBLEM ) BY | 33012 171 |
| | RK2N SOLVES A SYSTEM OF 2ND ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) B | 33013 173 |
| | RK3 SOLVES A SINGLE 2ND ORDER DIFFERENTIAL EQUATION ( INITIAL VALUE PROBLEM ) BY MEA | 33014 175 |
| | RK3N SOLVES A SYSTEM OF 2ND ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) B | 33015 177 |
| | RK4A SOLVES A SINGLE 1ST ORDER DIFFERENTIAL EQUATION BY MEANS OF A 5TH ORDER RUNGE-K | 33016 145 |
| | RK4NA SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) | 33017 147 |
| | RK5NA SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) | 33018 149 |
| | RNK1MIN MINIMIZES A FUNCTION OF SEVERAL VARIABLES. | 34214 19 |
| | RNK1UPD ADDS A RANK-1 MATRIX TO A SYMMETRIC MATRIX. | 34211 139 |
| COMKWD CALCULATES THE | ROOTS OF A QUADRATIC EQUATION WITH COMPLEX COEFFICIENTS. | 34345 129 |
| CHSH2 FINDS A COMPLEX | ROTATION MATRIX. | 34611 287 |
| | ROTCOL REPLACES TWO COLUMN VECTORS X AND Y BY TWO VECTORS CX + SY AND CY - SX. | 34040 13 |
| | ROTCOMCOL REPLACES TWO COMPLEX COLUMN VECTORS X AND Y BY TWO COMPLEX VECTORS CX + SY | 34357 287 |
| | ROTCOMROW REPLACES TWO COMPLEX ROW VECTORS X AND Y BY TWO COMPLEX VECTORS CX + SY AN | 34358 287 |
| | ROTROW REPLACES TWO ROW VECTORS X AND Y BY TWO VECTORS CX + SY AND CY - SX. | 34041 13 |
| LATES THE SCALAR PRODUCT OF A | ROW OF A VECTOR AND A COLUMN VECTOR BY DOUBLE PRECISION ARITHMETIC. | 34413 285 |
| MATMAT := SCALAR PRODUCT OF A | ROW VECTOR AND A COLUMN VECTOR. | 34013 7 |
| E SCALAR PRODUCT OF A COMPLEX | ROW VECTOR AND A COMPLEX VECTOR. | 34354 23 |
| MATTAM := SCALAR PRODUCT OF A | ROW VECTOR AND A ROW VECTOR. | 34015 7 |
| MATVEC := SCALAR PRODUCT OF A | ROW VECTOR AND A VECTOR. | 34011 7 |



MC

| | | | |
|---|---|---|---|
| ONROWCST MULTIPLIES A COMPLEX | ROW VECTOR BY A COMPLEX NUMBER. | 34353 | 21 |
| ROWCST MULTIPLIES A | ROW VECTOR BY A CONSTANT. | 31132 | 5 |
| ES A CONSTANT MULTIPLIED BY A | ROW VECTOR INTO A ROW VECTOR. | 31021 | 5 |
| DUPVECROW COPIES A | ROW VECTOR INTO A VECTOR. | 31031 | 3 |
| OLROW ADDS A CONSTANT TIMES A | ROW VECTOR TO A COLUMN VECTOR. | 34029 | 9 |
| LMROW ADDS A CONSTANT TIMES A | ROW VECTOR TO A ROW VECTOR. | 34024 | 9 |
| LNROW ADDS A CONSTANT TIMES A | ROW VECTOR TO A ROW VECTOR, MAXELMROW:=THE SUBSCRIPT OF AN ELEMENT OF THE NEW ROW VE | 34025 | 9 |
| ECROW ADDS A CONSTANT TIMES A | ROW VECTOR TO A VECTOR. | 34026 | 9 |
| ULATES THE INFINITY-NORM OF A | ROW VECTOR. | 31062 | 241 |
| OW CALCULATES THE 1-NORM OF A | ROW VECTOR. | 31066 | 241 |
| TES THE SCALAR PRODUCT OF TWO | ROW VECTORS BY DOUBLE PRECISION ARITHMETIC. | 34415 | 285 |
| | ROWCST MULTIPLIES A ROW VECTOR BY A CONSTANT. | 31132 | 5 |
| | ROWPERM PERMUTES THE ELEMENTS OF A GIVEN ROW OF A MATRIX ACCORDING TO A GIVEN PERMUT | 36403 | 297 |
| EM ) BY MEANS OF A STABILIZED | RUNGE-KUTTA METHOD WITH LIMITED STORAGE REQUIREMENTS. | 33061 | 155 |
| ATION BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD. | 33010 | 141 |
| LEM ) BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD. | 33033 | 143 |
| LEM ) BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD. | 33012 | 171 |
| LEM ) BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD. | 33013 | 173 |
| ORDER, EXPONENTIONALLY FITTED | RUNGE-KUTTA METHOD; AUTOMATIC STEPSIZE CONTROL IS NOT PROVIDED; THIS METHOD CAN BE U | 33070 | 157 |
| LEM ) BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD; THE ARC LENGTH IS INTRODUCED AS AN INTEGRATION VARIABLE; THE INT | 33018 | 149 |
| ATION BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD; THE INTEGRATION IS TERMINATED AS SOON AS A CONDITION ON X AND Y, | 33016 | 145 |
| LEM ) BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD; THE INTEGRATION IS TERMINATED AS SOON AS A CONDITION ON X(0),,, | 33017 | 147 |
| PONENTIALLY FITTED, 3RD ORDER | RUNGE-KUTTA METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS WITH KNOWN EIGENV | 33120 | 161 |
| NTIALLY FITTED, SEMI-IMPLICIT | RUNGE-KUTTA METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS. | 33160 | 159 |
| LEM ) BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD; THIS METHOD CAN ONLY BE USED IF THE RIGHT HAND SIDE OF THE DIFFE | 33014 | 175 |
| LEM ) BY MEANS OF A 5TH ORDER | RUNGE-KUTTA METHOD; THIS METHOD CAN ONLY BE USED IF THE RIGHT HAND SIDE OF THE DIFFE | 33015 | 177 |
| EM ) BY MEANS OF A STABILIZED | RUNGE-KUTTA METHOD, IN PARTICULAR SUITABLE FOR SYSTEMS ARISING FROM TWO-DIMENSIONAL | 33066 | 295 |
| TAMMAT := | SCALAR PRODUCT OF A COLUMN VECTOR AND A COLUMN VECTOR. | 34014 | 7 |
| TAMVEC := | SCALAR PRODUCT OF A COLUMN VECTOR AND A VECTOR. | 34012 | 7 |
| COMMATVEC CALCULATES THE | SCALAR PRODUCT OF A COMPLEX ROW VECTOR AND A COMPLEX VECTOR. | 34354 | 23 |
| LNGMATMAT CALCULATES THE | SCALAR PRODUCT OF A ROW OF A VECTOR AND A COLUMN VECTOR BY DOUBLE PRECISION ARITHMET | 34413 | 285 |
| MATMAT := | SCALAR PRODUCT OF A ROW VECTOR AND A COLUMN VECTOR. | 34013 | 7 |
| MATTAM := | SCALAR PRODUCT OF A ROW VECTOR AND A ROW VECTOR. | 34015 | 7 |
| MATVEC := | SCALAR PRODUCT OF A ROW VECTOR AND A VECTOR. | 34011 | 7 |
| LNGTAMVEC CALCULATES THE | SCALAR PRODUCT OF A VECTOR AND A COLUMN VECTOR BY DOUBLE PRECISION ARITHMETIC. | 34412 | 285 |
| SYMMATVEC := | SCALAR PRODUCT OF A VECTOR AND A ROW OF A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS G | 34018 | 7 |
| LNGMATVEC CALCULATES THE | SCALAR PRODUCT OF A VECTOR AND A ROW VECTOR BY DOUBLE PRECISION ARITHMETIC. | 34411 | 285 |
| VECVEC := | SCALAR PRODUCT OF A VECTOR AND A VECTOR. | 34010 | 7 |
| LNGSYMMATVEC CALCULATES THE | SCALAR PRODUCT OF A VECTOR GIVEN IN A ONE-DIMENSIONAL ARRAY AND A ROW OF A SYMMETRIC | 34418 | 285 |
| LNGTAMMAT CALCULATES THE | SCALAR PRODUCT OF TWO COLUMN VECTORS BY DOUBLE PRECISION ARITHMETIC. | 34414 | 285 |
| LNGMATTAM CALCULATES THE | SCALAR PRODUCT OF TWO ROW VECTORS BY DOUBLE PRECISION ARITHMETIC. | 34415 | 285 |
| LNGVECVEC CALCULATES THE | SCALAR PRODUCT OF TWO VECTORS BY DOUBLE LENTGH ARITHMETIC. | 34410 | 285 |
| SEQVEC := | SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE MUTUAL SPAC | 34016 | 7 |
| LNGSEQVEC CALCULATES THE | SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE MUTUAL SPAC | 34416 | 285 |
| SCAPRD1 := | SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE SPACINGS OF | 34017 | 7 |
| LNGSCAPRD1 CALCULATES THE | SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE SPACINGS OF | 34417 | 285 |
| | SCAPRD1 := SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE | 34017 | 7 |
| | SCLCOM NORMALIZES THE COLUMNS OF A COMPLEX MATRIX. | 34360 | 29 |
| UE PROBLEM FOR A SECOND ORDER | SELF-ADJOINT DIFFERENTIAL EQUATION BY A RITZ-GALERKIN METHOD. | 33300 | 261 |
| UE PROBLEM FOR A SECOND ORDER | SELF-ADJOINT DIFFERENTIAL EQUATION BY A RITZ-GALERKIN METHOD; THE COEFFICIENT OF Y" | 33301 | 261 |
| UE PROBLEM FOR A FOURTH ORDER | SELF-ADJOINT DIFFERENTIAL EQUATION WITH DIRICHLET BOUNDARY CONDITIONS BY A RITZ-GALE | 33303 | 265 |
| | SELZERORTPOL CALCULATES A NUMBER OF ADJACENT ZEROS OF AN ORTHOGONAL POLYNOMIAL. | 31364 | 211 |
| ORDER, EXPONENTIALLY FITTED, | SEMI-IMPLICIT RUNGE-KUTTA METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS. | 33160 | 159 |
| R INTERPOLATION USING A STURM | SEQUENCE. | 34151 | 111 |
| FUNCTION DERIVED FROM A STURM | SEQUENCE. | 34155 | 113 |
| FUNCTION DERIVED FROM A STURM | SEQUENCE. | 34153 | 113 |

| | | | |
|---|---|---|---|
| | SEQVEC := SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE M | 34016 | 7 |
| SERORTPOL EVALUATES A FINITE | SERIES EXPRESSED IN ORTHOGONAL POLYNOMIALS, GIVEN BY A SET OF RECURRENCE COEFFICIENT | 31047 | 293 |
| FOUSER EVALUATES A FOURIER | SERIES WITH EQUAL SINE AND COSINE COEFFICIENTS. | 31092 | 203 |
| R EVALUATES A COMPLEX FOURIER | SERIES WITH REAL COEFFICIENTS. | 31095 | 203 |
| SINSER EVALUATES A SINE | SERIES. | 31090 | 203 |
| COSSER EVALUATES A COSINE | SERIES. | 31091 | 203 |
| FOUSER1 EVALUATES A FOURIER | SERIES. | 31093 | 203 |
| FOUSER2 EVALUATES A FOURIER | SERIES. | 31094 | 203 |
| 1 EVALUATES A COMPLEX FOURIER | SERIES. | 31096 | 203 |
| 2 EVALUATES A COMPLEX FOURIER | SERIES. | 31097 | 203 |
| INTEGRAL OF A GIVEN CHEBYSHEV | SERIES. | 31248 | 205 |
| EPOLSER EVALUATES A CHEBYSHEV | SERIES. | 31046 | 229 |
| | SERORTPOL EVALUATES A FINITE SERIES EXPRESSED IN ORTHOGONAL POLYNOMIALS, GIVEN BY A | 31047 | 293 |
| RMS A HERMITIAN MATRIX INTO A | SIMILAR REAL SYMMETRIC TRIDIAGONAL MATRIX. | 34363 | 105 |
| REAL SYMMETRIC MATRIX INTO A | SIMILAR TRIDIAGONAL ONE BY MEANS OF HOUSEHOLDER'S TRANSFORMATION. | 34143 | 101 |
| REAL SYMMETRIC MATRIX INTO A | SIMILAR TRIDIAGONAL ONE BY MEANS OF HOUSEHOLDER'S TRANSFORMATION. | 34140 | 101 |
| IAGONAL TRANSFORMATION INTO A | SIMILAR UNITARY UPPER-HESSENBERG MATRIX WITH A REAL NONNEGATIVE SUBDIAGONAL. | 34366 | 107 |
| ES TRANSFORMS A MATRIX INTO A | SIMILAR UPPER-HESSENBERG MATRIX BY MEANS OF WILKINSON'S TRANSFORMATION. | 34170 | 103 |
| GONAL MATRIX WHICH IS UNITARY | SIMILAR WITH A GIVEN HERMITIAN MATRIX. | 34364 | 105 |
| MATRIX BY MEANS OF A DIAGONAL | SIMILARITY TRANSFORMATION. | 34173 | 97 |
| | SINCOSFG IS AN AUXILIARY PROCEDURE FOR THE SINE AND COSINE INTEGRALS. | 35085 | 185 |
| | SINCOSINT CALCULATES THE SINE INTEGRAL SI(X) AND THE COSINE INTEGRAL CI(X). | 35084 | 185 |
| SINH COMPUTES THE HYPERBOLIC | SINE FOR A REAL ARGUMENT X. | 35111 | 181 |
| MPUTES THE INVERSE HYPERBOLIC | SINE FOR A REAL ARGUMENT X. | 35114 | 181 |
| SINCOSINT CALCULATES THE | SINE INTEGRAL SI(X) AND THE COSINE INTEGRAL CI(X). | 35084 | 185 |
| SINSER EVALUATES A | SINE SERIES. | 31090 | 203 |
| SOLOVR CALCULATES THE | SINGULAR VALUES DECOMPOSITION AND SOLVES AN OVERDETERMINED SYSTEM OF LINEAR EQUATION | 34281 | 67 |
| SOLUND CALCULATES THE | SINGULAR VALUES DECOMPOSITION AND SOLVES AN UNDERDETERMINED SYSTEM OF LINEAR EQUATIO | 34283 | 69 |
| RISNGVALDECBID CALCULATES THE | SINGULAR VALUES DECOMPOSITION OF A MATRIX OF WHICH THE BIDIAGONAL AND THE PRE- AND P | 34271 | 125 |
| QRISNGVALDEC CALCULATES THE | SINGULAR VALUES DECOMPOSITION U * S * V', WITH U AND V ORTHOGONAL AND S POSITIVE DIA | 34273 | 127 |
| QRISNGVALBID CALCULATES THE | SINGULAR VALUES OF A BIDIAGONAL MATRIX. | 34270 | 125 |
| QRISNGVAL CALCULATES THE | SINGULAR VALUES OF A GIVEN MATRIX. | 34272 | 127 |
| | SINH COMPUTES THE HYPERBOLIC SINE FOR A REAL ARGUMENT X. | 35111 | 181 |
| | SINSER EVALUATES A SINE SERIES. | 31090 | 203 |
| DWARF DELIVERS THE | SMALLEST ( IN ABSOLUTE VALUE ) REPRESENTABLE REAL NUMBER. | 30003 | 275 |
| | SNDREMEZ EXCHANGES AT MOST N+1 NUMBERS WITH NUMBERS OUT OF A REFERENCE SET; IT IS AN | 36021 | 197 |
| | SOL SOLVES THE SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPO | 34051 | 49 |
| | SOLBND SOLVES A SYSTEM OF LINEAR EQUATIONS, THE MATRIX BEING DECOMPOSED BY DECBND. | 34071 | 79 |
| | SOLELM SOLVES A SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMP | 34061 | 49 |
| | SOLOVR CALCULATES THE SINGULAR VALUES DECOMPOSITION AND SOLVES AN OVERDETERMINED SYS | 34281 | 67 |
| | SOLSVDOVR SOLVES AN OVERDETERMINED SYSTEM OF LINEAR EQUATIONS, MULTIPLYING THE RIGHT | 34280 | 67 |
| | SOLSVDUND SOLVES AN UNDERDETERMINED SYSTEM OF LINEAR EQUATIONS, MULTIPLYING THE RIGH | 34282 | 69 |
| | SOLSYMTRI SOLVES A SYMMETRIC TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS, THE TRIANGULAR | 34421 | 93 |
| | SOLTRI SOLVES A TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION | 34424 | 83 |
| | SOLTRIPIV SOLVES A TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITI | 34427 | 83 |
| | SOLUND CALCULATES THE SINGULAR VALUES DECOMPOSITION AND SOLVES AN UNDERDETERMINED SY | 34283 | 69 |
| N OF INDICES CORRESPONDING TO | SORTING THE ELEMENTS OF A GIVEN VECTOR INTO NON-DECREASING ORDER. | 36405 | 297 |
| | SPHER BESS I CALCULATES THE MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND: I[K | 35152 | 247 |
| | SPHER BESS J CALCULATES THE SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND: J[K+.5](X)*S | 35150 | 247 |
| | SPHER BESS K CALCULATES THE MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND: K[I | 35153 | 247 |
| | SPHER BESS Y CALCULATES THE SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND: Y[K+.5](X)*S | 35151 | 247 |
| ESS I CALCULATES THE MODIFIED | SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND MULTIPIED BY EXP(-X): I[K+.5](X)*SQRT(PI | 35154 | 247 |
| ESS I CALCULATES THE MODIFIED | SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND: I[K+.5](X)*SQRT(PI (2*X)), K=0,...,N , W | 35152 | 247 |
| SPHER BESS J CALCULATES THE | SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND: J[K+.5](X)*SQRT(PI (2*X)), K=0,...,N , W | 35150 | 247 |
| ESS K CALCULATES THE MODIFIED | SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND MULTIPLIED BY EXP(+X): K[I+.5](X)*SQRT(PI | 35155 | 247 |
| ESS K CALCULATES THE MODIFIED | SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND: K[I+.5](X)*SQRT(PI (2*X)), I=0,...,N , W | 35153 | 247 |



CDC

| | | | |
|---|---|---|---|
| SPHER BESS Y CALCULATES THE | SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND: Y(K+.5)(X)*SQRT(PI (2*X)), K=0,...,N , W | 35151 | 247 |
| CONSQRT CALCULATES THE | SQUARE ROOT OF A COMPLEX NUMBER. | 34343 | 35 |
| ITABLE FOR THE INTEGRATION OF | STIFF DIFFERENTIAL EQUATIONS. | 33135 | 231 |
| S METHOD CAN BE USED TO SOLVE | STIFF SYSTEMS WITH KNOWN EIGENVALUE SPECTRUM. | 33070 | 157 |
| S METHOD CAN BE USED TO SOLVE | STIFF SYSTEMS WITH KNOWN EIGENVALUE SPECTRUM. | 33120 | 161 |
| ; THIS METHOD IS SUITABLE FOR | STIFF SYSTEMS. | 33080 | 151 |
| S METHOD CAN BE USED TO SOLVE | STIFF SYSTEMS. | 33160 | 159 |
| S METHOD CAN BE USED TO SOLVE | STIFF SYSTEMS. | 33131 | 165 |
| S METHOD CAN BE USED TO SOLVE | STIFF SYSTEMS. | 33132 | 221 |
| S METHOD CAN BE USED TO SOLVE | STIFF SYSTEMS. | 33191 | 223 |
| S METHOD CAN BE USED TO SOLVE | STIFF SYSTEMS, WITH KNOWN EIGEN VALUE SPECTRUM, PROVIDED HIGHER ORDER DERIVATIVES CA | 33050 | 169 |
| LINEAR INTERPOLATION USING A | STURM SEQUENCE. | 34151 | 111 |
| OF A FUNCTION DERIVED FROM A | STURM SEQUENCE. | 34155 | 113 |
| OF A FUNCTION DERIVED FROM A | STURM SEQUENCE. | 34153 | 113 |
| LNGSUB | SUBTRACTS TWO DOUBLE PRECISION NUMBERS. | 31106 | 271 |
| DPSUB | SUBTRACTS TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION DIFFERENCE. | 31102 | 271 |
| LNGINTADD COMPUTES THE | SUM OF LONG NONNEGATIVE INTEGERS. | 31200 | 201 |
| SUMPOSSERIES PERFORMS THE | SUMMATION OF A INFINITE SERIES WITH POSITIVE MONOTONICALLY DECREASING TERMS USING TH | 32020 | 131 |
| EULER PERFORMS THE | SUMMATION OF AN ALTERNATING INFINITE SERIES. | 32010 | 131 |
| | SUMPOSSERIES PERFORMS THE SUMMATION OF A INFINITE SERIES WITH POSITIVE MONOTONICALLY | 32020 | 131 |
| | SYMDECINV1 CALCULATES THE INVERSE OF A SYMMETRIC MATRIX BY A SYMMETRIC DECOMPOSITION | 34711 | 283 |
| | SYMDECINV2 CALCULATES THE INVERSE OF A SYMMETRIC MATRIX BY A SYMMETRIC DECOMPOSITION | 34710 | 283 |
| | SYMDECSOL1 SOLVES A SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION | 34707 | 281 |
| | SYMDECSOL2 SOLVES A SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION | 34706 | 281 |
| | SYMDEC1 CALCULATES THE SYMMETRIC DECOMPOSITION OF A SYMMETRIC MATRIX WHOSE UPPER TRI | 34701 | 277 |
| | SYMDEC2 CALCULATES THE SYMMETRIC DECOMPOSITION OF A SYMMETRIC MATRIX WHOSE UPPER TRI | 34700 | 277 |
| | SYMDETERM1 CALCULATES THE DETERMINANT OF A SYMMETRIC MATRIX, THE SYMMETRIC DECOMPOSI | 34703 | 279 |
| | SYMDETERM2 CALCULATES THE DETERMINANT A SYMMETRIC MATRIX, THE SYMMETRIC DECOMPOSITIO | 34702 | 279 |
| | SYMEIGIMP IMPROVES AN APPROXIMATION OF A REAL SYMMETRIC EIGENSYSTEM AND CALCULATES E | 36401 | 301 |
| | SYMINV1 CALCULATES THE INVERSE OF A SYMMETRIC MATRIX, USING THE SYMMETRIC DECOMPOSIT | 34709 | 283 |
| | SYMINV2 CALCULATES THE INVERSE OF A SYMMETRIC MATRIX, USING THE SYMMETRIC DECOMPOSIT | 34708 | 281 |
| | SYMMATVEC := SCALAR PRODUCT OF A VECTOR AND A ROW OF A SYMMETRIC MATRIX, WHOSE UPPER | 34018 | 7 |
| SITION OF A POSITIVE DEFINITE | SYMMETRIC BAND MATRIX. | 34330 | 85 |
| MINANT OF A POSITIVE DEFINITE | SYMMETRIC BAND MATRIX. | 34331 | 87 |
| SE OF A SYMMETRIC MATRIX BY A | SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX GIVEN COLUMNWIS | 34710 | 283 |
| SE OF A SYMMETRIC MATRIX BY A | SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX GIVEN COLUMNWIS | 34711 | 283 |
| SYSTEM OF LINEAR EQUATIONS BY | SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX SHOULD BE GIVEN | 34706 | 281 |
| SYSTEM OF LINEAR EQUATIONS BY | SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX SHOULD BE GIVEN | 34707 | 281 |
| SYMDEC1 CALCULATES THE | SYMMETRIC DECOMPOSITION OF A SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN COLUMNWI | 34701 | 277 |
| SYMDEC2 CALCULATES THE | SYMMETRIC DECOMPOSITION OF A SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN IN A TWO | 34700 | 277 |
| ES AN APPROXIMATION OF A REAL | SYMMETRIC EIGENSYSTEM AND CALCULATES ERROR BOUNDS FOR THE EIGENVALUES. | 36401 | 301 |
| ND SOLVES A POSITIVE DEFINITE | SYMMETRIC LINEAR SYSTEM AND PERFORMS THE TRIANGULAR DECOMPOSITION BY CHOLESKY'S METH | 34333 | 89 |
| ND SOLVES A POSITIVE DEFINITE | SYMMETRIC LINEAR SYSTEM, THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34332 | 89 |
| 2 CALCULATES THE INVERSE OF A | SYMMETRIC MATRIX BY A SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT | 34710 | 283 |
| 1 CALCULATES THE INVERSE OF A | SYMMETRIC MATRIX BY A SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT | 34711 | 283 |
| NVERSE OF A POSITIVE DEFINITE | SYMMETRIC MATRIX BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX GIVEN COLU | 34402 | 61 |
| NVERSE OF A POSITIVE DEFINITE | SYMMETRIC MATRIX BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX GIVEN COLU | 34403 | 61 |
| LCULATES THE EIGENVALUES OF A | SYMMETRIC MATRIX BY MEANS OF QR ITERATION. | 34164 | 113 |
| LCULATES THE EIGENVALUES OF A | SYMMETRIC MATRIX BY MEANS OF QR ITERATION. | 34162 | 113 |
| NVALUES AND EIGENVECTORS OF A | SYMMETRIC MATRIX BY MEANS OF QR ITERATION. | 34163 | 113 |
| TFMSYMTRI1 TRANSFORMS A REAL | SYMMETRIC MATRIX INTO A SIMILAR TRIDIAGONAL ONE BY MEANS OF HOUSEHOLDER'S TRANSFORMA | 34143 | 101 |
| TFMSYMTRI2 TRANSFORMS A REAL | SYMMETRIC MATRIX INTO A SIMILAR TRIDIAGONAL ONE BY MEANS OF HOUSEHOLDER'S TRANSFORMA | 34140 | 101 |
| ( OR SOME ) EIGENVALUES OF A | SYMMETRIC MATRIX USING LINEAR INTERPOLATION OF A FUNCTION DERIVED FROM A STURM SEQUE | 34155 | 113 |
| ( OR SOME ) EIGENVALUES OF A | SYMMETRIC MATRIX USING LINEAR INTERPOLATION OF A FUNCTION DERIVED FROM A STURM SEQUE | 34153 | 113 |
| SITION OF A POSITIVE DEFINITE | SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY | 34311 | 55 |
| SYMMETRIC DECOMPOSITION OF A | SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY | 34701 | 277 |



CDC

| | | | |
|---|---|---|---|
| SYMMETRIC DECOMPOSITION OF A | SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN IN A TWO-DIMENSIONAL ARRAY. | 34700 | 277 |
| SITION OF A POSITIVE DEFINITE | SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN IN A TWO-DIMENSIONAL ARRAY. | 34310 | 55 |
| NVERSE OF A POSITIVE DEFINITE | SYMMETRIC MATRIX, IF THE MATRIX HAS BEEN DECOMPOSED BY CHLDEC1 OR CHLDECSOL1. | 34401 | 61 |
| NVERSE OF A POSITIVE DEFINITE | SYMMETRIC MATRIX, IF THE MATRIX HAS BEEN DECOMPOSED BY CHLDEC2 OR CHLDECSOL2. | 34400 | 61 |
| MINANT OF A POSITIVE DEFINITE | SYMMETRIC MATRIX, THE CHOLESKY DECOMPOSITION BEING GIVEN COLUMNWISE IN A ONE-DIMENSI | 34313 | 57 |
| MINANT OF A POSITIVE DEFINITE | SYMMETRIC MATRIX, THE CHOLESKY DECOMPOSITION BEING GIVEN IN A TWO-DIMENSIONAL ARRAY. | 34312 | 57 |
| LCULATES THE DETERMINANT OF A | SYMMETRIC MATRIX, THE SYMMETRIC DECOMPOSITION BEING GIVEN COLUMNWISE IN A ONE-DIMENS | 34703 | 279 |
| CALCULATES THE DETERMINANT A | SYMMETRIC MATRIX, THE SYMMETRIC DECOMPOSITION BEING GIVEN IN A TWO-DIMENSIONAL ARRAY | 34702 | 279 |
| 1 CALCULATES THE INVERSE OF A | SYMMETRIC MATRIX, USING THE SYMMETRIC DECOMPOSITION FORMED BY SYMDEC1 OR SYMDECSOL1. | 34709 | 283 |
| 2 CALCULATES THE INVERSE OF A | SYMMETRIC MATRIX, USING THE SYMMETRIC DECOMPOSITION FORMED BY SYMDEC2 OR SYMDECSOL2. | 34708 | 281 |
| CT OF A VECTOR AND A ROW OF A | SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY | 34018 | 7 |
| ITIALIZES A (CO)DIAGONAL OF A | SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRA | 31013 | 1 |
| SYMROW INITIALIZES A ROW OF A | SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRA | 31014 | 1 |
| L2 SOLVES A POSITIVE DEFINITE | SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIE | 34392 | 59 |
| L1 SOLVES A POSITIVE DEFINITE | SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIE | 34393 | 59 |
| SYMDECSOL2 SOLVES A | SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ) | 34706 | 281 |
| SYMDECSOL1 SOLVES A | SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ) | 34707 | 281 |
| AD SOLVES A POSITIVE DEFINITE | SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY THE METHOD OF CONJUGATE GRADIENTS. | 34220 | 95 |
| CALCULATES EIGENVECTORS OF A | SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF INVERSE ITERATION. | 34152 | 111 |
| CONSECUTIVE, EIGENVALUES OF A | SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF LINEAR INTERPOLATION USING A STURM SEQUENCE | 34151 | 111 |
| LCULATES THE EIGENVALUES OF A | SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF QR ITERATION. | 34160 | 111 |
| NVALUES AND EIGENVECTORS OF A | SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF QR ITERATION. | 34161 | 111 |
| TRIANGULAR DECOMPOSITION OF A | SYMMETRIC TRIDIAGONAL MATRIX. | 34420 | 91 |
| AN MATRIX INTO A SIMILAR REAL | SYMMETRIC TRIDIAGONAL MATRIX. | 34363 | 105 |
| DECSOLSYMTRI SOLVES A | SYMMETRIC TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIDIAGONAL DECOMP | 34422 | 93 |
| SOLSYMTRI SOLVES A | SYMMETRIC TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS, THE TRIANGULAR DECOMPOSITION BEING | 34421 | 93 |
| | SYMRESVEC CALCULATES THE RESIDUAL VECTOR A * B + X * C, WHERE A IS A SYMMETRIC MATRI | 31504 | 15 |
| | SYMSOL1 SOLVES A SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOM | 34705 | 281 |
| | SYMSOL2 SOLVES A SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOM | 34704 | 281 |
| SOLSVD SOLVES THE HOMOGENEOUS | SYSTEM OF LINEAR EQUATIONS A * X = 0 AND X' * A = 0, WHERE "A" DENOTES A MATRIX AND | 34284 | 71 |
| GSSSOLERB SOLVES A | SYSTEM OF LINEAR EQUATIONS AND CALCULATES A ROUGH UPPERBOUND FOR THE RELATIVE ERROR | 34243 | 49 |
| COMPOSTION OF THE MATRIX OF A | SYSTEM OF LINEAR EQUATIONS AND CALCULATES AN UPPERBOUND FOR THE RELATIVE ERROR IN TH | 34242 | 45 |
| OLTRIPIV SOLVES A TRIDIAGONAL | SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIANGULAR DECOMPOSITION WITH PARTIAL PI | 34428 | 83 |
| ECSOLTRI SOLVES A TRIDIAGONAL | SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIANGULAR DECOMPOSITION WITHOUT PIVOTIN | 34425 | 83 |
| OLVES A SYMMETRIC TRIDIAGONAL | SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIDIAGONAL DECOMPOSITION. | 34422 | 93 |
| GSSITISOL SOLVES A | SYSTEM OF LINEAR EQUATIONS AND THE SOLUTION IS IMPROVED ITERATIVELY. | 34251 | 53 |
| A POSITIVE DEFINITE SYMMETRIC | SYSTEM OF LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX | 34392 | 59 |
| A POSITIVE DEFINITE SYMMETRIC | SYSTEM OF LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX | 34393 | 59 |
| DECSOLBND SOLVES A | SYSTEM OF LINEAR EQUATIONS BY GAUSSIAN ELIMINATION WITH PARTIAL PIVOTING IF THE COEF | 34322 | 79 |
| SYMDECSOL2 SOLVES A SYMMETRIC | SYSTEM OF LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEF | 34706 | 281 |
| SYMDECSOL1 SOLVES A SYMMETRIC | SYSTEM OF LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEF | 34707 | 281 |
| A POSITIVE DEFINITE SYMMETRIC | SYSTEM OF LINEAR EQUATIONS BY THE METHOD OF CONJUGATE GRADIENTS. | 34220 | 95 |
| CHLSOL1 SOLVES A | SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY CHLDEC1 | 34391 | 59 |
| CHLSOL2 SOLVES A | SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY CHLDEC2 | 34390 | 59 |
| SYMSOL1 SOLVES A | SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY SYMDEC1 | 34705 | 281 |
| SYMSOL2 SOLVES A | SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY SYMDEC2 | 34704 | 281 |
| HOMSOL SOLVES THE HOMOGENEOUS | SYSTEM OF LINEAR EQUATIONS OF EQUATIONS A * X = 0 AND X' * A = 0, WHERE "A" DENOTES | 34285 | 71 |
| SOLTRI SOLVES A TRIDIAGONAL | SYSTEM OF LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34424 | 83 |
| OLTRIPIV SOLVES A TRIDIAGONAL | SYSTEM OF LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34427 | 83 |
| SOL SOLVES THE | SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY DEC. | 34051 | 49. |
| SOLELM SOLVES A | SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY GSSELM O | 34061 | 49 |
| ITISOL SOLVES A | SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY GSSELM O | 34250 | 53 |
| ITISOLERB SOLVES A | SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS TRIANGULARLY DECOMPOSED BY GSSNRI; THIS | 34253 | 53 |
| HE ERROR IN THE SOLUTION OF A | SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX IS TRIANGULARLY DECOMPOSED BY GSSELM. | 34241 | 45 |
| DECSOL SOLVES A | SYSTEM OF LINEAR EQUATIONS WHOSE ORDER IS SMALL RELATIVE TO THE NUMBER OF BINARY DIG | 34301 | 49 |
| RICHARDSON SOLVES A | SYSTEM OF LINEAR EQUATIONS WITH POSITIVE REAL EIGENVALUES ( ELLIPTIC BOUNDARY VALUE | 33170 | 225 |



CWI

| | | |
|---|---|---|
| ELIMINATION SOLVES A | SYSTEM OF LINEAR EQUATIONS WITH POSITIVE REAL EIGENVALUES ( ELLIPTIC BOUNDARY VALUE | 33171 225 |
| GSSSOL SOLVES A | SYSTEM OF LINEAR EQUATIONS. | 34232 49 |
| AND SOLVES AN OVERDETERMINED | SYSTEM OF LINEAR EQUATIONS. | 34281 67 |
| AND SOLVES AN UNDERDETERMINED | SYSTEM OF LINEAR EQUATIONS. | 34283 69 |
| GSSITISOLERB SOLVES A | SYSTEM OF LINEAR EQUATIONS; THIS SOLUTION IS IMPROVED ITERATIVELY AND AN UPPERBOUND | 34254 53 |
| DOVR SOLVES AN OVERDETERMINED | SYSTEM OF LINEAR EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PSEUDO-INVERSE OF | 34280 67 |
| UND SOLVES AN UNDERDETERMINED | SYSTEM OF LINEAR EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PSEUDO-INVERSE OF | 34282 69 |
| SOLBND SOLVES A | SYSTEM OF LINEAR EQUATIONS, THE MATRIX BEING DECOMPOSED BY DECBND. | 34071 79 |
| OLVES A SYMMETRIC TRIDIAGONAL | SYSTEM OF LINEAR EQUATIONS, THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34421 93 |
| QUANEWBND SOLVES A | SYSTEM OF NON-LINEAR EQUATIONS OF WHICH THE JACOBIAN ( BEING A BAND MATRIX ) IS GIVE | 34430 217 |
| QUANEWBND1 SOLVES A | SYSTEM OF NON-LINEAR EQUATIONS OF WHICH THE JACOBIAN IS A BAND MATRIX. | 34431 217 |
| SOLUTION OF AN OVERDETERMINED | SYSTEM OF NON-LINEAR EQUATIONS WITH MARQUARDT'S METHOD. | 34440 219 |
| SOLUTION OF AN OVERDETERMINED | SYSTEM OF NON-LINEAR EQUATIONS WITH THE GAUSS-NEWTON METHOD. | 34441 219 |
| IMPEX SOLVES AN AUTONOMOUS | SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF THE | 33135 231 |
| D, IN PARTICULAR SUITABLE FOR | SYSTEMS ARISING FROM TWO-DIMENSIONAL TIME-DEPENDENT PARTIAL DIFFERENTIAL EQUATIONS. | 33066 295 |
| | TAMMAT := SCALAR PRODUCT OF A COLUMN VECTOR AND A COLUMN VECTOR. | 34014 7 |
| | TAMVEC := SCALAR PRODUCT OF A COLUMN VECTOR AND A VECTOR. | 34012 7 |
| TAN COMPUTES THE | TAN COMPUTES THE TANGENT FOR A REAL ARGUMENT X. | 35120 179 |
| TANH COMPUTES THE HYPERBOLIC | TANGENT FOR A REAL ARGUMENT X. | 35120 179 |
| MPUTES THE INVERSE HYPERBOLIC | TANGENT FOR A REAL ARGUMENT X. | 35113 181 |
| | TANGENT FOR A REAL ARGUMENT X. | 35116 181 |
| | TANH COMPUTES THE HYPERBOLIC TANGENT FOR A REAL ARGUMENT X. | 35113 181 |
| ST, 2ND OR 3RD ORDER ONE-STEP | TAYLOR METHOD; THIS METHOD CAN BE USED TO SOLVE LARGE AND SPARSE SYSTEMS, PROVIDED H | 33040 167 |
| BY MEANS OF A VARIABLE ORDER | TAYLOR METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS, WITH KNOWN EIGEN VALU | 33050 169 |
| LUATES THE FIRST K TERMS OF A | TAYLOR SERIES. | 31241 245 |
| | TAYPOL EVALUATES THE FIRST K TERMS OF A TAYLOR SERIES. | 31241 245 |
| | TFMPREVEC IN COMBINATION WITH TFMSYMTRI2 CALCULATES THE TRANSFORMING MATRIX. | 34142 101 |
| | TFMREAHES TRANSFORMS A MATRIX INTO A SIMILAR UPPER-HESSENBERG MATRIX BY MEANS OF WIL | 34170 103 |
| N A VECTOR ) CORRESPONDING TO | TFMREAHES. | 34171 103 |
| ON COLUMNS ) CORRESPONDING TO | TFMREAHES. | 34172 103 |
| | TFMSYMTRI1 TRANSFORMS A REAL SYMMETRIC MATRIX INTO A SIMILAR TRIDIAGONAL ONE BY MEAN | 34143 101 |
| ANSFORMATION CORRESPONDING TO | TFMSYMTRI1. | 34144 101 |
| TFMPREVEC IN COMBINATION WITH | TFMSYMTRI2 CALCULATES THE TRANSFORMING MATRIX. | 34142 101 |
| | TFMSYMTRI2 TRANSFORMS A REAL SYMMETRIC MATRIX INTO A SIMILAR TRIDIAGONAL ONE BY MEAN | 34140 101 |
| ANSFORMATION CORRESPONDING TO | TFMSYMTRI2. | 34141 101 |
| ARISING FROM TWO-DIMENSIONAL | TIME-DEPENDENT PARTIAL DIFFERENTIAL EQUATIONS. | 33066 295 |
| BAKREAHES1 PERFORMS THE BACK | TRANSFORMATION ( ON A VECTOR ) CORRESPONDING TO TFMREAHES. | 34171 103 |
| BAKREAHES2 PERFORMS THE BACK | TRANSFORMATION ( ON COLUMNS ) CORRESPONDING TO TFMREAHES. | 34172 103 |
| BAKLBR PERFORMS THE BACK | TRANSFORMATION CORRESPONDING TO EQILBR. | 34174 97 |
| BAKCOMHES PERFORMS THE BACK | TRANSFORMATION CORRESPONDING TO HSHCOMHES. | 34367 107 |
| BAKHRMTRI PERFORMS THE BACK | TRANSFORMATION CORRESPONDING TO HSHHRMTRI. | 34365 105 |
| BAKSYMTRI1 PERFORMS THE BACK | TRANSFORMATION CORRESPONDING TO TFMSYMTRI1. | 34144 101 |
| BAKSYMTRI2 PERFORMS THE BACK | TRANSFORMATION CORRESPONDING TO TFMSYMTRI2. | 34141 101 |
| RIX BY MEANS OF HOUSEHOLDER'S | TRANSFORMATION FOLLOWED BY A COMPLEX DIAGONAL TRANSFORMATION INTO A SIMILAR UNITARY | 34366 107 |
| OLLOWED BY A COMPLEX DIAGONAL | TRANSFORMATION INTO A SIMILAR UNITARY UPPER-HESSENBERG MATRIX WITH A REAL NONNEGATIV | 34366 107 |
| EANS OF A DIAGONAL SIMILARITY | TRANSFORMATION. | 34173 97 |
| ONE BY MEANS OF HOUSEHOLDER'S | TRANSFORMATION. | 34143 101 |
| ONE BY MEANS OF HOUSEHOLDER'S | TRANSFORMATION. | 34140 101 |
| ATRIX BY MEANS OF WILKINSON'S | TRANSFORMATION. | 34170 103 |
| HSHCOMHES | TRANSFORMS A COMPLEX MATRIX BY MEANS OF HOUSEHOLDER'S TRANSFORMATION FOLLOWED BY A C | 34366 107 |
| HSHCOMCOL | TRANSFORMS A COMPLEX VECTOR INTO A VECTOR PROPORTIONAL TO A UNIT VECTOR. | 34355 23 |
| HSHHRMTRI | TRANSFORMS A HERMITIAN MATRIX INTO A SIMILAR REAL SYMMETRIC TRIDIAGONAL MATRIX. | 34363 105 |
| TFMREAHES | TRANSFORMS A MATRIX INTO A SIMILAR UPPER-HESSENBERG MATRIX BY MEANS OF WILKINSON'S T | 34170 103 |
| HSHREABID | TRANSFORMS A MATRIX TO BIDIAGONAL FORM, BY PREMULTIPLYING AND POSTMULTIPLYING WITH O | 34260 109 |
| NEWGRN | TRANSFORMS A POLYNOMIAL FROM THE NEWTON FORM INTO THE GRUNERT FORM. | 31050 43 |
| CARPOL | TRANSFORMS THE CARTESIAN COORDINATES OF A COMPLEX NUMBER INTO POLAR COORDINATES. | 34344 35 |



MC M

| | | | |
|---|---|---|---|
| GSSYNRI PERFORMS A | TRIANGULAR DECOMPOSITION AND CALCULATES THE 1-NORM OF THE INVERSE MATRIX. | 34252 | 45 |
| DECBND PERFORMS A | TRIANGULAR DECOMPOSITION OF A BAND MATRIX, USING PARTIAL PIVOTING. | 34320 | 75 |
| DECSYMTRI PERFORMS THE | TRIANGULAR DECOMPOSITION OF A SYMMETRIC TRIDIAGONAL MATRIX. | 34420 | 91 |
| DECTRI PERFORMS A | TRIANGULAR DECOMPOSITION OF A TRIDIAGONAL MATRIX. | 34423 | 81 |
| DECTRIPIV PERFORMS A | TRIANGULAR DECOMPOSITION OF A TRIDIAGONAL MATRIX, USING PARTIAL PIVOTING. | 34426 | 81 |
| GSSELM PERFORMS A | TRIANGULAR DECOMPOSITION WITH A COMBINATION OF PARTIAL AND COMPLETE PIVOTING. | 34231 | 45 |
| DEC PERFORMS A | TRIANGULAR DECOMPOSITION WITH PARTIAL PIVOTING. | 34300 | 45 |
| AR EQUATIONS AND PERFORMS THE | TRIANGULAR DECOMPOSITION WITH PARTIAL PIVOTING. | 34428 | 83 |
| AR EQUATIONS AND PERFORMS THE | TRIANGULAR DECOMPOSITION WITHOUT PIVOTING. | 34425 | 83 |
| GSSERB PERFORMS A | TRIANGULAR DECOMPOSTION OF THE MATRIX OF A SYSTEM OF LINEAR EQUATIONS AND CALCULATES | 34242 | 45 |
| CTION OF TWO VARIABLES OVER A | TRIANGULAR DOMAIN. | 32075 | 257 |
| QUARES PROBLEM BY HOUSEHOLDER | TRIANGULARIZATION WITH COLUMN INTERCHANGES AND CALCULATES THE DIAGONAL OF THE INVERS | 34135 | 65 |
| TDEC DELIVERS THE HOUSEHOLDER | TRIANGULARIZATION WITH COLUMN INTERCHANGES OF THE MATRIX OF A LINEAR LEAST SQUARES P | 34134 | 63 |
| UATIONS WHOSE MATRIX HAS BEEN | TRIANGULARLY DECOMPOSED BY DEC. | 34051 | 49 |
| LCULATES THE DETERMINANT OF A | TRIANGULARLY DECOMPOSED MATRIX. | 34303 | 47 |
| | TRICUB COMPUTES THE DEFINITE INTEGRAL OF A FUNCTION OF TWO VARIABLES OVER A TRIANGUL | 32075 | 257 |
| S EIGENVECTORS OF A SYMMETRIC | TRIDIAGONAL MATRIX BY MEANS OF INVERSE ITERATION. | 34152 | 111 |
| E, EIGENVALUES OF A SYMMETRIC | TRIDIAGONAL MATRIX BY MEANS OF LINEAR INTERPOLATION USING A STURM SEQUENCE. | 34151 | 111 |
| HE EIGENVALUES OF A SYMMETRIC | TRIDIAGONAL MATRIX BY MEANS OF QR ITERATION. | 34160 | 111 |
| D EIGENVECTORS OF A SYMMETRIC | TRIDIAGONAL MATRIX BY MEANS OF QR ITERATION. | 34161 | 111 |
| GONAL ELEMENTS OF A HERMITIAN | TRIDIAGONAL MATRIX WHICH IS UNITARY SIMILAR WITH A GIVEN HERMITIAN MATRIX. | 34364 | 105 |
| TRIANGULAR DECOMPOSITION OF A | TRIDIAGONAL MATRIX. | 34423 | 81 |
| DECOMPOSITION OF A SYMMETRIC | TRIDIAGONAL MATRIX. | 34420 | 91 |
| INTO A SIMILAR REAL SYMMETRIC | TRIDIAGONAL MATRIX. | 34363 | 105 |
| TRIANGULAR DECOMPOSITION OF A | TRIDIAGONAL MATRIX, USING PARTIAL PIVOTING. | 34426 | 81 |
| MMETRIC MATRIX INTO A SIMILAR | TRIDIAGONAL ONE BY MEANS OF HOUSEHOLDER'S TRANSFORMATION. | 34143 | 101 |
| MMETRIC MATRIX INTO A SIMILAR | TRIDIAGONAL ONE BY MEANS OF HOUSEHOLDER'S TRANSFORMATION. | 34140 | 101 |
| DECSOLTRI SOLVES A | TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIANGULAR DECOMPOSITION WIT | 34425 | 83 |
| DECSOLTRIPIV SOLVES A | TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIANGULAR DECOMPOSITION WIT | 34428 | 83 |
| CSOLSYMTRI SOLVES A SYMMETRIC | TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIDIAGONAL DECOMPOSITION. | 34422 | 93 |
| SOLTRI SOLVES A | TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34424 | 83 |
| SOLTRIPIV SOLVES A | TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34427 | 83 |
| SOLSYMTRI SOLVES A SYMMETRIC | TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS, THE TRIANGULAR DECOMPOSITION BEING GIVEN. | 34421 | 93 |
| FEMHERMSYM SOLVES A LINEAR | TWO-POINT BOUNDARY-VALUE PROBLEM FOR A FOURTH ORDER SELF-ADJOINT DIFFERENTIAL EQUATI | 33303 | 265 |
| FEMLAGSKEW SOLVES A LINEAR | TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER DIFFERENTIAL EQUATION BY A RITZ- | 33302 | 263 |
| FEMLAGSYM SOLVES A LINEAR | TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJOINT DIFFERENTIAL EQUATI | 33300 | 261 |
| FEMLAG SOLVES A LINEAR | TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJOINT DIFFERENTIAL EQUATI | 33301 | 261 |
| S DECOMPOSITION AND SOLVES AN | UNDERDETERMINED SYSTEM OF LINEAR EQUATIONS. | 34283 | 69 |
| SOLSVDUND SOLVES AN | UNDERDETERMINED SYSTEM OF LINEAR EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE P | 34282 | 69 |
| | UNDERFLOW TESTS WHETHER A VALUE IS AN UNDERFLOW VALUE. | 30009 | 275 |
| N TRIDIAGONAL MATRIX WHICH IS | UNITARY SIMILAR WITH A GIVEN HERMITIAN MATRIX. | 34364 | 105 |
| TRANSFORMATION INTO A SIMILAR | UNITARY UPPER-HESSENBERG MATRIX WITH A REAL NONNEGATIVE SUBDIAGONAL. | 34366 | 107 |
| COMPLEX EIGENVALUES OF A REAL | UPPER-HESSENBERG MATRIX BY MEANS OF DOUBLE QR ITERATION. | 34190 | 115 |
| VEN REAL EIGENVALUE OF A REAL | UPPER-HESSENBERG MATRIX BY MEANS OF INVERSE ITERATION. | 34181 | 115 |
| COMPLEX EIGENVALUE OF A REAL | UPPER-HESSENBERG MATRIX BY MEANS OF INVERSE ITERATION. | 34191 | 115 |
| FORMS A MATRIX INTO A SIMILAR | UPPER-HESSENBERG MATRIX BY MEANS OF WILKINSON'S TRANSFORMATION. | 34170 | 103 |
| MATION INTO A SIMILAR UNITARY | UPPER-HESSENBERG MATRIX WITH A REAL NONNEGATIVE SUBDIAGONAL. | 34366 | 107 |
| THE EIGENVALUES OF A COMPLEX | UPPER-HESSENBERG MATRIX WITH A REAL SUBDIAGONAL. | 34372 | 121 |
| THE EIGENVALUES OF A COMPLEX | UPPER-HESSENBERG MATRIX. | 34373 | 121 |
| TES THE EIGENVALUES OF A REAL | UPPER-HESSENBERG MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REAL, BY MEANS OF SINGLE | 34180 | 115 |
| ES AND EIGENVECTORS OF A REAL | UPPER-HESSENBERG MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REAL, BY MEANS OF SINGLE | 34186 | 115 |
| SE OF A MATRIX AND 1-NORM, AN | UPPERBOUND FOR THE ERROR IN THE INVERSE MATRIX IS ALSO GIVEN. | 34244 | 51 |
| ON IS IMPROVED ITERATIVELY AN | UPPERBOUND FOR THE ERROR IN THE SOLUTION IS CALCULATED. | 34253 | 53 |
| S IMPROVED ITERATIVELY AND AN | UPPERBOUND FOR THE ERROR IN THE SOLUTION IS CALCULATED. | 34254 | 53 |
| ERBELM CALCULATES A ROUGH | UPPERBOUND FOR THE ERROR IN THE SOLUTION OF A SYSTEM OF LINEAR EQUATIONS WHOSE MATRI | 34241 | 45 |
| ATIONS AND CALCULATES A ROUGH | UPPERBOUND FOR THE RELATIVE ERROR IN THE CALCULATED SOLUTION. | 34243 | 49 |

| | | | |
|---|---|---|---|
| R EQUATIONS AND CALCULATES AN | UPPERBOUND FOR THE RELATIVE ERROR IN THE SOLUTION OF THAT SYSTEM. | 34242 | 45 |
| | VALORICOM CALCULATES THE EIGENVALUES OF A COMPLEX UPPER-HESSENBERG MATRIX WITH A REA | 34372 | 121 |
| | VALSYMTRI CALCULATES ALL, OR SOME CONSECUTIVE, EIGENVALUES OF A SYMMETRIC TRIDIAGONA | 34151 | 111 |
| LY DECREASING TERMS USING THE | VAN WIJNGAARDEN TRANSFORMATION. | 32020 | 131 |
| | VECPERM PERMUTES THE ELEMENTS OF A GIVEN VECTOR ACCORDING TO A GIVEN PERMUTATION OF | 36404 | 297 |
| | VECSYMTRI CALCULATES EIGENVECTORS OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF INVE | 34152 | 111 |
| LATES THE SCALAR PRODUCT OF A | VECTOR AND A COLUMN VECTOR BY DOUBLE PRECISION ARITHMETIC. | 34412 | 285 |
| LATES THE SCALAR PRODUCT OF A | VECTOR AND A ROW VECTOR BY DOUBLE PRECISION ARITHMETIC. | 34411 | 285 |
| VECVEC := SCALAR PRODUCT OF A | VECTOR AND A VECTOR. | 34010 | 7 |
| DUPCOLVEC COPIES A | VECTOR INTO A COLUMN VECTOR. | 31034 | 3 |
| DUPROWVEC COPIES A | VECTOR INTO A ROW VECTOR. | 31032 | 3 |
| SHCOMCOL TRANSFORMS A COMPLEX | VECTOR INTO A VECTOR PROPORTIONAL TO A UNIT VECTOR. | 34355 | 23 |
| ES A CONSTANT MULTIPLIED BY A | VECTOR INTO A VECTOR. | 31020 | 5 |
| DUPVEC COPIES A | VECTOR INTO ANOTHER VECTOR. | 31030 | 3 |
| OLVEC ADDS A CONSTANT TIMES A | VECTOR TO A COLUMN VECTOR. | 34022 | 9 |
| OMPLEX NUMBER TIMES A COMPLEX | VECTOR TO A COMPLEX ROW VECTOR. | 34378 | 25 |
| OWVEC ADDS A CONSTANT TIMES A | VECTOR TO A ROW VECTOR. | 34027 | 9 |
| LNVEC ADDS A CONSTANT TIMES A | VECTOR TO A VECTOR. | 34020 | 9 |
| INIVEC INITIALIZES A | VECTOR WITH A CONSTANT. | 31010 | 1 |
| ULATES THE INFINITY-NORM OF A | VECTOR. | 31061 | 241 |
| EC CALCULATES THE 1-NORM OF A | VECTOR. | 31065 | 241 |
| TES THE SCALAR PRODUCT OF TWO | VECTORS BY DOUBLE LENTGH ARITHMETIC. | 34410 | 285 |
| | VECVEC := SCALAR PRODUCT OF A VECTOR AND A VECTOR. | 34010 | 7 |
| TS COMPUTES THE ABSCISSAE AND | WEIGHTS FOR GAUSS- JACOBI QUADRATURE. | 31425 | 291 |
| | WEIGHTS FOR GAUSS- LAGRANGE QUADRATURE. | 31427 | 291 |
| ECREASING TERMS USING THE VAN | WIJNGAARDEN TRANSFORMATION. | 32020 | 131 |
| HESSENBERG MATRIX BY MEANS OF | WILKINSON'S TRANSFORMATION. | 34170 | 103 |
| NDS ( IN A GIVEN INTERVAL ) A | ZERO OF A FUNCTION OF ONE VARIABLE USING VALUES OF THE FUNCTION AND OF ITS DERIVATIV | 34453 | 233 |
| NDS ( IN A GIVEN INTERVAL ) A | ZERO OF A FUNCTION OF ONE VARIABLE. | 34150 | 215 |
| NDS ( IN A GIVEN INTERVAL ) A | ZERO OF A FUNCTION OF ONE VARIABLE. | 34436 | 215 |
| | ZEROIN FINDS ( IN A GIVEN INTERVAL ) A ZERO OF A FUNCTION OF ONE VARIABLE. | 34150 | 215 |
| | ZEROINDER FINDS ( IN A GIVEN INTERVAL ) A ZERO OF A FUNCTION OF ONE VARIABLE USING V | 34453 | 233 |
| | ZEROINRAT FINDS ( IN A GIVEN INTERVAL ) A ZERO OF A FUNCTION OF ONE VARIABLE. | 34436 | 215 |
| AIRYZEROS COMPUTES THE | ZEROS AND ASSOCIATED VALUES OF THE AIRY FUNCTIONS AI(Z) AND BI(Z) AND THEIR DERIVATI | 35145 | 243 |
| POLZEROS CALCULATES ALL | ZEROS OF A POLYNOMIAL WITH REAL COEFFICIENTS. | 34500 | 209 |
| ALLZERORTPOL CALCULATES ALL | ZEROS OF AN ORTHOGONAL POLYNOMIAL. | 31362 | 211 |
| ER OF ADJACENT UPPER OR LOWER | ZEROS OF AN ORTHOGONAL POLYNOMIAL. | 31363 | 211 |
| LCULATES A NUMBER OF ADJACENT | ZEROS OF AN ORTHOGONAL POLYNOMIAL. | 31364 | 211 |
| ONENRMCOL CALCULATES THE | 1-NORM OF A COLUMN VECTOR. | 31067 | 241 |
| ONENRMMAT CALCULATES THE | 1-NORM OF A MATRIX. | 31068 | 241 |
| ONENRMROW CALCULATES THE | 1-NORM OF A ROW VECTOR. | 31066 | 241 |
| ONENRMVEC CALCULATES THE | 1-NORM OF A VECTOR. | 31065 | 241 |
| OMPOSITION AND CALCULATES THE | 1-NORM OF THE INVERSE MATRIX. | 34252 | 45 |
| ONENRMINV CALCULATES THE | 1-NORM OF THE INVERSE OF A MATRIX WHOSE TRIANGULARLY DECOMPOSED FORM IS DELIVERED BY | 34240 | 45 |
| S THE INVERSE OF A MATRIX AND | 1-NORM, AN UPPERBOUND FOR THE ERROR IN THE INVERSE MATRIX IS ALSO GIVEN. | 34244 | 51 |

30001 275 MBASE DELIVERS THE BASE OF THE ARITHMETIC OF THE COMPUTOR.
30002 275 ARREB DELIVERS THE ARITHMETIC ERROR BOUND OF THE COMPUTOR.
30003 275 DWARF DELIVERS THE SMALLEST ( IN ABSOLUTE VALUE ) REPRESENTABLE REAL NUMBER.
30004 275 GIANT DELIVERS THE LARGEST REPRESENTABLE REAL NUMBER.
30005 275 INTCAP DELIVERS THE INTEGER CAPACITY.
30006 273 PI DELIVERS A FULL PRECISION APPROXIMATION TO PI= 3,14...
30007 273 E DELIVERS A FULL PRECISION APPROXIMATION TO E= 2,718...
30008 275 OVERFLOW TESTS WHETHER A VALUE IS AN OVERFLOW VALUE.
30009 275 UNDERFLOW TESTS WHETHER A VALUE IS AN UNDERFLOW VALUE.
31010 1 INIVEC INITIALIZES A VECTOR WITH A CONSTANT.
31011 1 INIMAT INITIALIZES A MATRIX WITH A CONSTANT.
31012 1 INIMATD INITIALIZES A (CO)DIAGONAL OF A MATRIX.
31013 1 INISYMD INITIALIZES A (CO)DIAGONAL OF A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
31014 1 INISYMROW INITIALIZES A ROW OF A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
31020 5 MULVEC STORES A CONSTANT MULTIPLIED BY A VECTOR INTO A VECTOR.
31021 5 MULROW STORES A CONSTANT MULTIPLIED BY A ROW VECTOR INTO A ROW VECTOR.
31022 5 MULCOL STORES A CONSTANT MULTIPLIED BY A COLUMN VECTOR INTO A COLUMN VECTOR.
31030 3 DUPVEC COPIES A VECTOR INTO ANOTHER VECTOR.
31031 3 DUPVECROW COPIES A ROW VECTOR INTO A VECTOR.
31032 3 DUPROWVEC COPIES A VECTOR INTO A ROW VECTOR.
31033 3 DUPVECCOL COPIES A COLUMN VECTOR INTO A VECTOR.
31034 3 DUPCOLVEC COPIES A VECTOR INTO A COLUMN VECTOR.
31035 3 DUPMAT COPIES A MATRIX INTO ANOTHER MATRIX.
31040 245 POL EVALUATES A POLYNOMIAL.
31042 229 CHEPOL EVALUATES A CHEBYSHEV POLYNOMIAL.
31043 229 ALLCHEPOL EVALUATES ALL CHEBYSHEV POLYNOMIALS UP TO A CERTAIN DEGREE.
31044 293 ORTPOL EVALUATES THE VALUE OF AN N-DEGREE ORTHOGONAL POLYNOMIAL, GIVEN BY A SET OF RECURRENCE COEFFICIENTS.
31045 293 ALLORTPOL EVALUATES THE VALUE OF ALL ORTHOGONAL POLYNOMIALS UP TO A GIVEN DEGREE, GIVEN A SET OF RECURRENCE COEFFICIENTS.
31046 229 CHEPOLSER EVALUATES A CHEBYSHEV SERIES.
31047 293 SERORTPOL EVALUATES A FINITE SERIES EXPRESSED IN ORTHOGONAL POLYNOMIALS, GIVEN BY A SET OF RECURRENCE COEFFICIENTS.
31050 43 NEWGRN TRANSFORMS A POLYNOMIAL FROM THE NEWTON FORM INTO THE GRUNERT FORM.
31061 241 INFNRMVEC CALCULATES THE INFINITY-NORM OF A VECTOR.
31062 241 INFNRMROW CALCULATES THE INFINITY-NORM OF A ROW VECTOR.
31063 241 INFNRMCOL CALCULATES THE INFINITY-NORM OF A COLUMN VECTOR.
31064 241 INFNRMMAT CALCULATES THE INFINITY-NORM OF A MATRIX.
31065 241 ONENRMVEC CALCULATES THE 1-NORM OF A VECTOR.
31066 241 ONENRMROW CALCULATES THE 1-NORM OF A ROW VECTOR.
31067 241 ONENRMCOL CALCULATES THE 1-NORM OF A COLUMN VECTOR.
31068 241 ONENRMMAT CALCULATES THE 1-NORM OF A MATRIX.
31069 241 ABSMAXMAT CALCULATES THE MODULUS OF THE LARGEST ELEMENT OF A MATRIX AND DELIVERS THE INDICES OF THE MAXIMAL ELEMENT.
31070 269 HSHVECMAT PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN IN A ONE-DIMENSIONAL ARRAY.
31071 269 HSHCOLMAT PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN AS A COLUMN IN A TWO-DIMENSIONAL ARRAY.
31072 269 HSHROWMAT PREMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN AS A ROW IN A TWO-DIMENSIONAL ARRAY.
31073 269 HSHVECTAM POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN IN A ONE-DIMENSIONAL ARRAY.
31074 269 HSHCOLTAM POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN AS A COLUMN IN A TWO-DIMENSIONAL ARRAY.
31075 269 HSHROWTAM POSTMULTIPLIES A MATRIX BY A HOUSEHOLDER MATRIX, THE VECTOR DEFINING THIS HSH MATRIX BEING GIVEN AS A ROW IN A TWO-DIMENSIONAL ARRAY.
31090 203 SINSER EVALUATES A SINE SERIES.
31091 203 COSSER EVALUATES A COSINE SERIES.

2-nd REVISION, 1977

MC M

31092 203 FOUSER EVALUATES A FOURIER SERIES WITH EQUAL SINE AND COSINE COEFFICIENTS,
31093 203 FOUSER1 EVALUATES A FOURIER SERIES,
31094 203 FOUSER2 EVALUATES A FOURIER SERIES,
31095 203 COMFOUSER EVALUATES A COMPLEX FOURIER SERIES WITH REAL COEFFICIENTS,
31096 203 COMFOUSER1 EVALUATES A COMPLEX FOURIER SERIES,
31097 203 COMFOUSER2 EVALUATES A COMPLEX FOURIER SERIES,
31100 289 LNGREATODECI CONVERTS A DOUBLE PRECISION NUMBER TO ITS DECIMAL REPRESENTATION,
31101 271 DPADD ADDS TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION SUM,
31102 271 DPSUB SUBTRACTS TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION DIFFERENCE,
31103 271 DPMUL MULTIPLIES TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION PRODUCT,
31104 271 DPDIV DIVIDES TWO SINGLE PRECISION NUMBERS TO A DOUBLE PRECISION QUOTIENT,
31105 271 LNGADD ADDS TWO DOUBLE PRECISION NUMBERS,
31106 271 LNGSUB SUBTRACTS TWO DOUBLE PRECISION NUMBERS,
31107 271 LNGMUL MULTIPLIES TWO DOUBLE PRECISION NUMBERS,
31108 271 LNGDIV DIVIDES TWO DOUBLE PRECISION NUMBERS,
31109 271 DPPOW COMPUTES THE DOUBLE PRECISION POWER OF A SINGLE PRECISION NUMBER,
31110 271 LNGPOW COMPUTES THE DOUBLE PRECISION POWER OF A DOUBLE PRECISION NUMBER,
31131 5 COLCST MULTIPLIES A COLUMN VECTOR BY A CONSTANT,
31132 5 ROWCST MULTIPLIES A ROW VECTOR BY A CONSTANT,
31200 201 LNGINTADD COMPUTES THE SUM OF LONG NONNEGATIVE INTEGERS,
31201 201 LNGINTSUBTRACT COMPUTES THE DIFFERENCE OF LONG NONNEGATIVE INTEGERS,
31202 201 LNGINTMULT COMPUTES THE PRODUCT OF LONG NONNEGATIVE INTEGERS,
31203 201 LNGINTDIVIDE COMPUTES THE QUOTIENT WITH REMAINDER OF LONG NONNEGATIVE INTEGERS,
31204 201 LNGINTPOWER COMPUTES U**POWER, WHERE U IS A LONG NONNEGATIVE INTEGER AND POWER IS THE POSITIVE ( SINGLE-LENGTH ) EXPONENT,
31241 245 TAYPOL EVALUATES THE FIRST K TERMS OF A TAYLOR SERIES,
31242 245 NORDERPOL EVALUATES THE FIRST K NORMALIZED DERIVATIVES OF A POLYNOMIAL ( I.E. J-TH DERIVATIVE/(J FACTORIAL) ), J=0,1,...,K <= DEGREE,
31243 245 DERPOL EVALUATES THE FIRST K DERIVATIVES OF A POLYNOMIAL,
31248 205 INTCHS COMPUTES THE INDEFINITE INTEGRAL OF A GIVEN CHEBYSHEV SERIES,
31362 211 ALLZERORTPOL CALCULATES ALL ZEROS OF AN ORTHOGONAL POLYNOMIAL,
31363 211 LUPZERORTPOL CALCULATES A NUMBER OF ADJACENT UPPER OR LOWER ZEROS OF AN ORTHOGONAL POLYNOMIAL,
31364 211 SELZERORTPOL CALCULATES A NUMBER OF ADJACENT ZEROS OF AN ORTHOGONAL POLYNOMIAL,
31425 291 GSSJACWGHTS COMPUTES THE ABSCISSAE AND WEIGHTS FOR GAUSS- JACOBI QUADRATURE,
31427 291 GSSLAGWGHTS COMPUTES THE ABSCISSAE AND WEIGHTS FOR GAUSS- LAGRANGE QUADRATURE,
31500 15 FULMATVEC CALCULATES THE PRODUCT A * B, WHERE A IS A GIVEN MATRIX AND B IS A VECTOR,
31501 15 FULTAMVEC CALCULATES THE PRODUCT A' * B, WHERE A' IS THE TRANSPOSED OF THE MATRIX A AND B IS A VECTOR,
31502 15 FULSYMMATVEC CALCULATES THE PRODUCT A * B, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY AND B IS A VECTOR,
31503 15 RESVEC CALCULATES THE RESIDUAL VECTOR A * B + X * C, WHERE A IS A GIVEN MATRIX, B AND C ARE VECTORS AND X IS A SCALAR,
31504 15 SYMRESVEC CALCULATES THE RESIDUAL VECTOR A * B + X * C, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY, B AND C ARE VECTORS AND X IS A SCALAR,
31505 285 LNGFULMATVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE PRODUCT A * B, WHERE A IS A GIVEN MATRIX AND B IS A VECTOR,
31506 285 LNGFULTAMVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE PRODUCT A' * B, WHERE A' IS THE TRANSPOSED OF THE MATRIX A AND B IS A VECTOR,
31507 285 LNGFULSYMMATVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE PRODUCT A * B, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY AND B IS A VECTOR,
31508 285 LNGRESVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE RESIDUAL VECTOR A * B + X * C, WHERE A IS A GIVEN MATRIX, B AND C ARE VECTORS AND X IS A SCALAR,
31509 285 LNGSYMRESVEC CALCULATES BY DOUBLE PRECISION ARITHMETIC THE RESIDUAL VECTOR A * B + X * C, WHERE A IS A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY, B AND C ARE VECTORS AND X IS A SCALAR,
32010 131 EULER PERFORMS THE SUMMATION OF AN ALTERNATING INFINITE SERIES,
32020 131 SUMPOSSERIES PERFORMS THE SUMMATION OF A INFINITE SERIES WITH POSITIVE MONOTONICALLY DECREASING TERMS USING THE VAN WIJNGAARDEN TRANSFORMATION,
32051 135 INTEGRAL CALCULATES THE DEFINITE INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINITE OR INFINITE INTERVAL OR OVER A NUMBER OF CONSECUTIVE INTERVALS,


MC

32070 133 QADRAT COMPUTES THE DEFINITE INTEGRAL OF A FUNCTION OF ONE VARIABLE OVER A FINITE INTERVAL.
32075 257 TRICUB COMPUTES THE DEFINITE INTEGRAL OF A FUNCTION OF TWO VARIABLES OVER A TRIANGULAR DOMAIN.
33010 141 RK1 SOLVES A SINGLE 1ST ORDER DIFFERENTIAL EQUATION BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD.
33012 171 RK2 INTEGRATES A SINGLE 2ND ORDER DIFFERENTIAL EQUATION ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD.
33013 173 RK2N SOLVES A SYSTEM OF 2ND ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD.
33014 175 RK3 SOLVES A SINGLE 2ND ORDER DIFFERENTIAL EQUATION ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THIS METHOD CAN ONLY BE USED IF THE RIGHT HAND SIDE OF THE DIFFERENTIAL EQUATION DOES NOT DEPEND ON Y'.
33015 177 RK3N SOLVES A SYSTEM OF 2ND ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THIS METHOD CAN ONLY BE USED IF THE RIGHT HAND SIDE OF THE DIFFERENTIAL EQUATIONS DOES NOT DEPEND ON Y'.
33016 145 RK4A SOLVES A SINGLE 1ST ORDER DIFFERENTIAL EQUATION BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THE INTEGRATION IS TERMINATED AS SOON AS A CONDITION ON X AND Y, WHICH IS SUPPLIED BY THE USER, IS SATISFIED.
33017 147 RK4NA SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THE INTEGRATION IS TERMINATED AS SOON AS A CONDITION ON X[0],...,X[N] , SUPPLIED BY THE USER, IS SATISFIED.
33018 149 RK5NA SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD; THE ARC LENGTH IS INTRODUCED AS AN INTEGRATION VARIABLE; THE INTEGRATION IS TERMINATED AS SOON AS A CONDITION ON X[0],...,X[N] , SUPPLIED BY THE USER, IS SATISFIED.
33033 143 RKE SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 5TH ORDER RUNGE-KUTTA METHOD.
33040 167 MODIFIED TAYLOR SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 1ST, 2ND OR 3RD ORDER ONE-STEP TAYLOR METHOD; THIS METHOD CAN BE USED TO SOLVE LARGE AND SPARSE SYSTEMS, PROVIDED HIGHER ORDER DERIVATIVES CAN EASILY BE OBTAINED.
33050 169 EXPONENTIALLY FITTED TAYLOR SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A VARIABLE ORDER TAYLOR METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS, WITH KNOWN EIGEN VALUE SPECTRUM, PROVIDED HIGHER ORDER DERIVATIVES CAN EASILY BE OBTAINED.
33061 155 ARK SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A STABILIZED RUNGE-KUTTA METHOD WITH LIMITED STORAGE REQUIREMENTS.
33066 295 ARKMAT SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL BOUNDARY-VALUE PROBLEM ) BY MEANS OF A STABILIZED RUNGE-KUTTA METHOD, IN PARTICULAR SUITABLE FOR SYSTEMS ARISING FROM TWO-DIMENSIONAL TIME-DEPENDENT PARTIAL DIFFERENTIAL EQUATIONS.
33070 157 EFRK SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 1ST, 2ND OR 3RD ORDER, EXPONENTIONALLY FITTED RUNGE-KUTTA METHOD; AUTOMATIC STEPSIZE CONTROL IS NOT PROVIDED; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS WITH KNOWN EIGENVALUE SPECTRUM.
33080 151 MULTISTEP SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A VARIABLE ORDER MULTISTEP METHOD ADAMS-MOULTON, ADAMS-BASHFORTH OR GEAR'S METHOD; THE ORDER OF ACCURACY IS AUTOMATIC, UP TO 5TH ORDER; THIS METHOD IS SUITABLE FOR STIFF SYSTEMS.
33120 161 EFERK SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN EXPONENTIALLY FITTED, 3RD ORDER RUNGE-KUTTA METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS WITH KNOWN EIGENVALUE SPECTRUM.
33131 165 LINIGER2 SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN IMPLICIT, EXPONENTIALLY FITTED 1ST ORDER ONE-STEP METHOD; AUTOMATIC STEP-SIZE CONTROL IS NOT PROVIDED; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS.
33132 221 LINIGER1VS SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF AN IMPLICIT, EXPONENTIALLY FITTED 1ST ORDER ONE-STEP METHOD;THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS.
33135 231 IMPEX SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF THE IMPLICIT MIDPOINT RULE WITH SMOOTHING AND EXTRAPOLATION; THIS METHOD IS SUITABLE FOR THE INTEGRATION OF STIFF DIFFERENTIAL EQUATIONS.
33160 159 EFSIRK SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 3RD ORDER, EXPONENTIALLY FITTED, SEMI-IMPLICIT RUNGE-KUTTA METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS.
33170 225 RICHARDSON SOLVES A SYSTEM OF LINEAR EQUATIONS WITH POSITIVE REAL EIGENVALUES ( ELLIPTIC BOUNDARY VALUE PROBLEM ) BY MEANS OF A NON-STATIONARY 2ND ORDER ITERATIVE METHOD.
33171 225 ELIMINATION SOLVES A SYSTEM OF LINEAR EQUATIONS WITH POSITIVE REAL EIGENVALUES ( ELLIPTIC BOUNDARY VALUE PROBLEM ) BY MEANS OF A NON-STATIONARY 2ND ORDER ITERATIVE METHOD, WHICH IS AN ACCELERATION OF RICHARDSON'S METHOD.
33180 153 DIFFSYS SOLVES A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ); BY EXTRAPOLATION, APPLIED TO LOW ORDER RESULTS, A HIGH ORDER OF ACCURACY IS OBTAINED; THIS METHOD IS SUITABLE FOR SMOOTH PROBLEMS WHEN HIGH ACCURACY IS


2-nd REVISION, 1977

MC M

REQUIRED.
33191 223 GNS SOLVES AN AUTONOMOUS SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS ( INITIAL VALUE PROBLEM ) BY MEANS OF A 3RD ORDER MULTISTEP METHOD; THIS METHOD CAN BE USED TO SOLVE STIFF SYSTEMS.
33300 261 FEMLAGSYM SOLVES A LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJOINT DIFFERENTIAL EQUATION BY A RITZ-GALERKIN METHOD.
33301 261 FEMLAG SOLVES A LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER SELF-ADJOINT DIFFERENTIAL EQUATION BY A RITZ-GALERKIN METHOD; THE COEFFICIENT OF Y" IS SUPPOSED TO BE UNITY.
33302 263 FEMLAGSKEW SOLVES A LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A SECOND ORDER DIFFERENTIAL EQUATION BY A RITZ-GALERKIN METHOD.
33303 265 FEMHERMSYM SOLVES A LINEAR TWO-POINT BOUNDARY-VALUE PROBLEM FOR A FOURTH ORDER SELF-ADJOINT DIFFERENTIAL EQUATION WITH DIRICHLET BOUNDARY CONDITIONS BY A RITZ-GALERKIN METHOD.
34010 7 VECVEC := SCALAR PRODUCT OF A VECTOR AND A VECTOR.
34011 7 MATVEC := SCALAR PRODUCT OF A ROW VECTOR AND A VECTOR.
34012 7 TAMVEC := SCALAR PRODUCT OF A COLUMN VECTOR AND A VECTOR.
34013 7 MATMAT := SCALAR PRODUCT OF A ROW VECTOR AND A COLUMN VECTOR.
34014 7 TAMMAT := SCALAR PRODUCT OF A COLUMN VECTOR AND A COLUMN VECTOR.
34015 7 MATTAM := SCALAR PRODUCT OF A ROW VECTOR AND A ROW VECTOR.
34016 7 SEQVEC := SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE MUTUAL SPACINGS BETWEEN THE INDICES OF THE 1ST VECTOR CHANGE LINEARLY.
34017 7 SCAPRD1 := SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE SPACINGS OF BOTH VECTORS ARE CONSTANT.
34018 7 SYMMATVEC := SCALAR PRODUCT OF A VECTOR AND A ROW OF A SYMMETRIC MATRIX, WHOSE UPPERTRIANGLE IS GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34020 9 ELMVEC ADDS A CONSTANT TIMES A VECTOR TO A VECTOR.
34021 9 ELMVECCOL ADDS A CONSTANT TIMES A COLUMN VECTOR TO A VECTOR.
34022 9 ELMCOLVEC ADDS A CONSTANT TIMES A VECTOR TO A COLUMN VECTOR.
34023 9 ELMCOL ADDS A CONSTANT TIMES A COLUMN VECTOR TO A COLUMN VECTOR.
34024 9 ELMROW ADDS A CONSTANT TIMES A ROW VECTOR TO A ROW VECTOR.
34025 9 MAXELMROW ADDS A CONSTANT TIMES A ROW VECTOR TO A ROW VECTOR, MAXELMROW:=THE SUBSCRIPT OF AN ELEMENT OF THE NEW ROW VECTOR WHICH IS OF MAXIMUM ABSOLUTE VALUE.
34026 9 ELMVECROW ADDS A CONSTANT TIMES A ROW VECTOR TO A VECTOR.
34027 9 ELMROWVEC ADDS A CONSTANT TIMES A VECTOR TO A ROW VECTOR.
34028 9 ELMROWCOL ADDS A CONSTANT TIMES A COLUMN VECTOR TO A ROW VECTOR.
34029 9 ELMCOLROW ADDS A CONSTANT TIMES A ROW VECTOR TO A COLUMN VECTOR.
34030 11 ICHVEC INTERCHANGES TWO VECTORS GIVEN IN ARRAY A[L:U] AND ARRAY A[SHIFT + L : SHIFT + U].
34031 11 ICHCOL INTERCHANGES TWO COLUMNS OF A MATRIX.
34032 11 ICHROW INTERCHANGES TWO ROWS OF MATRIX.
34033 11 ICHROWCOL INTERCHANGES A ROW AND A COLUMN OF A MATRIX.
34034 11 ICHSEQVEC INTERCHANGES A ROW AND A COLUMN OF AN UPPERTRIANGULAR MATRIX, WHICH IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34035 11 ICHSEQ INTERCHANGES TWO COLUMNS OF AN UPPERTRIANGULAR MATRIX, WHICH IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34040 13 ROTCOL REPLACES TWO COLUMN VECTORS X AND Y BY TWO VECTORS CX + SY AND CY - SX.
34041 13 ROTROW REPLACES TWO ROW VECTORS X AND Y BY TWO VECTORS CX + SY AND CY - SX.
34051 49 SOL SOLVES THE SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY DEC.
34053 51 INV CALCULATES THE INVERSE OF A MATRIX THAT HAS BEEN TRIANGULARLY DECOMPOSED BY DEC.
34061 49 SOLELM SOLVES A SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY GSSELM OR GSSERB.
34071 79 SOLBND SOLVES A SYSTEM OF LINEAR EQUATIONS, THE MATRIX BEING DECOMPOSED BY DECBND.
34131 65 LSQSOL SOLVES A LINEAR LEAST SQUARES PROBLEM IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY LSQORTDEC.
34132 63 LSQDGLINV CALCULATES THE DIAGONAL ELEMENTS OF THE INVERSE OF M'M, WHERE M IS THE COEFFICIENT MATRIX OF A LINEAR LEAST SQUARES PROBLEM.
34134 63 LSQORTDEC DELIVERS THE HOUSEHOLDER TRIANGULARIZATION WITH COLUMN INTERCHANGES OF THE MATRIX OF A LINEAR LEAST SQUARES PROBLEM.
34135 65 LSQORTDECSOL SOLVES A LINEAR LEAST SQUARES PROBLEM BY HOUSEHOLDER TRIANGULARIZATION WITH COLUMN INTERCHANGES AND CALCULATES THE DIAGONAL OF THE INVERSE OF M'M, WHERE M IS THE COEFFICIENT MATRIX.
34136 207 LSQINV CALCULATES THE INVERSE OF THE MATRIX S'S, WHERE S IS THE COEFFICIENT MATRIX OF A LINEAR LEAST SQUARES PROBLEM.
34140 101 TFMSYMTRI2 TRANSFORMS A REAL SYMMETRIC MATRIX INTO A SIMILAR TRIDIAGONAL ONE BY MEANS OF HOUSEHOLDER'S TRANSFORMATION.

2-nd REVISION, 1977

MC

34141 101 BAKSYMTRI2 PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO TFMSYMTRI2.
34142 101 TFMPREVEC IN COMBINATION WITH TFMSYMTRI2 CALCULATES THE TRANSFORMING MATRIX.
34143 101 TFMSYMTRI1 TRANSFORMS A REAL SYMMETRIC MATRIX INTO A SIMILAR TRIDIAGONAL ONE BY MEANS OF HOUSEHOLDER'S TRANSFORMATION.
34144 101 BAKSYMTRI1 PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO TFMSYMTRI1.
34150 215 ZERDIN FINDS ( IN A GIVEN INTERVAL ) A ZERO OF A FUNCTION OF ONE VARIABLE.
34151 111 VALSYMTRI CALCULATES ALL, OR SOME CONSECUTIVE, EIGENVALUES OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF LINEAR INTERPOLATION USING A STURM SEQUENCE.
34152 111 VECSYMTRI CALCULATES EIGENVECTORS OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF INVERSE ITERATION.
34153 113 EIGVALSYM2 CALCULATES ALL ( OR SOME ) EIGENVALUES OF A SYMMETRIC MATRIX USING LINEAR INTERPOLATION OF A FUNCTION DERIVED FROM A STURM SEQUENCE.
34154 113 EIGSYM2 CALCULATES EIGENVALUES AND EIGENVECTORS BY MEANS OF INVERSE ITERATION.
34155 113 EIGVALSYM1 CALCULATES ALL ( OR SOME ) EIGENVALUES OF A SYMMETRIC MATRIX USING LINEAR INTERPOLATION OF A FUNCTION DERIVED FROM A STURM SEQUENCE.
34156 113 EIGSYM1 CALCULATES EIGENVALUES AND EIGENVECTORS BY MEANS OF INVERSE ITERATION.
34160 111 QRIVALSYMTRI CALCULATES THE EIGENVALUES OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF QR ITERATION.
34161 111 QRISYMTRI CALCULATES THE EIGENVALUES AND EIGENVECTORS OF A SYMMETRIC TRIDIAGONAL MATRIX BY MEANS OF QR ITERATION.
34162 113 QRIVALSYM2 CALCULATES THE EIGENVALUES OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION.
34163 113 QRISYM CALCULATES ALL EIGENVALUES AND EIGENVECTORS OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION.
34164 113 QRIVALSYM1 CALCULATES THE EIGENVALUES OF A SYMMETRIC MATRIX BY MEANS OF QR ITERATION.
34170 103 TFMREAHES TRANSFORMS A MATRIX INTO A SIMILAR UPPER-HESSENBERG MATRIX BY MEANS OF WILKINSON'S TRANSFORMATION.
34171 103 BAKREAHES1 PERFORMS THE BACK TRANSFORMATION ( ON A VECTOR ) CORRESPONDING TO TFMREAHES.
34172 103 BAKREAHES2 PERFORMS THE BACK TRANSFORMATION ( ON COLUMNS ) CORRESPONDING TO TFMREAHES.
34173 97 EQILBR EQUILIBRATES A MATRIX BY MEANS OF A DIAGONAL SIMILARITY TRANSFORMATION.
34174 97 BAKLBR PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO EQILBR.
34180 115 REAVALQRI CALCULATES THE EIGENVALUES OF A REAL UPPER-HESSENBERG MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REAL, BY MEANS OF SINGLE QR ITERATION.
34181 115 REAVECHES CALCULATES AN EIGENVECTOR CORRESPONDING TO A GIVEN REAL EIGENVALUE OF A REAL UPPER-HESSENBERG MATRIX BY MEANS OF INVERSE ITERATION.
34182 117 REAEIGVAL CALCULATES THE EIGENVALUES OF A MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REAL.
34183 17 REASCL NORMALIZES THE COLUMNS OF A TWO-DIMENSIONAL ARRAY.
34184 117 REAEIG1 CALCULATES THE EIGENVECTORS AND EIGENVALUES OF A MATRIX, PROVIDED THAT THEY ARE ALL REAL.
34186 115 REAQRI CALCULATES ALL EIGENVALUES AND EIGENVECTORS OF A REAL UPPER-HESSENBERG MATRIX, PROVIDED THAT ALL EIGENVALUES ARE REAL, BY MEANS OF SINGLE QR ITERATION.
34187 117 REAEIG3 CALCULATES THE EIGENVECTORS AND EIGENVALUES OF A MATRIX, PROVIDED THAT THEY ARE ALL REAL.
34190 115 COMVALQRI CALCULATES THE REAL AND COMPLEX EIGENVALUES OF A REAL UPPER-HESSENBERG MATRIX BY MEANS OF DOUBLE QR ITERATION.
34191 115 COMVECHES CALCULATES THE EIGENVECTOR CORRESPONDING TO A GIVEN COMPLEX EIGENVALUE OF A REAL UPPER-HESSENBERG MATRIX BY MEANS OF INVERSE ITERATION.
34192 117 COMEIGVAL CALCULATES THE EIGENVALUES OF A MATRIX.
34193 29 COMSCL NORMALIZES REAL AND COMPLEX EIGENVECTORS.
34194 117 COMEIG1 CALCULATES THE EIGENVALUES AND EIGENVECTORS OF A MATRIX.
34210 139 LINEMIN MINIMIZES A FUNCTION OF SEVERAL VARIABLES IN A GIVEN DIRECTION.
34211 139 RNK1UPD ADDS A RANK-1 MATRIX TO A SYMMETRIC MATRIX.
34212 139 DAVUPD ADDS A RANK-2 MATRIX TO A SYMMETRIC MATRIX.
34213 139 FLEUPD ADDS A RANK-2 MATRIX TO A SYMMETRIC MATRIX.
34214 19 RNK1MIN MINIMIZES A FUNCTION OF SEVERAL VARIABLES.
34215 19 FLEMIN MINIMIZES A FUNCTION OF SEVERAL VARIABLES.
34220 95 CONJ GRAD SOLVES A POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY THE METHOD OF CONJUGATE GRADIENTS.
34231 45 GSSELM PERFORMS A TRIANGULAR DECOMPOSITION WITH A COMBINATION OF PARTIAL AND COMPLETE PIVOTING.
34232 49 GSSSOL SOLVES A SYSTEM OF LINEAR EQUATIONS.
34235 51 INV1 CALCULATES THE INVERSE OF A MATRIX THAT HAS BEEN TRIANGULARLY DECOMPOSED BY GSSELM OR GSSERB.THE 1-NORM OF THE INVERSE MATRIX MIGHT ALSO BE CALCULATED.
34236 51 GSSINV CALCULATES THE INVERSE OF A MATRIX.
34240 45 ONENRMINV CALCULATES THE 1-NORM OF THE INVERSE OF A MATRIX WHOSE TRIANGULARLY DECOMPOSED FORM IS DELIVERED BY GSSELM.
34241 45 ERBELM CALCULATES A ROUGH UPPERBOUND FOR THE ERROR IN THE SOLUTION OF A SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX IS TRIANGULARLY DECOMPOSED BY GSSELM.


2-nd REVISION, 1977

MC

34242 45 GSSERB PERFORMS A TRIANGULAR DECOMPOSTION OF THE MATRIX OF A SYSTEM OF LINEAR EQUATIONS AND CALCULATES AN UPPERBOUND FOR THE RELATIVE ERROR IN THE SOLUTION OF THAT SYSTEM.
34243 49 GSSSOLERB SOLVES A SYSTEM OF LINEAR EQUATIONS AND CALCULATES A ROUGH UPPERBOUND FOR THE RELATIVE ERROR IN THE CALCULATED SOLUTION.
34244 51 GSSINVERB CALCULATES THE INVERSE OF A MATRIX AND 1-NORM, AN UPPERBOUND FOR THE ERROR IN THE INVERSE MATRIX IS ALSO GIVEN.
34250 53 ITISOL SOLVES A SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS BEEN TRIANGULARLY DECOMPOSED BY GSSELM OR GSSERB, THIS SOLUTION IS IMPROVED ITERATIVELY.
34251 53 GSSITISOL SOLVES A SYSTEM OF LINEAR EQUATIONS AND THE SOLUTION IS IMPROVED ITERATIVELY.
34252 45 GSSNRI PERFORMS A TRIANGULAR DECOMPOSITION AND CALCULATES THE 1-NORM OF THE INVERSE MATRIX.
34253 53 ITISOLERB SOLVES A SYSTEM OF LINEAR EQUATIONS WHOSE MATRIX HAS TRIANGULARLY DECOMPOSED BY GSSNRI; THIS SOLUTION IS IMPROVED ITERATIVELY AN UPPERBOUND FOR THE ERROR IN THE SOLUTION IS CALCULATED.
34254 53 GSSITISOLERB SOLVES A SYSTEM OF LINEAR EQUATIONS; THIS SOLUTION IS IMPROVED ITERATIVELY AND AN UPPERBOUND FOR THE ERROR IN THE SOLUTION IS CALCULATED.
34260 109 HSHREABID TRANSFORMS A MATRIX TO BIDIAGONAL FORM, BY PREMULTIPLYING AND POSTMULTIPLYING WITH ORTHOGONAL MATRICES.
34261 109 POSTFORMAT CALCULATES THE POSTMULTIPLYING MATRIX FROM THE DATA GENERATED BY HSHREABID.
34262 109 PRETFORMAT CALCULATES THE PREMULTIPLYING MATRIX FROM THE DATA GENERATED BY HSHREABID.
34270 125 ORISNGVALBID CALCULATES THE SINGULAR VALUES OF A BIDIAGONAL MATRIX.
34271 125 ORISNGVALDECBID CALCULATES THE SINGULAR VALUES DECOMPOSITION OF A MATRIX OF WHICH THE BIDIAGONAL AND THE PRE- AND POSTMULTIPLYING MATRICES ARE GIVEN.
34272 127 ORISNGVAL CALCULATES THE SINGULAR VALUES OF A GIVEN MATRIX.
34273 127 ORISNGVALDEC CALCULATES THE SINGULAR VALUES DECOMPOSITION U * S * V', WITH U AND V ORTHOGONAL AND S POSITIVE DIAGONAL.
34280 67 SOLSVDOVR SOLVES AN OVERDETERMINED SYSTEM OF LINEAR EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PSEUDO-INVERSE OF THE GIVEN MATRIX.
34281 67 SOLOVR CALCULATES THE SINGULAR VALUES DECOMPOSITION AND SOLVES AN OVERDETERMINED SYSTEM OF LINEAR EQUATIONS.
34282 69 SOLSVDUND SOLVES AN UNDERDETERMINED SYSTEM OF LINEAR EQUATIONS, MULTIPLYING THE RIGHT-HAND SIDE BY THE PSEUDO-INVERSE OF THE GIVEN MATRIX.
34283 69 SOLUND CALCULATES THE SINGULAR VALUES DECOMPOSITION AND SOLVES AN UNDERDETERMINED SYSTEM OF LINEAR EQUATIONS.
34284 71 HOMSOLSVD SOLVES THE HOMOGENEOUS SYSTEM OF LINEAR EQUATIONS A * X = 0 AND X' * A = 0, WHERE "A" DENOTES A MATRIX AND "X" A VECTOR; ( THE SINGULAR VALJE DECOMPOSITION BEING GIVEN ).
34285 71 HOMSOL SOLVES THE HOMOGENEOUS SYSTEM OF LINEAR EQUATIONS OF EQUATIONS A * X = 0 AND X' * A = 0, WHERE "A" DENOTES A MATRIX AND "X" A VECTOR.
34286 73 PSDINVSVD CALCULATES THE PSEUDO-INVERSE OF A MATRIX; ( THE SINGULAR VALUE DECOMPOSITION BEING GIVEN ).
34287 73 PSDINV CALCULATES THE PSEUDO-INVERSE OF A MATRIX.
34300 45 DEC PERFORMS A TRIANGULAR DECOMPOSITION WITH PARTIAL PIVOTING.
34301 49 DECSOL SOLVES A SYSTEM OF LINEAR EQUATIONS WHOSE ORDER IS SMALL RELATIVE TO THE NUMBER OF BINARY DIGITS IN THE NUMBER REPRESENTATION.
34302 51 DECINV CALCULATES THE INVERSE OF A MATRIX WHOSE ORDER IS SMALL RELATIVE TO THE NUMBER OF BINARY DIGITS IN THE NUMBER REPRESENTATION.
34303 47 DETERM CALCULATES THE DETERMINANT OF A TRIANGULARLY DECOMPOSED MATRIX.
34310 55 CHLDEC2 CALCULATES THE CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN IN A TWO-DIMENSIONAL ARRAY.
34311 55 CHLDEC1 CALCULATES THE CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34312 57 CHLDETERM2 CALCULATES OF THE DETERMINANT OF A POSITIVE DEFINITE SYMMETRIC MATRIX, THE CHOLESKY DECOMPOSITION BEING GIVEN IN A TWO-DIMENSIONAL ARRAY.
34313 57 CHLDETERM1 CALCULATES THE DETERMINANT OF A POSITIVE DEFINITE SYMMETRIC MATRIX, THE CHOLESKY DECOMPOSITION BEING GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34320 75 DECBND PERFORMS A TRIANGULAR DECOMPOSITION OF A BAND MATRIX, USING PARTIAL PIVOTING.
34321 77 DETERMBND CALCULATES THE DETERMINANT OF A BAND MATRIX.
34322 79 DECSOLBND SOLVES A SYSTEM OF LINEAR EQUATIONS BY GAUSSIAN ELIMINATION WITH PARTIAL PIVOTING IF THE COEFFICIENT MATRIX IS IN BAND FORM AND IS STORED ROWWISE IN A ONE-DIMENSIONAL ARRAY.
34330 85 CHLDECBND PERFORMS THE CHOLESKY DECOMPOSITION OF A POSITIVE DEFINITE SYMMETRIC BAND MATRIX.
34331 87 CHLDETERMBND CALCULATES THE DETERMINANT OF A POSITIVE DEFINITE SYMMETRIC BAND MATRIX.
34332 89 CHLSOLBND SOLVES A POSITIVE DEFINITE SYMMETRIC LINEAR SYSTEM, THE TRIANGULAR DECOMPOSITION BEING GIVEN.
34333 89 CHLDECSOLBND SOLVES A POSITIVE DEFINITE SYMMETRIC LINEAR SYSTEM AND PERFORMS THE TRIANGULAR DECOMPOSITION BY CHOLESKY'S


2-nd REVISION, 1977

MC M

METHOD.
34340 35 COMABS CALCULATES THE MODULUS OF A COMPLEX NUMBER.
34341 37 COMMUL CALCULATES THE PRODUCT OF TWO COMPLEX NUMBERS.
34342 37 COMDIV CALCULATES THE QUOTIENT OF TWO COMPLEX NUMBERS.
34343 35 COMSQRT CALCULATES THE SQUARE ROOT OF A COMPLEX NUMBER.
34344 35 CARPOL TRANSFORMS THE CARTESIAN COORDINATES OF A COMPLEX NUMBER INTO POLAR COORDINATES.
34345 129 COMKWD CALCULATES THE ROOTS OF A QUADRATIC EQUATION WITH COMPLEX COEFFICIENTS.
34352 21 COMCOLCST MULTIPLIES A COMPLEX COLUMN VECTOR BY A COMPLEX NUMBER.
34353 21 COMROWCST MULTIPLIES A COMPLEX ROW VECTOR BY A COMPLEX NUMBER.
34354 23 COMMATVEC CALCULATES THE SCALAR PRODUCT OF A COMPLEX ROW VECTOR AND A COMPLEX VECTOR.
34355 23 HSHCOMCOL TRANSFORMS A COMPLEX VECTOR INTO A VECTOR PROPORTIONAL TO A UNIT VECTOR.
34356 23 HSHCOMPRD PREMULTIPLIES A COMPLEX MATRIX WITH A COMPLEX HOUSEHOLDER MATRIX.
34357 287 ROTCOMCOL REPLACES TWO COMPLEX COLUMN VECTORS X AND Y BY TWO COMPLEX VECTORS CX * SY AND CY = SX.
34358 287 ROTCOMROW REPLACES TWO COMPLEX ROW VECTORS X AND Y BY TWO COMPLEX VECTORS CX * SY AND CY = SX.
34359 31 COMEUCNRM CALCULATES THE EUCLIDEAN NORM OF A COMPLEX MATRIX WITH LW LOWER CODIAGONALS.
34360 29 SCLCOM NORMALIZES THE COLUMNS OF A COMPLEX MATRIX.
34361 99 EQILBRCOM EQUILIBRATES A COMPLEX MATRIX.
34362 99 BAKLBRCOM TRANSFORMS THE EIGENVECTORS OF A COMPLEX EQUILIBRATED ( BY EQILBRCOM ) MATRIX INTO THE EIGENVECTORS OF THE ORIGINAL MATRIX.
34363 105 HSHHRMTRI TRANSFORMS A HERMITIAN MATRIX INTO A SIMILAR REAL SYMMETRIC TRIDIAGONAL MATRIX.
34364 105 HSHHRMTRIVAL DELIVERS THE MAIN DIAGONAL ELEMENTS AND THE SQUARES OF THE CODIAGONAL ELEMENTS OF A HERMITIAN TRIDIAGONAL MATRIX WHICH IS UNITARY SIMILAR WITH A GIVEN HERMITIAN MATRIX.
34365 105 BAKHRMTRI PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO HSHHRMTRI.
34366 107 HSHCOMHES TRANSFORMS A COMPLEX MATRIX BY MEANS OF HOUSEHOLDER'S TRANSFORMATION FOLLOWED BY A COMPLEX DIAGONAL TRANSFORMATION INTO A SIMILAR UNITARY UPPER-HESSENBERG MATRIX WITH A REAL NONNEGATIVE SUBDIAGONAL.
34367 107 BAKCOMHES PERFORMS THE BACK TRANSFORMATION CORRESPONDING TO HSHCOMHES.
34368 119 EIGVALHRM CALCULATES THE EIGENVALUES OF A COMPLEX HERMITIAN MATRIX.
34369 119 EIGHRM CALCULATES THE EIGENVALUES AND EIGENVECTORS OF A COMPLEX HERMITIAN MATRIX.
34370 119 ORIVALHRM CALCULATES THE EIGENVALUES OF A COMPLEX HERMITIAN MATRIX.
34371 119 ORIHRM CALCULATES THE EIGENVALUES AND EIGENVECTORS OF A COMPLEX HERMITIAN MATRIX.
34372 121 VALORICOM CALCULATES THE EIGENVALUES OF A COMPLEX UPPER-HESSENBERG MATRIX WITH A REAL SUBDIAGONAL.
34373 121 ORICOM CALCULATES THE EIGENVECTORS AND THE EIGENVALUES OF A COMPLEX UPPER-HESSENBERG MATRIX.
34374 123 EIGVALCOM CALCULATES THE EIGENVALUES OF A COMPLEX MATRIX.
34375 123 EIGCOM CALCULATES THE EIGENVECTORS AND EIGENVALUES OF A COMPLEX MATRIX.
34376 25 ELMCOMVECCOL ADDS A COMPLEX NUMBER TIMES A COMPLEX COLUMN VECTOR TO A COMPLEX VECTOR.
34377 25 ELMCOMCOL ADDS A COMPLEX NUMBER TIMES A COMPLEX COLUMN VECTOR TO A COMPLEX COLUMN VECTOR.
34378 25 ELMCOMROWVEC ADDS A COMPLEX NUMBER TIMES A COMPLEX VECTOR TO A COMPLEX ROW VECTOR.
34390 59 CHLSOL2 SOLVES A SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY CHLDEC2 OR CHLDECSOL2.
34391 59 CHLSOL1 SOLVES A SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY CHLDEC1 OR CHLDECSOL1.
34392 59 CHLDECSOL2 SOLVES A POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX SHOULD BE GIVEN IN THE UPPERTRIANGLE OF A TWO-DIMENSIONAL ARRAY.
34393 59 CHLDECSOL1 SOLVES A POSITIVE DEFINITE SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX SHOULD BE GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34400 61 CHLINV2 CALCULATES THE INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX, IF THE MATRIX HAS BEEN DECOMPOSED BY CHLDEC2 OR CHLDECSOL2.
34401 61 CHLINV1 CALCULATES THE INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX, IF THE MATRIX HAS BEEN DECOMPOSED BY CHLDEC1 OR CHLDECSOL1.
34402 61 CHLDECINV2 CALCULATES THE INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX GIVEN COLUMNWISE IN A TWO-DIMENSIONAL ARRAY.
34403 61 CHLDECINV1 CALCULATES THE INVERSE OF A POSITIVE DEFINITE SYMMETRIC MATRIX BY CHOLESKY'S SQUARE ROOT METHOD; THE COEFFICIENT MATRIX GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34410 285 LNGVECVEC CALCULATES THE SCALAR PRODUCT OF TWO VECTORS BY DOUBLE LENTGH ARITHMETIC.
34411 285 LNGMATVEC CALCULATES THE SCALAR PRODUCT OF A VECTOR AND A ROW VECTOR BY DOUBLE PRECISION ARITHMETIC.
34412 285 LNGTAMVEC CALCULATES THE SCALAR PRODUCT OF A VECTOR AND A COLUMN VECTOR BY DOUBLE PRECISION ARITHMETIC.
34413 285 LNGMATMAT CALCULATES THE SCALAR PRODUCT OF A ROW OF A VECTOR AND A COLUMN VECTOR BY DOUBLE PRECISION ARITHMETIC.
34414 285 LNGTAMMAT CALCULATES THE SCALAR PRODUCT OF TWO COLUMN VECTORS BY DOUBLE PRECISION ARITHMETIC.

34415 285 LNGMATTAM CALCULATES THE SCALAR PRODUCT OF TWO ROW VECTORS BY DOUBLE PRECISION ARITHMETIC.
34416 285 LNGSEGVEC CALCULATES THE SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE MUTUAL SPACINGS BETWEEN THE INDICES OF THE 1ST VECTOR CHANGE LINEARLY, BY DOUBLE LENGTH ARITHMETIC.
34417 285 LNGSCAPRD1 CALCULATES THE SCALAR PRODUCT OF TWO VECTORS GIVEN IN ONE-DIMENSIONAL ARRAYS, WHERE THE SPACINGS OF BOTH VECTORS ARE CONSTANT, BY DOUBLE PRECISION ARITHMETIC.
34418 285 LNGSYMMATVEC CALCULATES THE SCALAR PRODUCT OF A VECTOR GIVEN IN A ONE-DIMENSIONAL ARRAY AND A ROW OF A SYMMETRIC MATRIX, WHOSE UPPER TRIANGLE IS STORED COLUMNWISE IN A ONE-DIMENSIONAL ARRAY, BY DOUBLE PRECISION ARITHMETIC.
34420 91 DECSYMTRI PERFORMS THE TRIANGULAR DECOMPOSITION OF A SYMMETRIC TRIDIAGONAL MATRIX.
34421 93 SOLSYMTRI SOLVES A SYMMETRIC TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS, THE TRIANGULAR DECOMPOSITION BEING GIVEN.
34422 93 DECSOLSYMTRI SOLVES A SYMMETRIC TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIDIAGONAL DECOMPOSITION.
34423 81 DECTRI PERFORMS A TRIANGULAR DECOMPOSITION OF A TRIDIAGONAL MATRIX.
34424 83 SOLTRI SOLVES A TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION BEING GIVEN.
34425 83 DECSOLTRI SOLVES A TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIANGULAR DECOMPOSITION WITHOUT PIVOTING.
34426 81 DECTRIPIV PERFORMS A TRIANGULAR DECOMPOSITION OF A TRIDIAGONAL MATRIX, USING PARTIAL PIVOTING.
34427 83 SOLTRIPIV SOLVES A TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS THE TRIANGULAR DECOMPOSITION BEING GIVEN.
34428 83 DECSOLTRIPIV SOLVES A TRIDIAGONAL SYSTEM OF LINEAR EQUATIONS AND PERFORMS THE TRIANGULAR DECOMPOSITION WITH PARTIAL PIVOTING.
34430 217 QUANEWBND SOLVES A SYSTEM OF NON-LINEAR EQUATIONS OF WHICH THE JACOBIAN ( BEING A BAND MATRIX ) IS GIVEN.
34431 217 QUANEWBND1 SOLVES A SYSTEM OF NON-LINEAR EQUATIONS OF WHICH THE JACOBIAN IS A BAND MATRIX.
34432 259 PRAXIS MINIMIZES A FUNCTION OF SEVERAL VARIABLES.
34433 235 MININ MINIMIZES A FUNCTION OF ONE VARIABLE IN A GIVEN INTERVAL.
34435 237 MINIMDER MINIMIZES A FUNCTION OF ONE VARIABLE IN A GIVEN INTERVAL, USING VALUES OF THE FUNCTION AND OF ITS DERIVATIVE.
34436 215 ZEROINRAT FINDS ( IN A GIVEN INTERVAL ) A ZERO OF A FUNCTION OF ONE VARIABLE.
34437 213 JACOBINF CALCULATES THE JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF N VARIABLES USING FORWARD DIFFERENCES.
34438 213 JACOBMNF CALCULATES THE JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF M VARIABLES USING FORWARD DIFFERENCES.
34439 213 JACOBNBNDF CALCULATES THE JACOBIAN MATRIX OF AN N-DIMENSIONAL FUNCTION OF N VARIABLES, IF THE JACOBIAN IS KNOWN TO BE A BAND MATRIX.
34440 219 MARQUARDT CALCULATES THE LEAST SQUARES SOLUTION OF AN OVERDETERMINED SYSTEM OF NON-LINEAR EQUATIONS WITH MARQUARDT'S METHOD.
34441 219 GSSNEWTON CALCULATES THE LEAST SQUARES SOLUTION OF AN OVERDETERMINED SYSTEM OF NON-LINEAR EQUATIONS WITH THE GAUSS-NEWTON METHOD.
34444 259 PEIDE ESTIMATES UNKNOWN PARAMETERS IN A SYSTEM OF 1ST ORDER DIFFERENTIAL EQUATIONS; THE UNKNOWN VARIABLES MAY APPEAR NON-LINEARLY BOTH IN THE DIFFERENTIAL EQUATIONS AND ITS INITIAL VALUES; A SET OF OBSERVED VALUES OF SOME COMPONENTS OF THE SOLUTION OF THE DIFFERENTIAL EQUATIONS MUST BE GIVEN.
34453 233 ZEROINDER FINDS ( IN A GIVEN INTERVAL ) A ZERO OF A FUNCTION OF ONE VARIABLE USING VALUES OF THE FUNCTION AND OF ITS DERIVATIVE.
34500 209 POLZEROS CALCULATES ALL ZEROS OF A POLYNOMIAL WITH REAL COEFFICIENTS.
34600 267 QZIVAL COMPUTES GENERALIZED EIGENVALUES BY MEANS OF QZ-ITERATION.
34601 267 QZI COMPUTES GENERALIZED EIGENVALUES AND EIGENVECTORS BY MEANS OF QZ-ITERATION.
34602 267 HSHDECMUL IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34603 267 HESTGL3 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34604 267 HESTGL2 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34605 267 HSH2COL IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34606 267 HSH3COL IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34607 267 HSH2ROW3 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34608 267 HSH2ROW2 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34609 267 HSH3ROW3 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34610 267 HSH3ROW2 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF GENERALIZED EIGENVALUES.
34611 267 CHSH2 FINDS A COMPLEX ROTATION MATRIX.
34700 277 SYMDEC2 CALCULATES THE SYMMETRIC DECOMPOSITION OF A SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN IN A TWO-DIMENSIONAL ARRAY.
34701 277 SYMDEC1 CALCULATES THE SYMMETRIC DECOMPOSITION OF A SYMMETRIC MATRIX WHOSE UPPER TRIANGLE IS GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34702 279 SYMDETERM2 CALCULATES THE DETERMINANT A SYMMETRIC MATRIX, THE SYMMETRIC DECOMPOSITION BEING GIVEN IN A TWO-DIMENSIONAL ARRAY.
34703 279 SYMDETERM1 CALCULATES THE DETERMINANT OF A SYMMETRIC MATRIX, THE SYMMETRIC DECOMPOSITION BEING GIVEN COLUMNWISE IN A


2-nd REVISION, 1977

MC

ONE-DIMENSIONAL ARRAY.
34704 281 SYMSOL2 SOLVES A SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY SYMDEC2 OR SYMDECSOL2.
34705 281 SYMSOL1 SOLVES A SYSTEM OF LINEAR EQUATIONS IF THE COEFFICIENT MATRIX HAS BEEN DECOMPOSED BY SYMDEC1 OR SYMDECSOL1.
34706 281 SYMDECSOL2 SOLVES A SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX SHOULD BE GIVEN IN THE UPPERTRIANGLE OF A TWO-DIMENSIONAL ARRAY.
34707 281 SYMDECSOL1 SOLVES A SYMMETRIC SYSTEM OF LINEAR EQUATIONS BY SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX SHOULD BE GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
34708 281 SYMINV2 CALCULATES THE INVERSE OF A SYMMETRIC MATRIX, USING THE SYMMETRIC DECOMPOSITION FORMED BY SYMDEC2 OR SYMDECSOL2.
34709 283 SYMINV1 CALCULATES THE INVERSE OF A SYMMETRIC MATRIX, USING THE SYMMETRIC DECOMPOSITION FORMED BY SYMDEC1 OR SYMDECSOL1.
34710 283 SYMDECINV2 CALCULATES THE INVERSE OF A SYMMETRIC MATRIX BY A SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX GIVEN COLUMNWISE IN A TWO-DIMENSIONAL ARRAY.
34711 283 SYMDECINV1 CALCULATES THE INVERSE OF A SYMMETRIC MATRIX BY A SYMMETRIC DECOMPOSITION ( WITHOUT PIVOTING ); THE COEFFICIENT MATRIX GIVEN COLUMNWISE IN A ONE-DIMENSIONAL ARRAY.
35021 227 ERROPFUNCTION COMPUTES THE ERROR FUNCTION ( ERF ) AND COMPLEMENTARY ERROR FUNCTION ( ERFC ) FOR A REAL ARGUMENT.
35022 227 NONEXPERFC COMPUTES ERFC(X) * EXP(X*X).
35023 227 INVERSE ERROR FUNCTION CALCULATES THE INVERSE ERROR FUNCTION Y = INVERF(X).
35027 227 FRESNEL CALCULATES THE FRESNEL INTEGRALS C(X) AND S(X).
35028 227 FG IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF FRESNEL INTEGRALS.
35030 187 INCOMGAM COMPUTES THE INCOMPLETE GAMMA FUNCTIONS.
35050 187 INCBETA COMPUTES THE INCOMPLETE BETA-FUNCTION I(X,P,Q); 0 <= X <= 1, P > 0, Q > 0.
35051 187 IBPPLUSN COMPUTES INCOMPLETE BETA-FUNCTION RATIOS I(X,P+N,Q) FOR N = 0 (1) NMAX, 0 <= X <= 1, P > 0, Q > 0.
35052 187 IBQPLUSN COMPUTES INCOMPLETE BETA-FUNCTION RATIOS I(X,P,Q+N) FOR N = 0 (1) NMAX, 0 <= X <= 1, P > 0, Q > 0.
35053 187 IXQFIX IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS.
35054 187 IXPFIX IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS.
35055 187 FORWARD IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS.
35056 187 BACKWARD IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF INCOMPLETE BESSELFUNCTIONS.
35060 187 RECIP GAMMA CALCULATES THE RECIPROCAL OF THE GAMMA FUNCTION FOR ARGUMENTS IN THE RANGE [.5,1.5]; MOREOVER ODD AND EVEN PARTS ARE DELIVERED.
35061 187 GAMMA CALCULATES THE GAMMA FUNCTION.
35062 187 LOG GAMMA CALCULATES THE NATURAL LOGARITHM OF THE GAMMA FUNCTION FOR POSITIVE ARGUMENTS.
35080 183 EI CALCULATES THE EXPONENTIAL INTEGRAL .
35081 183 EI ALPHA CALCULATES A SEQUENCE OF INTEGRALS OF THE FORM INTEGRAL (EXP(-X*T)*T**N DT), FROM T=1 TO T=INFINITY.
35083 41 JFRAC CALCULATES A TERMINATING CONTINUED FRACTION.
35084 185 SINCOSINT CALCULATES THE SINE INTEGRAL SI(X) AND THE COSINE INTEGRAL CI(X).
35085 185 SINCOSFG IS AN AUXILIARY PROCEDURE FOR THE SINE AND COSINE INTEGRALS.
35086 183 ENX COMPUTES A SEQUENCE OF EXPONENTIAL INTEGRALS E(N,X) = THE INTEGRAL FROM 1 TO INFINITY OF EXP(-X * T)/ T**N DT.
35087 183 NONEXP ENX COMPUTES A SEQUENCE OF INTEGRALS EXP(X) * E(N,X).
35111 181 SINH COMPUTES THE HYPERBOLIC SINE FOR A REAL ARGUMENT X.
35112 181 COSH COMPUTES THE HYPERBOLIC COSINE FOR A REAL ARGUMENT X.
35113 181 TANH COMPUTES THE HYPERBOLIC TANGENT FOR A REAL ARGUMENT X.
35114 181 ARCSINH COMPUTES THE INVERSE HYPERBOLIC SINE FOR A REAL ARGUMENT X.
35115 181 ARCCOSH COMPUTES THE INVERSE HYPERBOLIC COSINE FOR A REAL ARGUMENT X.
35116 181 ARCTANH COMPUTES THE INVERSE HYPERBOLIC TANGENT FOR A REAL ARGUMENT X.
35120 179 TAN COMPUTES THE TANGENT FOR A REAL ARGUMENT X.
35121 179 ARCSIN COMPUTES THE ARCSINE FOR A REAL ARGUMENT X.
35122 179 ARCCOS COMPUTES THE ARCCOSINE FOR A REAL ARGUMENT X.
35140 243 AIRY EVALUATES THE AIRY FUNCTIONS AI(Z) AND BI(Z) AND THEIR DERIVATIVES.
35145 243 AIRYZEROS COMPUTES THE ZEROS AND ASSOCIATED VALUES OF THE AIRY FUNCTIONS AI(Z) AND BI(Z) AND THEIR DERIVATIVES.
35150 247 SPHER BESS J CALCULATES THE SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND: J[K+.5](X)*SQRT(PI/(2*X)), K=0,...,N , WHERE J[K+.5](X) DENOTES THE BESSEL FUNCTION OF THE 1ST KIND OF ORDER K+.5.
35151 247 SPHER BESS Y CALCULATES THE SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND: Y[K+.5](X)*SQRT(PI/(2*X)), K=0,...,N , WHERE Y[K+.5](X) DENOTES THE BESSEL FUNCTION OF THE 3RD KIND OF ORDER K+.5.
35152 247 SPHER BESS I CALCULATES THE MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND: I[K+.5](X)*SQRT(PI/(2*X)), K=0,...,N , WHERE I[K+.5](X) DENOTES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER K+.5.

CDC

35153 247 SPHER BESS K CALCULATES THE MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND; K[I+.5](X)*SQRT(PI/(2*X)), I=0,...,N , WHERE K[I+.5](X) DENOTES THE MODIFIED BESSEL FUNCTION OF THE 3RD KIND OF ORDER I+.5.
35154 247 NONEXP SPHER BESS I CALCULATES THE MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 1ST KIND MULTIPIED BY EXP(-X); I[K+.5](X)*SQRT(PI/(2*X))*EXP(-X), K=0,...,N , WHERE I[K+.5](X) DENOTES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER K+.5.
35155 247 NONEXP SPHER BESS K CALCULATES THE MODIFIED SPHERICAL BESSEL FUNCTIONS OF THE 3RD KIND MULTIPLIED BY EXP(+X); K[I+.5](X)*SQRT(PI/(2*X))*EXP(+X) , I=0,...,N , WHERE K[I+.5](X) DENOTES THE MODIFIED BESSEL OF THE 3RD KIND OF ORDER I+.5.
35160 253 BESS J0 CALCULATES THE ORDINARY BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO.
35161 253 BESS J1 CALCULATES THE ORDINARY BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE.
35162 253 BESS J CALCULATES THE ORDINARY BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ).
35163 253 BESS Y01 CALCULATES THE ORDINARY BESSEL FUNCTIONS OF THE 2ND KIND ORDER ZERO AND ONE WITH ARGUMENT X; X > 0.
35164 253 BESS Y CALCULATES THE ORDINARY BESSEL FUNCTIONS OF THE 2ND KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X, X> 0.
35165 253 BESS P00 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE ORDINARY BESSEL FUNCTIONS OF ORDER ZERO FOR LARGE VALUES OF THEIR ARGUMENT.
35166 253 BESS P01 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE ORDINARY BESSEL FUNCTIONS OF ORDER ONE FOR LARGE VALUES OF THEIR ARGUMENT.
35170 255 BESS I0 CALCULATES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO.
35171 255 BESS I1 CALCULATES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE.
35172 255 BESS I CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ).
35173 255 BESS K01 CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDERS ZERO AND ONE WITH ARGUMENT X, X > 0.
35174 255 BESS K CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X, X > 0.
35175 255 NONEXP BESS I0 CALCULATES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ZERO; THE RESULT IS MULTIPLIED BY EXP(-ABS(X)).
35176 255 NONEXP BESS I1 CALCULATES THE MODIFIED BESSEL FUNCTION OF THE 1ST KIND OF ORDER ONE; THE RESULT IS MULTIPLIED BY EXP(-ABS(X))
35177 255 NONEXP BESS I CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER L ( L = 0,...,N ); THE RESULT IS MULTIPLIED BY EXP(-ABS(X)).
35178 255 NONEXP BESS K01 CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER ZERO AND ONE WITH ARGUMENT X, X>0; THE RESULT IS MULTIPLIED BY EXP(X).
35179 255 NONEXP BESS K CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER L ( L = 0,...,N ) WITH ARGUMENT X, X>0; THE RESULT IS MULTIPLIED BY EXP(X).
35180 249 BESS JAPLUSN CALCULATES THE BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+K ( 0<=K<=N, 0<=A<1 ).
35181 249 BESS YA01 CALCULATES THE BESSEL FUNCTIONS OF THE 2ND KIND ( ALSO CALLED NEUMANN'S FUNCTIONS ) OF ORDER A AND A+1 ( A>=0 ) AND ARGUMENT X>0.
35182 249 BESS YAPLUSN CALCULATES THE BESSEL FUNCTIONS OF THE 2ND KIND OF ORDER A+N, N=0,...,NMAX , A>=0, AND ARGUMENT X>0.
35183 249 BESS PQA01 IS AN AUXILIARY PROCEDURE FOR THE COMPUTATION OF THE BESSEL FUNCTIONS FOR LARGE VALUES OF THEIR ARGUMENT.
35190 251 BESS IAPLUSN CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGUMENT X>=0.
35191 251 BESS KA01 CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A AND A+1, A>=0, AND ARGUMENT X, X>0.
35192 251 BESS KAPLUSN CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A+N, N=0,...,NMAX , A>=0, AND ARGUMENT X>0.
35193 251 NONEXP BESS IAPLUSN CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 1ST KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGUMENT X>=0, MULTIPLIED BY EXP(-X).
35194 251 NONEXP BESS KA01 CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A AND A+1, A>=0 AND ARGUMENT X, X>0, MULTIPLIED BY THE FACTOR EXP(X).
35195 251 NONEXP BESS KAPLUSN CALCULATES THE MODIFIED BESSEL FUNCTIONS OF THE 3RD KIND OF ORDER A+N, N=0,...,NMAX , A>=0 AND ARGUMENT X>0 MULTIPLIED BY THE FACTOR EXP(X).
36010 195 NEWTON CALCULATES THE COEFFICIENTS OF THE NEWTON POLYNOMIAL THROUGH GIVEN INTERPOLATION POINTS AND CORRESPONDING FUNCTION VALUES.
36020 197 INI SELECTS A (SUB)SET OF INTEGERS OUT OF A GIVEN SET OF INTEGERS; IT IS AN AUXILIARY PROCEDURE FOR MINMAXPOL.
36021 197 SYDREMEZ EXCHANGES AT MOST N+1 NUMBERS WITH NUMBERS OUT OF A REFERENCE SET; IT IS AN AUXILIARY PROCEDURE FOR MINMAXPOL.
36022 197 MINMAXPOL CALCULATES THE COEFFICIENTS OF THE POLYNOMIAL THAT APPROXIMATES A FUNCTION, GIVEN FOR DISCRETE ARGUMENTS, SUCH THAT THE INFINITY NORM OF THE ERROR VECTOR IS MINIMISED.
36401 301 SYMEIGINP IMPROVES AN APPROXIMATION OF A REAL SYMMETRIC EIGENSYSTEM AND CALCULATES ERROR BOUNDS FOR THE EIGENVALUES.
36402 299 ORTHOG ORTHOGONALIZES SOME ADJACENT MATRIX COLUMNS ACCORDING TO THE MODIFIED GRAM-SMIDT METHOD.

2-nd REVISION, 1977

MC M

36403 297 ROWPERM PERMUTES THE ELEMENTS OF A GIVEN ROW OF A MATRIX ACCORDING TO A GIVEN PERMUTATION OF INDICES.
36404 297 VECPERM PERMUTES THE ELEMENTS OF A GIVEN VECTOR ACCORDING TO A GIVEN PERMUTATION OF INDICES.
36405 297 MERGESORT DELIVERS A PERMUTATION OF INDICES CORRESPONDING TO SORTING THE ELEMENTS OF A GIVEN VECTOR INTO NON-DECREASING ORDER.

2-nd REVISION, 1977

MC

| INDEX | PROCEDURE | | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|---|
| 1.ELEMENTARY PROCEDURES | | | | | |
| 1.REAL VECT AND MAT OPERATIONS | | | | | |
| 1.INITIALIZATION | | | | | |
| | INIVEC | * | 31010 | APR/74 | 1 |
| | INIMAT | * | 31011 | APR/74 | 1 |
| | INIMATD | * | 31012 | APR/74 | 1 |
| | INISYMD | | 31013 | APR/74 | 1 |
| | INISYMROW | | 31014 | APR/74 | 1 |
| 2.DUPLICATION | | | | | |
| | DUPVEC | * | 31030 | APR/74 | 3 |
| | DUPVECROW | * | 31031 | APR/74 | 3 |
| | DUPROWVEC | * | 31032 | APR/74 | 3 |
| | DUPVECCOL | * | 31033 | APR/74 | 3 |
| | DUPCOLVEC | * | 31034 | APR/74 | 3 |
| | DUPMAT | * | 31035 | APR/74 | 3 |
| 3.MULTIPLICATION | | | | | |
| | MULVEC | * | 31020 | APR/74 | 5 |
| | MULROW | * | 31021 | APR/74 | 5 |
| | MULCOL | * | 31022 | APR/74 | 5 |
| | COLCST | * | 31131 | APR/74 | 5 |
| | ROWCST | * | 31132 | APR/74 | 5 |
| 4.SCALAR PRODUCTS | | | | | |
| 1.VECTOR VECTOR PRODUCTS | | | | | |
| | VECVEC | * | 34010 | DEC/75 | 7 |
| | MATVEC | * | 34011 | DEC/75 | 7 |
| | TAMVEC | * | 34012 | DEC/75 | 7 |
| | MATMAT | * | 34013 | DEC/75 | 7 |
| | TAMMAT | * | 34014 | DEC/75 | 7 |
| | MATTAM | * | 34015 | DEC/75 | 7 |
| | SEQVEC | * | 34016 | DEC/75 | 7 |
| | SCAPRD1 | * | 34017 | DEC/75 | 7 |
| | SYMMATVEC | | 34018 | DEC/75 | 7 |
| 2.MATRIX VECTOR PRODUCTS | | | | | |
| | FULMATVEC | * | 31500 | DEC/75 | 15 |
| | FULTAMVEC | * | 31501 | DEC/75 | 15 |
| | FULSYMMATVEC | | 31502 | DEC/75 | 15 |
| | RESVEC | * | 31503 | DEC/75 | 15 |
| | SYMRESVEC | | 31504 | DEC/75 | 15 |
| 3.MATRIX MATRIX PRODUCTS | | | | | |
| | HSHVECMAT | * | 31070 | JAN/76 | 269 |
| | HSHCOLMAT | * | 31071 | JAN/76 | 269 |
| | HSHROWMAT | * | 31072 | JAN/76 | 269 |
| | HSHVECTAM | * | 31073 | JAN/76 | 269 |
| | HSHCOLTAM | * | 31074 | JAN/76 | 269 |
| | HSHROWTAM | * | 31075 | JAN/76 | 269 |
| 5.ELIMINATION | | | | | |
| | ELMVEC | * | 34020 | APR/74 | 9 |
| | ELMCOL | * | 34023 | APR/74 | 9 |
| | ELMROW | * | 34024 | APR/74 | 9 |
| | ELMVECCOL | * | 34021 | APR/74 | 9 |
| | ELMCOLVEC | * | 34022 | APR/74 | 9 |
| | ELMVECROW | * | 34026 | APR/74 | 9 |
| | ELMROWVEC | * | 34027 | APR/74 | 9 |
| | ELMCOLROW | * | 34029 | APR/74 | 9 |
| | ELMROWCOL | * | 34028 | APR/74 | 9 |

INDEX


1. 1. 5. 6.INTERCHANGING

7.ROTATION

8.NORMS

9.SCALING

2.COMPL VECT AND MAT OPERATIONS
1.
2.
3.MULTIPLICATION

4.SCALAR PRODUCTS

5.ELIMINATION

6.INTERCHANGING
7.ROTATION

8.NORMS

9.SCALING

3.COMPLEX ARITHMETIC
1.MONADIC OPERATIONS

2.DYADIC OPERATIONS

1. 3. 2.


| PROCEDURE | | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| MAXELMROW | * | 34025 | APR/74 | 9 |
| ICHVEC | * | 34030 | APR/74 | 11 |
| ICHCOL | * | 34031 | APR/74 | 11 |
| ICHROW | * | 34032 | APR/74 | 11 |
| ICHROWCOL | * | 34033 | APR/74 | 11 |
| ICHSEQVEC | * | 34034 | APR/74 | 11 |
| ICHSEQ | * | 34035 | APR/74 | 11 |
| ROTCOL | * | 34040 | APR/74 | 13 |
| ROTROW | * | 34041 | APR/74 | 13 |
| INFNRMVEC | * | 31061 | OCT/75 | 241 |
| INFNRMROW | * | 31062 | OCT/75 | 241 |
| INFNRMCOL | * | 31063 | OCT/75 | 241 |
| INFNRMMAT | * | 31064 | OCT/75 | 241 |
| ONENRMVEC | * | 31065 | OCT/75 | 241 |
| ONENRMROW | * | 31066 | OCT/75 | 241 |
| ONENRMCOL | * | 31067 | OCT/75 | 241 |
| ONENRMMAT | * | 31068 | OCT/75 | 241 |
| ABSMAXMAT | * | 31069 | OCT/75 | 241 |
| REASCL | | 34183 | APR/74 | 17 |
| COMCOLCST | | 34352 | MAY/74 | 21 |
| COMROWCST | | 34353 | MAY/74 | 21 |
| COMMATVEC | | 34354 | MAY/74 | 23 |
| HSHCOMCOL | | 34355 | MAY/74 | 23 |
| HSHCOMPRD | | 34356 | MAY/74 | 23 |
| ELMCOMVECCOL | | 34376 | MAY/74 | 25 |
| ELMCOMCOL | | 34377 | MAY/74 | 25 |
| ELMCOMROWVEC | | 34378 | MAY/74 | 25 |
| ROTCOMCOL | | 34357 | JAN/76 | 287 |
| ROTCOMROW | | 34358 | JAN/76 | 287 |
| CHSH2 | | 34611 | JAN/76 | 287 |
| COMEUCNRM | | 34359 | DEC/75 | 31 |
| COMSCL | | 34193 | DEC/75 | 29 |
| SCLCOM | | 34360 | DEC/75 | 29 |
| COMABS | | 34340 | MAY/74 | 35 |
| COMSQRT | | 34343 | MAY/74 | 35 |
| CARPOL | | 34344 | MAY/74 | 35 |
| COMMUL | | 34341 | MAY/74 | 37 |
| COMDIV | | 34342 | MAY/74 | 37 |

CDC

| INDEX | PROCEDURE | | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|---|
| 1. 4.LONG INTEGER ARITHMETIC | | | | | |
| | LNGINTADD | | 31200 | OCT/74 | 201 |
| | LNGINTSUBTRACT | | 31201 | OCT/74 | 201 |
| | LNGINTMULT | | 31202 | OCT/74 | 201 |
| | LNGINTDIVIDE | | 31203 | OCT/74 | 201 |
| | LNGINTPOWER | | 31204 | OCT/74 | 201 |
| 5.LONG REAL ARITHMETIC | | | | | |
| 1.ELEM. ARITHMETIC OPERATIONS | | | | | |
| | DP ADD | * | 31101 | MRC/77 | 271 |
| | DP SUB | * | 31102 | MRC/77 | 271 |
| | DP MUL | * | 31103 | MRC/77 | 271 |
| | DP DIV | * | 31104 | MRC/77 | 271 |
| | DP POW | | 31109 | MRC/77 | 271 |
| | LNG ADD | * | 31105 | MRC/77 | 271 |
| | LNG SUB | * | 31106 | MRC/77 | 271 |
| | LNG MUL | * | 31107 | MRC/77 | 271 |
| | LNG DIV | * | 31108 | MRC/77 | 271 |
| | LNG POW | | 31110 | MRC/77 | 271 |
| 2.SCALAR PRODUCTS | | | | | |
| | LNGVECVEC | * | 34410 | JAN/76 | 285 |
| | LNGMATVEC | * | 34411 | JAN/76 | 285 |
| | LNGTAMVEC | * | 34412 | JAN/76 | 285 |
| | LNGMATMAT | * | 34413 | JAN/76 | 285 |
| | LNGTAMMAT | * | 34414 | JAN/76 | 285 |
| | LNGMATTAM | * | 34415 | JAN/76 | 285 |
| | LNGSEQVEC | * | 34416 | JAN/76 | 285 |
| | LNGSCAPRD1 | * | 34417 | JAN/76 | 285 |
| | LNGSYMMATVEC | | 34418 | JAN/76 | 285 |
| | LNGFULMATVEC | * | 31505 | JAN/76 | 285 |
| | LNGFULTAMVEC | * | 31506 | JAN/76 | 285 |
| | LNGFULSYMMATVEC | | 31507 | JAN/76 | 285 |
| | LNGRESVEC | * | 31508 | JAN/76 | 285 |
| | LNGSYMRESVEC | | 31509 | JAN/76 | 285 |
| 3.CONVERSION | | | | | |
| | LNGREATODECI | | 31100 | MRC/77 | 289 |



CWM

# INDEX


| | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 2.ALGEBRAIC EVALUATIONS | | | | |
| 1.EVAL. OF A FINITE SERIES | | | | |
| 2.EVAL. OF POLYNOMIALS | | | | |
| 1.EVAL. OF GENERAL POLYNOMIALS | | | | |
| 1.POLYNOMIALS IN GRUNERT FORM | | | | |
| | POL | 31040 | OCT/75 | 245 |
| | TAYPOL | 31241 | OCT/75 | 245 |
| | NORDERPOL | 31242 | OCT/75 | 245 |
| | DERPOL | 31243 | OCT/75 | 245 |
| 2.POLYNOMIALS IN NEWTON FORM | NEWPOL | 31041 | NOT YET AVAILABLE | |
| 2.EVAL. OF ORTHOGON. POLYNOMIALS | | | | |
| 1.GENERAL ORTHOGON. POLYNOMIALS | | | | |
| | ORTPOL | 31044 | NOV/76 | 293 |
| | ALLORTPOL | 31045 | NOV/76 | 293 |
| | SERORTPOL | 31047 | NOV/76 | 293 |
| 2.CHEBYCHEV POLYNOMIALS | | | | |
| | CHEPOL | 31042 | OCT/75 | 229 |
| | ALLCHEPOL | 31043 | OCT/75 | 229 |
| | CHEPOLSER | 31046 | OCT/75 | 229 |
| 3.EVAL. OF TRIGONOM. POLYNOMIALS | | | | |
| 1.EVAL. OF FOURIER SERIES | | | | |
| | SINSER | 31090 | OCT/74 | 203 |
| | COSSER | 31091 | OCT/74 | 203 |
| | FOUSER | 31092 | OCT/74 | 203 |
| | FOUSER1 | 31093 | OCT/74 | 203 |
| | FOUSER2 | 31094 | OCT/74 | 203 |
| | COMFOUSER | 31095 | OCT/74 | 203 |
| | COMFOUSER1 | 31096 | OCT/74 | 203 |
| | COMFOUSER2 | 31097 | OCT/74 | 203 |
| 3.EVAL. OF CONTINUED FRACTIONS | JFRAC | 35083 | MAY/74 | 41 |
| 4.OPERATIONS ON POLYNOMIALS | | | | |
| 1.TRANSF. OF REPRESENTATION | | | | |
| | NEWGRN | 31050 | DEC/75 | 43 |
| | POLCHS | 31250 | NOT YET AVAILABLE | |
| | POWCHS | 31051 | NOT YET AVAILABLE | |
| 2.OP. ON GENERAL POLYNOMIALS | | | | |
| | ADDPOL | 31053 | NOT YET AVAILABLE | |
| | SUBPOL | 31054 | NOT YET AVAILABLE | |
| | MULPOL | 31052 | NOT YET AVAILABLE | |
| | DIFPOL | 31055 | NOT YET AVAILABLE | |
| | INTPOL | 31057 | NOT YET AVAILABLE | |
| 3.OP. ON ORTHOGONAL POLYNOMIALS | INTCHS | 31248 | OCT/74 | 205 |
| 5.FAST FOURIER TRANSFORM | FFT | 31300 | NOT YET AVAILABLE | |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 3.LINEAR ALGEBRA | | | | |
| 1.LINEAR SYSTEMS | | | | |
| 1.FULL MATRICES | | | | |
| 1.SQUARE NON-SINGULAR MATRICES | | | | |
| 1.REAL MATRICES | | | | |
| 1.GENERAL MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | DEC | 34300 | MAY/74 | 45 |
| | GSSELM | 34231 | MAY/74 | 45 |
| | ONENRMINV | 34240 | MAY/74 | 45 |
| | ERBELM | 34241 | MAY/74 | 45 |
| | GSSERB | 34242 | MAY/74 | 45 |
| | GSSNRI | 34252 | MAY/74 | 45 |
| 2.CALCULATION OF DETERMINANT | | | | |
| | DETERM | 34303 | MAY/74 | 47 |
| 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | SOL | 34051 | MAY/74 | 49 |
| | DECSOL | 34301 | MAY/74 | 49 |
| | SOLELM | 34061 | MAY/74 | 49 |
| | GSSSOL | 34232 | MAY/74 | 49 |
| | GSSSOLERB | 34243 | MAY/74 | 49 |
| 4.MATRIX INVERSION | | | | |
| | INV | 34053 | MAY/74 | 51 |
| | DECINV | 34302 | MAY/74 | 51 |
| | INV1 | 34235 | MAY/74 | 51 |
| | GSSINV | 34236 | MAY/74 | 51 |
| | GSSINVERB | 34244 | MAY/74 | 51 |
| 5.ITERATIVELY IMPROVED SOLUTION | | | | |
| | ITISOL | 34250 | MAY/74 | 53 |
| | GSSITISOL | 34251 | MAY/74 | 53 |
| | ITISOLERB | 34253 | MAY/74 | 53 |
| | GSSITISOLERB | 34254 | MAY/74 | 53 |
| 2.SYMMETRIC POS DEF MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | CHLDEC2 | 34310 | MAY/74 | 55 |
| | CHLDEC1 | 34311 | MAY/74 | 55 |
| 2.CALCULATION OF DETERMINANT | | | | |
| | CHLDETERM2 | 34312 | MAY/74 | 57 |
| | CHLDETERM1 | 34313 | MAY/74 | 57 |
| 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | CHLSOL2 | 34390 | MAY/74 | 59 |
| | CHLSOL1 | 34391 | MAY/74 | 59 |
| | CHLDECSOL2 | 34392 | MAY/74 | 59 |
| | CHLDECSOL1 | 34393 | MAY/74 | 59 |
| 4.MATRIX INVERSION | | | | |
| | CHLINV2 | 34400 | MAY/74 | 61 |
| | CHLINV1 | 34401 | MAY/74 | 61 |
| | CHLDECINV2 | 34402 | MAY/74 | 61 |
| | CHLDECINV1 | 34403 | MAY/74 | 61 |
| 3.GENERAL SYMMETRIC MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | SYMDEC2 | 34700 | JAN/76 | 277 |
| | SYMDEC1 | 34701 | JAN/76 | 277 |
| 2.CALCULATION OF DETERMINANT | | | | |
| 3. 1. 1. 1. 1. 3. 2. | SYMDETERM2 | 34702 | JAN/76 | 279 |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 3. 1. 1. 1. 1. 3. 2. 3.SOLUTION OF LINEAR EQUATIONS | SYMDETERM1 | 34703 | JAN/76 | 279 |
| | SYMSOL2 | 34704 | JAN/76 | 281 |
| | SYMSOL1 | 34705 | JAN/76 | 281 |
| | SYMDECSOL2 | 34706 | JAN/76 | 281 |
| | SYMDECSOL1 | 34707 | JAN/76 | 281 |
| 4.MATRIX INVERSION | SYMINV2 | 34708 | JAN/76 | 283 |
| | SYMINV1 | 34709 | JAN/76 | 283 |
| | SYMDECINV2 | 34710 | JAN/76 | 283 |
| | SYMDECINV1 | 34711 | JAN/76 | 283 |
| 2.COMPLEX MATRICES | | | | |
| 2.FULL RANK OVERDETERM SYSTEMS | | | | |
| 1.REAL MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | LSQORTDEC | 34134 | MAY/74 | 63 |
| | LSQDGLINV | 34132 | MAY/74 | 63 |
| 2.LEAST SQUARES SOLUTION | LSQSOL | 34131 | MAY/74 | 65 |
| | LSQORTDECSOL | 34135 | MAY/74 | 65 |
| 3.INVERSE MATRIX OF NORMAL EQN. | LSQINV | 34136 | OCT/74 | 207 |
| 2.COMPLEX MATRICES | | | | |
| 3.OTHER PROBLEMS | | | | |
| 1.REAL MATRICES | | | | |
| 1.SOLUTION OVERDETERMINED SYST | SOLSVDOVR | 34280 | MAY/74 | 67 |
| | SOLOVR | 34281 | MAY/74 | 67 |
| 2.SOLUTION UNDERDETERM SYSTEMS | SOLSVDUND | 34282 | MAY/74 | 69 |
| | SOLUND | 34283 | MAY/74 | 69 |
| 3.SOLUTION HOMOGENEOUS EQUATION | HOMSOLSVD | 34284 | MAY/74 | 71 |
| | HOMSOL | 34285 | MAY/74 | 71 |
| 4.PSEUDO-INVERSION | PSDINVSVD | 34286 | MAY/74 | 73 |
| | PSDINV | 34287 | MAY/74 | 73 |
| 2.COMPLEX MATRICES | | | | |
| 2.SPARSE MATRICES | | | | |
| 1.DIRECT METHODS | | | | |
| 1.REAL MATRICES | | | | |
| 1.NON-SYMMETRIC MATRICES | | | | |
| 1.BAND MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | DECBND | 34320 | JUN/74 | 75 |
| 2.CALCULATION OF DETERMINANT | DETERMBND | 34321 | JUN/74 | 77 |
| 3.SOLUTION OF LINEAR EQUATIONS | SOLBND | 34071 | JUN/74 | 79 |
| | DECSOLBND | 34322 | JUN/74 | 79 |
| 2.TRIDIAGONAL MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | DECTRI | 34423 | JUN/74 | 81 |
| | DECTRIPIV | 34426 | JUN/74 | 81 |
| 3. 1. 2. 1. 1. 1. 2. 2.CALCULATION OF DETERMINANT | | | | |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 3. 1. 2. 1. 1. 1. 2. 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | SOLTRI | 34424 | JUN/74 | 83 |
| | DECSOLTRI | 34425 | JUN/74 | 83 |
| | SOLTRIPIV | 34427 | JUN/74 | 83 |
| | DECSOLTRIPIV | 34428 | JUN/74 | 83 |
| 3.BLOC-TRIDIAGONAL MATRICES | | | | |
| 2.SYMMETRIC POS DEF MATRICES | | | | |
| 1.BAND MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | CHLDECBND | 34330 | JUN/74 | 85 |
| 2.CALCULATION OF DETERMINANT | | | | |
| | CHLDETERMBND | 34331 | JUN/74 | 87 |
| 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | CHLSOLBND | 34332 | JUN/74 | 89 |
| | CHLDECSOLBND | 34333 | JUN/74 | 89 |
| 2.TRIDIAGONAL MATRICES | | | | |
| 1.PREPARATORY PROCEDURES | | | | |
| | DECSYMTRI | 34420 | JUN/74 | 91 |
| 2.CALCULATION OF DETERMINANT | | | | |
| 3.SOLUTION OF LINEAR EQUATIONS | | | | |
| | SOLSYMTRI | 34421 | JUN/74 | 93 |
| | DECSOLSYMTRI | 34422 | JUN/74 | 93 |
| 3.BLOC-TRIDIAGONAL MATRICES | | | | |
| 2.COMPLEX MATRICES | | | | |
| 2.ITERATIVE METHODS | | | | |
| 1.REAL MATRICES | | | | |
| | CONJ GRAD | 34220 | JUN/74 | 95 |
| | CONJ RESI | 34221 | NOT YET AVAILABLE | |
| 2.COMPLEX MATRICES | | | | |
| 2.TRANSFORMATION TO SPECIAL FORM | | | | |
| 1.SIMILARITY TRANSFORMATIONS | | | | |
| 1.EQUILIBRATION | | | | |
| 1.REAL MATRICES | | | | |
| | EQILBR | 34173 | JUN/74 | 97 |
| | BAKLBR | 34174 | JUN/74 | 97 |
| 2.COMPLEX MATRICES | | | | |
| | EQILBRCOM | 34361 | JUN/74 | 99 |
| | BAKLBRCOM | 34362 | JUN/74 | 99 |
| 2.TRANSF TO HESSENBERG FORM | | | | |
| 1.REAL MATRICES | | | | |
| 1.SYMMETRIC MATRICES | | | | |
| | TFMSYMTRI2 | 34140 | JUN/74 | 101 |
| | BAKSYMTRI2 | 34141 | JUN/74 | 101 |
| | TFMPREVEC | 34142 | JUN/74 | 101 |
| | TFMSYMTRI1 | 34143 | JUN/74 | 101 |
| | BAKSYMTRI1 | 34144 | JUN/74 | 101 |
| 2.ASYMMETRIC MATRICES | | | | |
| | TFMREAHES | 34170 | JUN/74 | 103 |
| | BAKREAHES1 | 34171 | JUN/74 | 103 |
| | BAKREAHES2 | 34172 | JUN/74 | 103 |
| 2.COMPLEX MATRICES | | | | |
| 1.HERMITIAN MATRICES | | | | |
| | HSHHRMTRI | 34363 | JUN/74 | 105 |
| | HSHHRMTRIVAL | 34364 | JUN/74 | 105 |
| 3. 2. 1. 2. 2. 1. | BAKHRMTRI | 34365 | JUN/74 | 105 |

CDM

INDEX


3. 2. 1. 2. 2. 2.NON-HERMITIAN MATRICES

2.OTHER TRANSFORMATIONS
1.TRANSF TO BIDIAGONAL FORM
1.REAL MATRICES

2.COMPLEX MATRICES
3.THE (ORDINARY) EIGENV PROBLEM
1.REAL MATRICES
1.SYMETRIC MATRICES
1.TRIDIAGONAL MATRICES

2.FULL MATRICES

3.ITERATIVE IMPROVEMENT
1.AUXILIARY PROCEDURES

2.ORTHOGONALISATION

3.IMPROVEMENT AND ERRORBOUNDS

2.ASYMMETRIC MATRICES
1.MATRICES IN HESSENBERG FORM

2.FULL MATRICES

2.COMPLEX MATRICES
1.HERMITIAN MATRICES

3. 3. 2. 1.


| PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|
| HSHCOMHES | 34366 | JUN/74 | 107 |
| BAKCOMHES | 34367 | JUN/74 | 107 |
| HSHREABID | 34260 | JUN/74 | 109 |
| PSTTFMMAT | 34261 | JUN/74 | 109 |
| PRETFMMAT | 34262 | JUN/74 | 109 |
| VALSYMTRI | 34151 | JUL/74 | 111 |
| VECSYMTRI | 34152 | JUL/74 | 111 |
| QRIVALSYMTRI | 34160 | JUL/74 | 111 |
| QRISYMTRI | 34161 | JUL/74 | 111 |
| RATQRI | 34166 | NOT YET AVAILABLE | |
| EIGVALSYM2 | 34153 | JUL/74 | 113 |
| EIGSYM2 | 34154 | JUL/74 | 113 |
| EIGVALSYM1 | 34155 | JUL/74 | 113 |
| EIGSYM1 | 34156 | JUL/74 | 113 |
| QRIVALSYM2 | 34162 | JUL/74 | 113 |
| QRISYM | 34163 | JUL/74 | 113 |
| QRIVALSYM1 | 34164 | JUL/74 | 113 |
| MERGESORT | 36405 | NOV/76 | 297 |
| VECPERM | 36404 | NOV/76 | 297 |
| ROWPERM | 36403 | NOV/76 | 297 |
| ORTHOG | 36402 | NOV/76 | 299 |
| SYMEIGINP | 36401 | NOV/76 | 301 |
| REAVALQRI | 34180 | JUL/74 | 115 |
| REAVECHES | 34181 | JUL/74 | 115 |
| REAQRI | 34186 | JUL/74 | 115 |
| COMVALQRI | 34190 | JUL/74 | 115 |
| COMVECHES | 34191 | JUL/74 | 115 |
| REAEIGVAL | 34182 | JUL/74 | 117 |
| REAEIG1 | 34184 | JUL/74 | 117 |
| REAEIG2 | 34185 | NOT YET AVAILABLE | |
| REAEIG3 | 34187 | JUL/74 | 117 |
| COMEIGVAL | 34192 | JUL/74 | 117 |
| COMEIG1 | 34194 | JUL/74 | 117 |
| COMEIG2 | 34195 | NOT YET AVAILABLE | |
| EIGVALHRM | 34368 | JUL/74 | 119 |
| EIGHRM | 34369 | JUL/74 | 119 |

MC

INDEX

3. 3. 2. 1.

2.NON-HERMITIAN MATRICES
1.MATRICES IN HESSENBERG FORM

2.FULL MATRICES

4.THE GENERALIZED EIGENV PROBLEM
1.REAL MATRICES
1.SYMMETRIC MATRICES
2.ASYMMETRIC MATRICES

5.SINGULAR VALUES
1.REAL MATRICES
1.BIDIAGONAL MATRICES

2.FULL MATRICES

2.COMPLEX MATRICES
6.ZEROS OF POLYNOMIALS
1.ZEROS OF GENERAL REAL POLYNOM.

2.ZEROS OF ORTHOGONAL POLYNOM.

3.ZEROS OF COMPLEX POLYNOMIALS

| PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|
| QRIVALHRM | 34370 | JUL/74 | 119 |
| QRIHRM | 34371 | JUL/74 | 119 |
| VALQRICOM | 34372 | JUL/74 | 121 |
| QRICOM | 34373 | JUL/74 | 121 |
| EIGVALCOM | 34374 | JUL/74 | 123 |
| EIGCOM | 34375 | JUL/74 | 123 |
| QZIVAL | 34600 | JAN/76 | 267 |
| QZI | 34601 | JAN/76 | 267 |
| HSHDECMUL | 34602 | JAN/76 | 267 |
| HESTGL3 | 34603 | JAN/76 | 267 |
| HESTGL2 | 34604 | JAN/76 | 267 |
| HSH2COL | 34605 | JAN/76 | 267 |
| HSH3COL | 34606 | JAN/76 | 267 |
| HSH2ROW3 | 34607 | JAN/76 | 267 |
| HSH2ROW2 | 34608 | JAN/76 | 267 |
| HSH3ROW3 | 34609 | JAN/76 | 267 |
| HSH3ROW2 | 34610 | JAN/76 | 267 |
| QRISNGVALBID | 34270 | JUL/74 | 125 |
| QRISNGVALDECBID | 34271 | JUL/74 | 125 |
| QRISNGVAL | 34272 | JUL/74 | 127 |
| QRISNGVALDEC | 34273 | JUL/74 | 127 |
| POLZEROS | 34500 | OCT/74 | 209 |
| ALLZERORTPOL | 31362 | OCT/74 | 211 |
| LUPZERORTPOL | 31363 | OCT/74 | 211 |
| SELZERORTPOL | 31364 | OCT/74 | 211 |
| COMKWD | 34345 | JUL/74 | 129 |

2-nd REVISION, 1977

INDEX


4.ANALYTIC EVALUATIONS
1.EVAL. OF AN INFINITE SERIES

2.QUADRATURE
1.ONE-DIMENSIONAL QUADRATURE

2.MULTIDIMENSIONAL QUADRATURE

3.GAUSSIAN QUADRATURE

3.NUMERICAL DIFFERENTIATION
1.FUNCTIONS OF ONE VARIABLE
2.FUNCTIONS OF MORE VARIABLES
1.CALC. WITH DIFFERENCE FORMULAS


| PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|
| EULER | 32010 | JUL/74 | 131 |
| SUMPOSSERIES | 32020 | JUL/74 | 131 |
| QADRAT | 32070 | JUL/74 | 133 |
| INTEGRAL | 32051 | JUL/74 | 135 |
| TRICUB | 32075 | OCT/75 | 257 |
| GSSJACWGHTS | 31425 | NOV/76 | 291 |
| GSSLAGWGHTS | 31427 | NOV/76 | 291 |
| JACOBNNF | 34437 | OCT/74 | 213 |
| JACOBNMF | 34438 | OCT/74 | 213 |
| JACOBNBNDF | 34439 | OCT/74 | 213 |



CMLM

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 5.ANALYTICAL PROBLEMS | | | | |
| 1.ANALYTICAL EQUATIONS | | | | |
| 1.NON-LINEAR EQUATIONS | | | | |
| 1.A SINGLE EQUATION | | | | |
| 1.NO DERIVATIVE AVAILABLE | | | | |
| | ZEROIN | 34150 | OCT/75 | 215 |
| | ZEROINRAT | 34436 | OCT/75 | 215 |
| 2.DERIVATIVE AVAILABLE | | | | |
| | ZEROINDER | 34453 | OCT/75 | 233 |
| 2.A SYSTEM OF EQUATIONS | | | | |
| 1.AUXILIARY PROCEDURES | | | | |
| 2.JACOBIAN MATRIX NOT AVAILABLE | | | | |
| | BROWNLS | 34450 | NOT YET AVAILABLE | |
| | QUANEW | 34451 | NOT YET AVAILABLE | |
| | QUANEW1 | 34452 | NOT YET AVAILABLE | |
| | QUANEWBND | 34430 | OCT/74 | 217 |
| | QUANEWBND1 | 34431 | OCT/74 | 217 |
| 3.JACOBIAN MATRIX AVAILABLE | | | | |
| | NEWRAP | 34202 | NOT YET AVAILABLE | |
| | DAMPED NEWTON | 34200 | NOT YET AVAILABLE | |
| 3.POLYNOMIAL EQUATIONS<br>SEE ALSO SECTION 3.6 | | | | |
| 2.UNCONSTRAINED OPTIMIZATION | | | | |
| 1.FUNCTIONS OF ONE VARIABLE | | | | |
| 1.DERIVATIVE NOT AVAILABLE | | | | |
| | MININ | 34433 | OCT/75 | 235 |
| 2.DERIVATIVE AVAILABLE | | | | |
| | MININDER | 34435 | OCT/75 | 237 |
| 2.FUNCTIONS OF MORE VARIABLES | | | | |
| 1.AUXILIARY PROCEDURES | | | | |
| | LINEMIN | 34210 | DEC/75 | 139 |
| | RNK1UPD | 34211 | DEC/75 | 139 |
| | DAVUPD | 34212 | DEC/75 | 139 |
| | FLEUPD | 34213 | DEC/75 | 139 |
| 2.NO DERIVATIVES AVAILABLE | | | | |
| | PRAXIS | 34432 | OCT/75 | 239 |
| 3.GRADIENT AVAILABLE | | | | |
| | RNK1MIN | 34214 | DEC/75 | 19 |
| | FLEMIN | 34215 | DEC/75 | 19 |
| 4.GRADIENT & JACOBIAN AVAILABLE | | | | |
| | NEWTONMIN | 34203 | NOT YET AVAILABLE | |
| 3.OVERDETERMINED NONLINEAR SYST. | | | | |
| 1.LEAST SQUARES SOLUTIONS<br>SEE ALSO SECTION 7. | | | | |
| 1.AUXILIARY PROCEDURES | | | | |
| 2.JACOBIAN MATRIX NOT AVAILABLE<br>SEE ALSO SECTION 5.1.2.2.2. | | | | |
| 3.JACOBIAN MATRIX AVAILABLE | | | | |
| | MARQUARDT | 34440 | DEC/75 | 219 |
| | GSSNEWTON | 34441 | DEC/75 | 219 |
| 2.FUNCTIONAL EQUATIONS | | | | |
| 1.DIFFERENTIAL EQUATIONS | | | | |
| 1.INITIAL VALUE PROBLEMS | | | | |
| 1.FIRST ORDER ORDINARY D.E. | | | | |
| 5. 2. 1. 1. 1. 1.NO DERIVATIVES RHS AVAILABLE | | | | |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 5. 2. 1. 1. 1. 1. | RK1 | 33010 | AUG/74 | 141 |
| | RKE | 33033 | DEC/75 | 143 |
| | RK4A | 33016 | AUG/74 | 145 |
| | RK4NA | 33017 | AUG/74 | 147 |
| | RK5NA | 33018 | AUG/74 | 149 |
| | MULTISTEP | 33080 | AUG/74 | 151 |
| | DIFFSYS | 33180 | AUG/74 | 153 |
| | ARK | 33061 | DEC/75 | 155 |
| | EFRK | 33070 | AUG/74 | 157 |
| 2.JACOBIAN MATRIX AVAILABLE | EFSIRK | 33160 | AUG/74 | 159 |
| | EFERK | 33120 | AUG/74 | 161 |
| | LINIGER1VS | 33132 | OCT/74 | 221 |
| | LINIGER2 | 33131 | AUG/74 | 165 |
| | IMPEX | 33135 | OCT/75 | 231 |
| | GMS | 33191 | OCT/74 | 223 |
| SEE ALSO PROC. MULTISTEP (5.2.1.1.1.1) | | | | |
| 3.SEVERAL DERIVATIVES AVAILABLE | MODIFIED TAYLOR | 33040 | AUG/74 | 167 |
| | EXPONENTIALLY FITTED TAYLOR | 33050 | AUG/74 | 169 |
| 2.SECOND ORDER ORDINARY D.E. | | | | |
| 1.NO DERIVATIVES RHS AVAILABLE | RK2 | 33012 | AUG/74 | 171 |
| | RK2N | 33013 | AUG/74 | 173 |
| | RK3 | 33014 | AUG/74 | 175 |
| | RK3N | 33015 | AUG/74 | 177 |
| 2.SEVERAL DERIV. RHS AVAILABLE | | | | |
| 3.INITIAL BOUNDARY VALUE PROBLEM | ARKMAT | 33066 | NOV/76 | 295 |
| 2.BOUNDARY VALUE PROBLEMS | | | | |
| 1.TWO POINT B.V.P. | | | | |
| 1.SHOOTING METHODS | | | | |
| SEE ALSO SECTION 5.2.1.3.1 | | | | |
| 2.LINEAR GLOBAL METHODS | | | | |
| 1.SECOND ORDER TPBVP | | | | |
| 1.SELF ADJOINT TPBVP | FEM LAG SYM | 33300 | JAN/76 | 261 |
| | FEM LAG | 33301 | JAN/76 | 261 |
| 2.SKEW ADJOINT TPBVP | FEM LAG SKEW | 33302 | JAN/76 | 263 |
| 2.FOURTH ORDER TPBVP | | | | |
| 1.SELF ADJOINT TPBVP | FEM HERM SYM | 33303 | JAN/76 | 265 |
| 2.SKEW ADJOINT TPBVP | | | | |
| 3.NON-LINEAR GLOBAL METHODS | | | | |
| 2.TWO-DIMENSIONAL B.V.P. | | | | |
| 1.ELLIPTIC B.V.P.S | | | | |
| 1.DISCRETIZATION PROCEDURES | | | | |
| 2.SPECIAL LINEAR SYSTEMS | RICHARDSON | 33170 | OCT/74 | 225 |
| | ELIMINATION | 33171 | OCT/74 | 225 |
| SEE ALSO SECTION 3.1.2 | | | | |
| 3.SPECIAL NON-LINEAR SYSTEMS | | | | |
| 2.PARABOLIC & HYPERBOLIC B.V.P.S | | | | |
| 5. 2. 1. 2. 3.MULTI-DIMENSIONAL B.V.P. | | | | |

IMSL

INDEX

| | | | | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|---|---|---|
| 5. | 2. | 1. | 2. 4.OVER-DETERMINED PROBLEMS<br>3.PARAMETER ESTIMATION IN D.E.<br>1.P.E. IN INITIAL VALUE PROBLEMS | PEIDE | 34444 | OCT/75 | 259 |
| | | | 2.INTEGRAL EQUATIONS | | | | |
| | | | 3.INTEGRO- DIFFERENTIAL EQS | | | | |
| | | | 4.DIFFERENCE EQUATIONS | | | | |
| | | | 5.CONVOLUTION EQUATIONS | | | | |

2-nd REVISION, 1977

VERSION: 770501

IMSL

INDEX


6.SPECIAL FUNCTIONS & CONSTANTS
1.MATHEMATICAL CONSTANTS

2.MACHINE CONSTANTS

3.RANDOM NUMBERS

4.ELEMENTARY FUNCTIONS
1.CIRCULAR FUNCTIONS

2.HYPERBOLIC FUNCTIONS

5.EXPONENTIAL INTEGRAL, ETC.
1.EXPONENTIAL INTEGRAL

2.SINE AND COSINE INTEGRAL

6.GAMMA FUNCTION, ETC.

7.ERROR FUNCTION, ETC.

8.LEGENDRE FUNCTIONS


| PROCEDURE | | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| PI | * | 30006 | JAN/76 | 273 |
| E | * | 30007 | JAN/76 | 273 |
| MBASE | * | 30001 | JAN/76 | 275 |
| ARREB | * | 30002 | JAN/76 | 275 |
| DWARF | * | 30003 | JAN/76 | 275 |
| GIANT | * | 30004 | JAN/76 | 275 |
| INTCAP | * | 30005 | JAN/76 | 275 |
| OVERFLOW | * | 30008 | JAN/76 | 275 |
| UNDERFLOW | * | 30009 | JAN/76 | 275 |
| RANDOM | | 30010 | NOT YET AVAILABLE | |
| SETRANDOM | | 30011 | NOT YET AVAILABLE | |
| TAN | | 35120 | SEP/74 | 179 |
| ARCSIN | | 35121 | SEP/74 | 179 |
| ARCCOS | | 35122 | SEP/74 | 179 |
| SINH | | 35111 | SEP/74 | 181 |
| COSH | | 35112 | SEP/74 | 181 |
| TANH | | 35113 | SEP/74 | 181 |
| ARCSINH | | 35114 | SEP/74 | 181 |
| ARCCOSH | | 35115 | SEP/74 | 181 |
| ARCTANH | | 35116 | SEP/74 | 181 |
| EI | | 35080 | SEP/74 | 183 |
| EI ALPHA | | 35081 | SEP/74 | 183 |
| ENX | | 35086 | SEP/74 | 183 |
| NONEXP ENX | | 35087 | SEP/74 | 183 |
| SINCOSINT | | 35084 | SEP/74 | 185 |
| SINCOSFG | | 35085 | SEP/74 | 185 |
| GAMMA | | 35061 | SEP/74 | 187 |
| RECIP GAMMA | | 35060 | SEP/74 | 187 |
| LOG GAMMA | | 35062 | SEP/74 | 187 |
| INCOMGAM | | 35030 | SEP/74 | 187 |
| INCBETA | | 35050 | SEP/74 | 187 |
| IBPPLUSN | | 35051 | SEP/74 | 187 |
| IBQPLUSN | | 35052 | SEP/74 | 187 |
| IXQFIX | | 35053 | SEP/74 | 187 |
| IXPFIX | | 35054 | SEP/74 | 187 |
| FORWARD | | 35055 | SEP/74 | 187 |
| BACKWARD | | 35056 | SEP/74 | 187 |
| ERRORFUNCTION | | 35021 | OCT/74 | 227 |
| NONEXPERFC | | 35022 | OCT/74 | 227 |
| INVERSE ERROR FUNCTION | | 35023 | OCT/74 | 227 |
| FRESNEL | | 35027 | OCT/74 | 227 |
| FG | | 35028 | OCT/74 | 227 |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 6. 9.BESSEL FUNCTIONS OF INT. ORDER | | | | |
| 1.BESSEL FUNCTIONS J AND Y | BESS J0 | 35160 | OCT/75 | 253 |
| | BESS J1 | 35161 | OCT/75 | 253 |
| | BESS J | 35162 | OCT/75 | 253 |
| | BESS Y01 | 35163 | OCT/75 | 253 |
| | BESS Y | 35164 | OCT/75 | 253 |
| | BESS PQ0 | 35165 | OCT/75 | 253 |
| | BESS PQ1 | 35166 | OCT/75 | 253 |
| 2.BESSEL FUNCTIONS I AND K | BESS I0 | 35170 | OCT/75 | 255 |
| | BESS I1 | 35171 | OCT/75 | 255 |
| | BESS I | 35172 | OCT/75 | 255 |
| | BESS K01 | 35173 | OCT/75 | 255 |
| | BESS K | 35174 | OCT/75 | 255 |
| | NONEXP BESS I0 | 35175 | OCT/75 | 255 |
| | NONEXP BESS I1 | 35176 | OCT/75 | 255 |
| | NONEXP BESS I | 35177 | OCT/75 | 255 |
| | NONEXP BESS K01 | 35178 | OCT/75 | 255 |
| | NONEXP BESS K | 35179 | OCT/75 | 255 |
| 3.KELVIN FUNCTIONS | | | | |
| 10.BESSEL FUNCTIONS OF REAL ORDER | | | | |
| 1.BESSEL FUNCTIONS J AND Y | BESS JAPLUSN | 35180 | OCT/75 | 249 |
| | BESS YA01 | 35181 | OCT/75 | 249 |
| | BESS YAPLUSN | 35182 | OCT/75 | 249 |
| | BESS PQA01 | 35183 | OCT/75 | 249 |
| 2.BESSEL FUNCTIONS I AND K | BESS IAPLUSN | 35190 | OCT/75 | 251 |
| | BESS KA01 | 35191 | OCT/75 | 251 |
| | BESS KAPLUSN | 35192 | OCT/75 | 251 |
| | NONEXP BESS IAPLUSN | 35193 | OCT/75 | 251 |
| | NONEXP BESS KA01 | 35194 | OCT/75 | 251 |
| | NONEXP BESS KAPLUSN | 35195 | OCT/75 | 251 |
| 3.SPHERICAL BESSEL FUNCTIONS | SPHER BESS J | 35150 | OCT/75 | 247 |
| | SPHER BESS Y | 35151 | OCT/75 | 247 |
| | SPHER BESS I | 35152 | OCT/75 | 247 |
| | SPHER BESS K | 35153 | OCT/75 | 247 |
| | NONEXP SPHER BESS I | 35154 | OCT/75 | 247 |
| | NONEXP SPHER BESS K | 35155 | OCT/75 | 247 |
| 4.AIRY FUNCTIONS | AIRY | 35140 | OCT/75 | 243 |
| | AIRYZEROS | 35145 | OCT/75 | 243 |

| INDEX | PROCEDURE | CODE | MNT/YR | RECORD NUMBER |
|---|---|---|---|---|
| 7.INTERPOLATION & APPROXIMATION | | | | |
| 1.REAL DATA IN ONE DIMENSION | | | | |
| 1.INTERPOLATION, WITH | | | | |
| 1.POLYNOMIALS | | | | |
| 1.GENERAL POLYNOMIALS | | | | |
| | NEWTON | 36010 | SEP/74 | 195 |
| 2.ORTHOGONAL POLYNOMIALS | | | | |
| 2.SPLINES | | | | |
| 1.GENERAL SPLINES | | | | |
| 2.NATURAL SPLINES | | | | |
| 3.TRIGONOMETRIC SERIES | | | | |
| 1.FOURIER SERIES | | | | |
| 2.SINE SERIES | | | | |
| 3.COSINE SERIES | | | | |
| 4.RATIONAL FUNCTIONS | | | | |
| 5.EXPONENTIAL FUNCTIONS | | | | |
| 2.APPROXIMATION IN 2-NORM, WITH | | | | |
| 1.GENERAL FUNCTIONS | | | | |
| SEE ALSO SECTION 5.1.3.1 | | | | |
| 2.POLYNOMIALS | | | | |
| 1.GENERAL POLYNOMIALS | | | | |
| 2.ORTHOGONAL POLYNOMIALS | | | | |
| 3.SPLINES | | | | |
| 1.GENERAL SPLINES | | | | |
| 2.NATURAL SPLINES | | | | |
| 4.TRIGONOMETRIC SERIES | | | | |
| 5.RATIONAL FUNCTIONS | | | | |
| 6.EXPONENTIAL FUNCTIONS | | | | |
| 3.APPROXIMATION IN INF-NORM,WITH | | | | |
| 1.GENERAL FUNCTIONS | | | | |
| 2.POLYNOMIALS | | | | |
| 1.GENERAL POLYNOMIALS | | | | |
| | INI | 36020 | DEC/75 | 197 |
| | SNDREMEZ | 36021 | DEC/75 | 197 |
| | MINMAXPOL | 36022 | OCT/75 | 197 |
| 2.ORTHOGONAL POLYNOMIALS | | | | |
| 3.TRIGONOMETRIC SERIES | | | | |
| 4.RATIONAL FUNCTIONS | | | | |
| 4.APPROXIMATION IN 1-NORM, WITH | | | | |
| 1.GENERAL FUNCTIONS | | | | |
| 2.POLYNOMIALS | | | | |
| 2.REAL DATA IN MORE DIMENSIONS | | | | |
| 3.REAL FUNCTIONS IN 1 DIMENSION | | | | |
| 1.POLYNOMIALS | | | | |