

**stichting
mathematisch
centrum**



AFDELING INFORMATICA
(DEPARTMENT OF COMPUTER SCIENCE)

IW 156/80

DECEMBER

J.A. BERGSTRÄ & J.V. TUCKER

THE COMPLETENESS OF THE ALGEBRAIC SPECIFICATION
METHODS FOR DATA TYPES

Preprint

kruislaan 413 1098 SJ amsterdam

Printed at the Mathematical Centre, 413 Kruislaan, Amsterdam.

The Mathematical Centre, founded the 11-th of February 1946, is a non-profit institution aiming at the promotion of pure mathematics and its applications. It is sponsored by the Netherlands Government through the Netherlands Organization for the Advancement of Pure Research (Z.W.O.).

1980 Mathematics subject classification: 03D45, 03D80, 68B15

ACM-Computing Reviews-category: 4.34

The completeness of the algebraic specification methods for data types^{*}

by

J.A. Bergstra^{**} & J.V. Tucker

ABSTRACT

We prove the following fundamental theorem about the adequacy of the algebraic specification methods for data abstractions. Let A be a data type with n subtypes. Then A is computable if, and only if, A possesses an equational specification, involving at most $3(n+1)$ hidden operators and $2(n+1)$ axioms, which defines it under initial and final algebra semantics simultaneously.

KEY WORDS & PHRASES: *data types and data abstractions, equational specifications, initial algebra semantics, final algebra semantics, computable many-sorted algebras*

^{*} This paper is not for review as it will be submitted for publication elsewhere.

^{**} Department of Computer Science, University of Leiden, Wassenaarseweg 80, Postbus 9512, 2300 RA LEIDEN, The Netherlands

INTRODUCTION

Suppose you wish to define a data abstraction as a set of primitive operators Σ whose behaviour satisfies a set of algebraic axioms E . Then *initial* and *final algebra semantics* are two different, though natural, ways of settling on a unique meaning for the specification (Σ, E) . As its semantics, they each assign to (Σ, E) a many-sorted algebra, unique up to isomorphism, from the class $ALG(\Sigma, E)$ of all algebras of signature Σ satisfying the axioms in E . Seen from the syntax of the data type, initial algebra semantics insists that two syntactic operator expressions t, t' over Σ are semantically equivalent if, and only if, $t = t'$ can be *proved* from the axioms E . While final algebra semantics assumes t, t' to be semantically equivalent as long as $t = t'$ does not *contradict* the requirements in E . Here t, t' are called observationally or behaviourly equivalent as far as the axioms of E are concerned; or - as one says in the terminology of logic - $t = t'$ is *consistent* with E .

The two choices have been discussed in the literature on data abstraction with varying degrees of precision and approval. For example, equivalent forms of initial algebra semantics are clearly explained in early articles ZILLES [26,27], LISKOV & ZILLES [17] and ADJ [9]. But GUTTAG [11], GUTTAG & HORNING [12] probably favour final algebra semantics: certainly [12] contains a disclaimer about initial semantics and an approximate description of the objectives of the final algebra technique. The first rigorous account of final algebra semantics is WAND [23] and other exact treatments of this far less well-understood alternative can be seen in HORNING & RAULEFS [14], KAMIN [15], KAPUR [16], the MUNICH GROUP [8,25], and our own articles [5,6].

Any evaluation of the methods depends on any number of specific questions about data types, of course. And, regrettably, no properly researched comparative study is yet available. The point of this paper is to settle one basic question about the completeness or adequacy of the two specification methods: *Can algebraic specifications under initial and/or final algebra semantics define all the data types one wants, at least in principle?* Recalling that a data type, or data abstraction, is modelled by a many-sorted algebra, finitely generated by elements named in its signature, the following theorem answers that in a fundamental *theoretical* sense one needs, and can rely on, both:

THEOREM. *Let A be an n -sorted algebra finitely generated by elements named in its signature Σ . Then the following are equivalent:*

1. *A is computable.*
2. *A possesses an algebraic specification, involving at most $3(n+1)$ auxiliary operators and $2(n+1)$ equations, which defines A under both its initial and final algebra semantics.*

That (2) implies (1) is a consequence of some straightforward necessary conditions on the specification methods while the statement that (1) implies (2) is the hard won answer to our adequacy question.

This paper belongs to a series of articles about the relative power of the various algebraic specification methods for data abstractions [1, 2, 3, 4, 5, 6] see also [7]. In particular, it is a companion to [6] where we characterised a cosemicomputable data type A of signature Σ as a structure possessing an algebraic specification (Σ_0, E_0) using final algebra semantics. However, there we required E_0 to contain conditional equations, our bounds on the size of E_0 depended on the number of operators in Σ , and the arguments involved were sufficiently complicated to authorise our working with single-sorted structures only. The corresponding problem about semicomputable data types and initial algebra semantics remains open, but from the proof of the main theorem in [6] one could extract a *second* specification of the same size which defines A initially as long as A is computable. Thus, our new theorem sharpens the corollary in [6] in each of the four ways just mentioned and, more importantly, it has its own rather elegant proof which is significantly easier without the overheads of the main theorem in [6]. We think of our new theorem as a fundamental completeness theorem for the algebraic specification methods.

Readers of this paper are assumed to be well versed in the informal issues and technical foundations of the algebraic specification methods. For this ADJ [10] is essential, and ADJ [21,22] is recommended, but knowledge of our previous articles is not, strictly speaking, a prerequisite. A very detailed account of final algebra semantics and of the computability of data abstractions is contained in [6] and so in what follows only the proof of our theorem will receive a generous exposition.

1. DATA TYPES AND THEIR SPECIFICATION

Here we record notation and the technical ideas about data types and their specification which we shall need in proving our theorem. Let us repeat that the reader is supposed to be familiar with the basic principles of the algebraic specification method and to be used to working with the methods in ADJ[10]. First we comment on the algebra needed.

Semantically, a *data type* or *data abstraction* is identified with (the isomorphism type of) a many-sorted algebra A finitely generated by elements named in its signature Σ . Such structures are called *minimal algebras* because they contain no proper subalgebras. Typically, the many-sorted algebra A consists of a finite family A_1, \dots, A_n of (*data*) *domains* or (*subtype*) *components* together with a finite collection of distinguished elements, and operators of the form

$$\sigma_A^{\lambda, \mu} = \sigma_A^{(\lambda_1, \dots, \lambda_k) \mu} : A_{\lambda_1} \times \dots \times A_{\lambda_k} \rightarrow A_{\mu}$$

where $\lambda_i, \mu \in \{1, \dots, n\}$. The signature Σ of A carries names for its domains, called *sorts*, and notations for the constants and operators; we will use numbers for sorts.

An algebra A is *finite* if each domain A_i is finite; and it is the *unit algebra* if every domain A_i is a singleton. We write the unit algebra as $\mathbb{1}$.

1.1. LEMMA. *Let A and B be minimal algebras. Each homomorphism $A \rightarrow B$ is an epimorphism and if A and B are homomorphic images of one another then they are isomorphic.*

If $\phi: A \rightarrow B$ is a homomorphism then the relation \equiv_ϕ defined in A by $a \equiv_\phi b$ if, and only if, $\phi(a) = \phi(b)$ in B is a congruence. If ϕ identifies all of A , that is the relation \equiv_ϕ is $A \times A$, then $B \cong \mathbb{1}$.

Next we turn to specifications and their semantics. A *specification* is a pair (Σ, E) composed of a signature Σ and a set of algebraic axioms E . These axioms will always be *equations* over Σ or *conditional equations* over Σ , the latter being formulae of the kind

$$e_1 \wedge \dots \wedge e_k \rightarrow e$$

where e_1, \dots, e_k, e are equations over Σ .

If A satisfies the axioms E we call A an E -algebra and write $E \models A$. A second set of axioms E' is a *refinement* of E if $A \models E'$ implies $A \models E$; and we write this symbolically as $E' \models E$. If p is a formula provable from E we write $E \vdash p$.

The starting point for an understanding of initial and final algebra semantics is their description in terms of operator expressions over Σ , stated in the introduction, rather than their category-theoretic formulations which give the semantics their names. In our proof, we shall use *only* the proof-theoretic characterisation of initial algebra semantics and *only* the category-theoretic definition of final algebra semantics. Since the latter semantics is not well known we will look at it in relation to initial semantics from the category theory point of view.

A specification (Σ, E) for a data type distinguishes the category $\text{ALG}^*(\Sigma, E)$ of all minimal algebras of signature Σ satisfying the axioms E and all morphisms between them. And the semantics of a specification (Σ, E) is designed so as to pick out some algebra from $\text{ALG}^*(\Sigma, E)$ as the *unique meaning* $M(\Sigma, E)$ where the uniqueness of $M(\Sigma, E)$ is measured up to algebraic isomorphism. Given a data type semantics (modelled by an algebra) A , a specification (Σ, E) can be said to *correctly define* the data type when $M(\Sigma, E) \cong A$.

Seen from the category $\text{ALG}^*(\Sigma, E)$, *initial algebra semantics* for algebraic specifications assigns as the meaning of (Σ, E) the initial algebra $I(\Sigma, E)$ in $\text{ALG}^*(\Sigma, E)$; this $I(\Sigma, E)$ always exists and is unique up to isomorphism. On the other hand, *final algebra semantics* would like to pick out the final object from $\text{ALG}^*(\Sigma, E)$ as the meaning of (Σ, E) , but clearly this final algebra is in all cases the unit algebra $1 \in \text{ALG}^*(\Sigma, E)$. (Notice 1 may not play an initial role in $\text{ALG}^*(\Sigma, E)$ because of the minimality assumption.) Instead, final algebra semantics turns to the category $\text{ALG}_0^*(\Sigma, E)$ which is simply $\text{ALG}^*(\Sigma, E)$ with the unit algebra removed. Unfortunately, $\text{ALG}_0^*(\Sigma, E)$ need not always possess a final object $F(\Sigma, E)$, but when it does this object is unique. Because of this asymmetry, defining and using the final algebra semantics of algebraic specifications can be a rather delicate matter when compared with the initial technique.

The equivalence of the category theory definitions and the logical definitions is represented by this lemma.

1.2. LEMMA. Let (Σ, E) be a specification, and let t, t' be terms over Σ .

Then

(1) $I(\Sigma, E) \models t = t'$ if, and only if, $E \vdash t = t'$.

And, assuming $F(\Sigma, E)$ exists,

(2) $F(\Sigma, E) \models t = t'$ if, and only if, $t = t'$ is consistent with E in the sense that there is some non-unit model $A \in \text{ALG}(\Sigma, E)$ where $A \models t = t'$.

Let $T(\Sigma)$ be the algebra of all terms over Σ . Let $T_I(\Sigma, E)$ denote the standard syntactic copy of $I(\Sigma, E)$, made by factoring $T(\Sigma)$ by the least E -congruence. The corresponding construction $T_F(\Sigma, E)$ for $F(\Sigma, E)$ can be found in [6], but we shall not be needing it. We can now record the definitions governing the ways a specification characterises a data abstraction.

Let E be a set of equations or of conditional equations over the signature Σ and let A be an algebra of signature Σ .

The pair (Σ, E) is said to be an *equational* or a *conditional equation specification* of the algebra A with respect to (1) *initial algebra semantics* or (2) *final algebra semantics* if (1) $T(\Sigma, E) \cong A$ or (2) $F(\Sigma, E) \cong A$.

When the set of axioms E is finite we speak of *finite conditional equation specifications* with respect to these semantics.

Finally we must explain how we involve auxiliary or hidden functions in the semantics of specifications.

Let A be an algebra of signature Σ_A and let Σ be a signature $\Sigma \subset \Sigma_A$. Then we mean by

$A|_{\Sigma}$ the Σ -algebra whose domain is that of A and whose constants and operators are those of A named in Σ : the Σ -reduct of A ; and by

$\langle A \rangle_{\Sigma}$ the Σ -subalgebra of A generated by the constants and operators of A named in Σ viz the smallest Σ -subalgebra of $A|_{\Sigma}$.

The following represents the two basic working definitions of specification theory in this paper.

ALGEBRAIC SPECIFICATIONS WITH HIDDEN OPERATORS. The specification (Σ, E) is said to be a *finite equational* or a *conditional equation hidden enrichment specification* of the algebra A with respect to (1) *initial algebra semantics* or (2) *final algebra semantics* if $\Sigma_A \subset \Sigma$, and E is a finite set of conditional equations over the (finite) signature Σ such that

$$(1) \quad I(\Sigma, E) \big|_{\Sigma_A} = \langle I(\Sigma, E) \rangle_{\Sigma_A} \cong A$$

or

$$(2) \quad F(\Sigma, E) \big|_{\Sigma_A} = \langle F(\Sigma, E) \rangle_{\Sigma_A} \cong A.$$

In this paper, all specifications involving hidden operators are made to define data types as described above.

2. COMPUTABLE DATA TYPES

A many-sorted algebra A is said to be *effectively presented* if corresponding to its component data domains A_1, \dots, A_n there are mutually recursive sets $\Omega_1, \dots, \Omega_n$ of natural numbers and surjections $\alpha_i: \Omega_i \rightarrow A_i$ ($1 \leq i \leq n$) such that for each operation $\sigma_A = \sigma_A^{\lambda, \mu}$ of A there is a recursive *tracking function* $\sigma_\alpha = \sigma_\alpha^{\lambda, \mu}$ which commutes the following diagram

$$\begin{array}{ccc}
 A_{\lambda_1} \times \dots \times A_{\lambda_k} & \xrightarrow{\sigma_A} & A_\mu \\
 \uparrow \alpha_{\lambda_1} \times \dots \times \alpha_{\lambda_k} & & \uparrow \alpha_\mu \\
 \Omega_{\lambda_1} \times \dots \times \Omega_{\lambda_k} & \xrightarrow{\sigma_\alpha} & \Omega_\mu
 \end{array}$$

wherein $\alpha_{\lambda_1} \times \dots \times \alpha_{\lambda_k}(x_{\lambda_1}, \dots, x_{\lambda_k}) = (\alpha_{\lambda_1}(x_{\lambda_1}), \dots, \alpha_{\lambda_k}(x_{\lambda_k}))$.

Now A is *computable* (*semicomputable* or *cosemicomputable*) if, in addition, the relations \equiv_{α_i} defined on Ω_i by

$$x \equiv_{\alpha_i} y \text{ if, and only if, } \alpha_i(x) = \alpha_i(y) \text{ in } A_i$$

are all recursive (r.e. or co-r.e.) for $1 \leq i \leq n$.

These three notions are the standard formal definitions of constructive algebraic structures and they derive from the work of M.O. RABIN [20] and, in particular, A.I. MAL'CEV [18]. Their special feature is that they make computability into a *finiteness condition* of algebra: an *isomorphism invariant possessed of all finite structures*. This lemma was proved in our [1]:

2.1. REPRESENTATION LEMMA. Every computable many-sorted algebra A is isomorphic to a recursive algebra of numbers Ω each of whose numerical domains Ω_i is the set of natural numbers ω , or the set of the first m natural numbers ω_m , accordingly as the corresponding domain A_i is infinite, or finite of cardinality m .

The following proposition draws attention to the fundamental difference between initial and final algebra semantics.

2.2. BASIC LEMMA. Let (Σ, E) be a specification with E a recursively enumerable set of conditional equations. Then $I(\Sigma, E)$ is semicomputable and $F(\Sigma, E)$ is cosemicomputable, if it exists. In particular, if algebra A possesses an r.e. conditional equation hidden enrichment specification with respect to (1) initial algebra semantics or (2) final algebra semantics then (1) A is semicomputable or (2) A is cosemicomputable. If A possesses such specifications with respect to both initial and final algebra semantics then A is computable.

The proof of Basic Lemma 2.2 is routine once the syntactic algebras $T_I(\Sigma, E)$ and $T_F(\Sigma, E)$ have been constructed. The theorem first appeared in our note [5] where we used it to find a data type which could not be specified by an r.e. set of algebraic axioms under initial algebra semantics but which could be finitely specified under final algebra semantics. More examples can be found in [6]. The next section is given over to proving a strong converse of the last statement of the lemma.

3. PROOF OF THE THEOREM

Because of Basic Lemma 2.2, we have only to prove that statement (1) implies statement (2).

Let A be a computable many-sorted algebra finitely generated by elements named in its signature Σ .

By the Representation Lemma 2.1, A can be identified with a recursive number algebra R each of whose domains is either ω or some finite initial segment ω_m of ω . It is sufficient to build an appropriate specification for R and this task we organise into some semantical constructions followed by some syntactical constructions.

First, we add *enumeration operators* to R to make a new algebra R_e with the special property that *any specification which defines R_e (and hence R) under initial algebra semantics will also define R_e (and hence R) under final algebra semantics*. Next, R_e is augmented with *arithmetical and conditional operators* to make a second algebra R_0 . To complete the proof of the theorem it will be sufficient to provide a concise equational specification (Σ_0, E_0) which defines R_0 under initial algebra semantics: this is the objective of the syntactical constructions.

SEMANTICAL CONSTRUCTIONS: Let D and D_1, \dots, D_{n-1} denote the n domains of R with $\text{card}(D) \geq \text{card}(D_\lambda)$ for $1 \leq \lambda \leq n-1$; call D the *principal domain* of R and notice that R is finite if, and only if, D is finite. To R we add the following constant and operators to form a new algebra R_e of signature Σ_e in which all domains can be accessed and enumerated from D .

Principal Enumeration Operators: For the principal domain D , add to R the element $0 \in D$ as a constant together with

the map $\text{succ}: D \rightarrow D$ defined by $\text{succ}(x) = x+1$ if $D = \omega$ or by $\text{succ}(x) = \min(x+1, m)$ if $D = \omega_m$; and

the map $\text{pred}: D \rightarrow D$ defined by $\text{pred}(x) = x-1$.

Access Operators: For each non-principal domain D_λ ($1 \leq \lambda \leq n-1$), add to R

the map $\text{fold}_\lambda: D_\lambda \rightarrow D$ defined by $\text{fold}_\lambda(x) = x$; and

the map $\text{unfold}_\lambda: D \rightarrow D_\lambda$ defined by $\text{unfold}_\lambda(x) = x$ if $D_\lambda = \omega$ or by $\text{unfold}_\lambda(x) = \min(x, m(\lambda))$ if $D = \omega_{m(\lambda)}$.

Clearly, R_e possesses 1 constant and $2+2(n-1) = 2n$ operators more than R , and $R_e|_{\Sigma} = \langle R_e \rangle_{\Sigma} = R$.

3.1. LEMMA. If B is a homomorphic image of R_e then either $B \cong R_e$ or $B \cong 1$

PROOF. Let $\phi: R_e \rightarrow B$ be an epimorphism and suppose it is not injective; we show ϕ is trivial. There are two cases depending upon whether ϕ identifies distinct points in the principal domain or in some non-principal domain.

CASE 1: Suppose $i, j \in D$ and $i \neq j$ but $\phi(i) = \phi(j)$. Let $i > j$ and write $i = \text{succ}^i(0)$ and $j = \text{succ}^j(0)$. Then $\text{succ}^i(0) \equiv_{\phi} \text{succ}^j(0)$ implies $\text{pred}^{i-1}(\text{succ}^i(0)) \equiv_{\phi} \text{pred}^{i-1}(\text{succ}^j(0))$ because \equiv_{ϕ} is a congruence.

Thus, $\text{succ}(0) \equiv_{\phi} 0$ and, in fact,

$$0 \equiv_{\phi} \text{succ}(0) \equiv_{\phi} \text{succ}^2(0) \equiv_{\phi} \dots$$

so all of D is identified in B under ϕ . Now, for any $x, y \in D_{\lambda}$ ($1 \leq \lambda \leq n-1$) we can write $x = \text{unfold}_{\lambda}(x)$ and $y = \text{unfold}_{\lambda}(y)$. Since $x \equiv_{\phi} y$ in D we know that $\text{unfold}_{\lambda}(x) \equiv_{\phi} \text{unfold}_{\lambda}(y)$ in D_{λ} : that is, $x \equiv_{\phi} y$ in D_{λ} . Thus, all of D_{λ} is identified in B under ϕ and B is the unit algebra.

CASE 2: Suppose $i, j \in D_{\lambda}$ and $i \neq j$ but $\phi(i) = \phi(j)$ for some $1 \leq \lambda \leq n-1$. Since $i \equiv_{\phi} j$ in D_{λ} we know that $\text{fold}_{\lambda}(i) \equiv_{\phi} \text{fold}_{\lambda}(j)$ in D because \equiv_{ϕ} is a congruence. Thus, two distinct elements of D are identified and we are in Case 1 again. \square

3.2. COROLLARY. *If R_e is the initial object of some $\text{ALG}(\Sigma_e, E_e)$ then R_e is the final object of $\text{ALG}_{\star}^{\circ}(\Sigma_e, E_e)$, too; in fact, $\text{ALG}_{\star}^{\circ}(\Sigma_e, E_e)$ is merely the isomorphism type of R_e .*

The corollary is immediately deducible from Lemma 3.1. And it follows that if R_0 is an algebra of signature Σ_0 such that $\Sigma_e \subset \Sigma_0$ and

$$R_0|_{\Sigma_e} = \langle R_0 \rangle_{\Sigma_e} = R_e$$

then if R_0 is the initial object of some $\text{ALG}(\Sigma_0, E_0)$ then R_0 is the final object of $\text{ALG}_{\star}^{\circ}(\Sigma_0, E_0)$ too; and again $\text{ALG}_{\star}^{\circ}(\Sigma_0, E_0)$ contains only R_0 up to isomorphism. This is simply because each Σ_0 -homomorphism is necessarily a Σ_e -homomorphism.

Our aim is to create such an enrichment R_0 of R_e and give it a concise algebraic specification (Σ_0, E_0) without hidden functions. Clearly, we need only bother about initial algebra semantics in such circumstances.

We complete the semantical foundations of the proof by adding arithmetic to the principal domain in R_e , and a selection of conditional operators to both principal and non-principal domains in R_e .

Arithmetic Operators: For the principal domain D , add to R_e

the map $\text{add} : D \times D \rightarrow D$ defined by $\text{add}(x, y) = x + y$ if $D = \omega$ or by $\text{add}(x, y) = \min(x + y, m)$ if $D = \omega_m$; and

the map $mult: D \times D \rightarrow D$ defined by $mult(x,y) = x.y$ if $D = \omega$ or by $mult(x,y) = min(x.y,m)$ if $D = \omega_m$.

Conditional Operators: For the principal domain D , add to R_e the maps $c: D \times D \times D \rightarrow D$ and $h: D \times D \times D \rightarrow D$ defined by

$$c(x,y,z) = \begin{cases} 0 & \text{if } x=y \text{ and } z=0 \\ 1 & \text{otherwise} \end{cases} \quad h(x,y,z) = \begin{cases} z & \text{if } x=y \\ 0 & \text{otherwise.} \end{cases}$$

And for each non-principal domain D_λ ($1 \leq \lambda \leq n-1$) add to R_e the map $h_\lambda: D \times D \times D_\lambda \rightarrow D$ defined by

$$h_\lambda(x,y,z) = \begin{cases} z & \text{if } x=y \\ 0 & \text{otherwise.} \end{cases}$$

(Beware of the change of sort when dealing with h_λ !)

R_e augmented by these $4 + (n-1)$ operators results in the algebra R_0 of signature Σ_0 . Clearly, R_0 possesses 1 constant and $3(n+1)$ operators more than R , and $R_0|_{\Sigma} = \langle R_0 \rangle_{\Sigma} = R$.

It now remains for us to build an algebraic specification (Σ_0, E_0) involving $2(n+1)$ equations and no hidden functions, which defines R_0 under initial algebra semantics. This task is divided into two stages: we begin by finding an algebraic specification (Σ_0, E_1) for R_0 which uses *conditional* equations of a special kind. The role of this (Σ_0, E_1) is to act as a template for a sequence of transformations which will compress E_1 into the required E_0 .

SYNTACTICAL CONSTRUCTIONS: THE TEMPLATE. Remember that R_0 is R augmented by the constant and operators

$0, succ, pred, add, mult, c, h$ on the principal domain D ; and
 $fold_\lambda, unfold_\lambda, h_\lambda$ for each other domain D_λ ($1 \leq \lambda \leq n-1$).

Let the signature Σ_0 of R_0 contain the following notations for the extra operators:

$0, SUCC, PRED, ADD, MULT, D, H, FOLD_\lambda, UNFOLD_\lambda, H_\lambda$.

3.3. LEMMA. *There is a finite algebraic specification (Σ_0, E_1) involving equations, and conditional equations of the form*

$$t = t' \rightarrow r = s,$$

where the premiss $t = t'$ is an equation over the principal sort in Σ_0 , which defines R_0 under initial algebra semantics.

PROOF. If R_0 is a finite algebra then it is straightforward to make a specification by enumerating the graphs of the operations of R_0 and translating these relations into formal syntactical identities. Such a specification will satisfy the requirements of the lemma. (We had occasion to write out this observation in our study [4].)

Assume R_0 is an infinite algebra so that, in particular, D is infinite. Here are the equations making up E_1 . For enumerations and arithmetic on D we take

$$\begin{array}{ll} \text{PRED}(0) = 0 & \text{PRED}(\text{SUCC}(X)) = X \\ \text{ADD}(X, 0) = X & \text{ADD}(X, \text{SUCC}(Y)) = \text{SUCC}(\text{ADD}(X, Y)) \\ \text{MULT}(X, 0) = 0 & \text{MULT}(X, \text{SUCC}(Y)) = \text{ADD}(X, \text{MULT}(X, Y)). \end{array}$$

For the access operators we take

$$\text{UNFOLD}_\lambda(\text{FOLD}_\lambda(X^\lambda)) = X^\lambda$$

for each λ ($1 \leq \lambda \leq n-1$); and for each unfolding of D into a finite domain $D_\lambda = \omega_{m(\lambda)}$ we use these special equations

$$\text{UNFOLD}_\lambda(\text{SUCC}^{m(\lambda)}(0)) = \text{UNFOLD}_\lambda(\text{SUCC}^{m(\lambda)+1}(0)).$$

The various conditional operators c , h and h_λ and the original operators of R can all be treated in the same way.

Let $F \in \Sigma \cup \{C, H, H_\lambda\}$ name function $f : D_{\alpha(1)} \times \dots \times D_{\alpha(k)} \rightarrow D_\beta$ where $\alpha(1), \dots, \alpha(k), \beta \in \{0, 1, \dots, n-1\}$ and $D_0 = D$. For convenience in notations, let us introduce $\text{unfold}_0 : D \rightarrow D$, defined by $\text{unfold}_0(x) = x$, and give it the syntactic name UNFOLD_0 ; now we can write

$$\begin{aligned} \text{graph}(f) &= \{(x_1, \dots, x_k, y) \in D^{k+1} : f(\text{unfold}_{\alpha(1)}(x_1), \dots, \text{unfold}_{\alpha(k)}(x_k)) = \\ &= \text{unfold}_\beta(y)\}. \end{aligned}$$

Remember that $D = \omega$ and notice that $\text{graph}(f)$ is a recursively enumerable set.

Using Matijacevic's Diophantine Theorem - see MANIN [19] - one can find polynomials p_f and q_f in variables $X = (X_1, \dots, X_k), Y$ and $Z = (Z_1, \dots, Z_\ell)$ such that

$$\text{graph}(f) = \{(x, y) \in \omega^k \times \omega : \exists z \in \omega^\ell. [p_f(x, y, z) = q_f(x, y, z)]\}.$$

Let P_f and Q_f be formal translations of p_f and q_f to polynomials over the enumeration and arithmetic operator names $\{O, \text{SUCC}, \text{PRED}, \text{ADD}, \text{MULT}\}$. Now we take the following conditional equation to govern F :

$$P_f(X, Y, Z) = Q_f(X, Y, Z) \rightarrow F(\text{UNFOLD}_{\alpha(1)}(X_1), \dots, \text{UNFOLD}_{\alpha(k)}(X_k)) = \text{UNFOLD}_\beta(Y).$$

To complete the construction of E_1 it remains to consider the constants of Σ . If $\underline{c} \in \Sigma$ is a constant of the principal sort naming element $c \in D$ then take

$$\underline{c} = \text{SUCC}^C(O).$$

If $\underline{c} \in \Sigma$ is a constant of a non-principal sort naming $c \in D_\lambda$ then take

$$\underline{c} = \text{UNFOLD}_\lambda(\text{SUCC}^C(O)).$$

Clearly $R_0 \models E_1$ and by initiality there is an epimorphism $T_I(\Sigma_0, E_1) \rightarrow R_0$, but one needs to give the reverse map $R_0 \rightarrow T_I(\Sigma_0, E_1)$ in order to prove $T_I(\Sigma_0, E_1) \cong R_0$ (Lemma 1.1). The inverse $\Phi : R_0 \rightarrow T_I(\Sigma_0, E_1)$ is the family of maps $(\phi, \phi_1, \dots, \phi_{n-1})$ defined by

$$\begin{aligned} \phi(x) &= [\text{SUCC}^X(O)] & \text{for } x \in D \\ \phi_\lambda(x) &= [\text{UNFOLD}_\lambda(\text{SUCC}^X(O))] & \text{for } x \in D_\lambda \end{aligned}$$

where $1 \leq \lambda \leq n-1$ and $[t]$ denotes the equivalence class of terms determined by $t \in T(\Sigma_0)$ under the congruence \equiv_{E_1} . The proof that this Φ is a homomorphism is a lengthy exercise which is entirely routine for any reader with some experience in many-sorted algebra: we take the liberty of omitting it, leaving the reader to consult some of our earlier articles such as [1, 2, 3] if necessary. \square

SYNTACTICAL CONSTRUCTIONS: COMPRESSION. The specification (Σ_0, E_1) is not particularly concise: if R_0 is finite then the number $|E_1|$ of algebraic

axioms in E_1 is comparable with the cardinality $|R_0|$ of R_0 ; and if R_0 is infinite then $|E_1|$ is a function of $|\Sigma_0|$ and, hence, of $|\Sigma|$. The compression of E_1 is based upon this simple, but important, tool:

3.4. REFINEMENT LEMMA. *Let (Σ, E) be an algebraic specification for some data type A and assume $I(\Sigma, E) \cong A$. Suppose (Σ, E') is another algebraic specification such that*

(i) $E' \models E$

and

(ii) $A \models E'$.

Then $I(\Sigma, E') \cong A$.

PROOF. By hypothesis (ii), A is an E' -algebra and so there is an epimorphism $I(\Sigma, E') \rightarrow A$. On the other hand, hypothesis (i) implies $I(\Sigma, E')$ is an E -algebra and so initiality again implies there is an epimorphism $A \cong I(\Sigma, E) \rightarrow I(\Sigma, E')$. By Lemma 1.1, $I(\Sigma, E') \cong A$. \square

Starting with E_1 , we shall generate a sequence of refined specifications for R_0 ,

$$E_5 \models E_4 \models E_3 \models E_2 \models E_1$$

by replacing one axiomatisation by another and checking conditions (i) and (ii) of the Refinement Lemma 3.4.

FIRST STEP. For purely technical reasons, the first refinement of E_1 leads to a set of equations E_2 . If R_0 is finite then set $E_2 = E_1$. If R_0 is infinite then let E_2 contain all the equations in E_1 together with the n new equations

$$\begin{aligned} H(X, X, Z) &= Z \\ H_\lambda(X, X, Z^\lambda) &= Z^\lambda \end{aligned}$$

where Z^λ is a variable of sort λ and $1 \leq \lambda \leq n-1$. And now replace each conditional equation of the form

$$t = t' \rightarrow r = s \quad \text{or} \quad t = t' \rightarrow r^\lambda = s^\lambda$$

in E_1 by the equation

$$H(t, t', r) = H(t, t', s) \quad \text{or} \quad H_\lambda(t, t', r^\lambda) = H_\lambda(t, t', s^\lambda)$$

respectively. This is all of E_2 , and clearly $E_2 \models E_1$ and $R_0 \models E_2$.

SECOND STEP. From E_2 we make a new axiomatisation E_3 with the special feature that most formulae are equations which govern the behavior of the principal domain and those formulae which remain are the simple conditional equations

$$FOLD_\lambda(X^\lambda) = FOLD_\lambda(Y^\lambda) \rightarrow X^\lambda = Y^\lambda.$$

The set E_3 contains all those equations in E_2 over the principal sort; and each equation $r^\lambda = s^\lambda$ in E_2 over sort λ ($1 \leq \lambda \leq n-1$) is replaced by the equation

$$FOLD_\lambda(r^\lambda) = FOLD_\lambda(s^\lambda).$$

Adding the $n-1$ simple conditional equations completes E_3 and it is clear that $E_3 \models E_2$ and $R_0 \models E_3$.

THIRD STEP. From E_3 we make a concise axiomatisation E_4 which involves 1 equation and $n+1$ conditional equations. The set E_4 contains the $n-1$ simple conditional equations of E_3 and, in addition, these two new conditionals

$$C(X, Y, Z) = 0 \rightarrow X = Y \quad (ce_1)$$

$$C(X, Y, Z) = 0 \rightarrow Z = 0. \quad (ce_2)$$

Thus to complete E_4 it remains for us to construct one *master equation*.

Let $\{t_i = t'_i : 1 \leq i \leq \ell\}$ be an enumeration of all the equations in E_3 ; as we know, these are equations over the principal sort. Inductively define a master polynomial M by

$$M_0 = 0$$

$$M_{i+1} = C(t_{i+1}, t'_{i+1}, M_i)$$

for $0 \leq i \leq \ell-1$ and set $M = M_\ell$.

The master equation is simply

$$M = 0. \quad (me)$$

Now to verify that $E_4 \models E_3$ and $R_0 \models E_4$ one checks with induction that for each i

$$\{ce_1, ce_2, M_{i+1} = 0\} \models M_i = 0 \text{ and } \{ce_1, ce_2, M_{i+1} = 0\} \models t_i = t_i'$$

and that $R_0 \models M_i = 0$.

LAST STEP: The last refinement step turns E_4 into a set of $2(n+1)$ equations and this set E_5 is the axiomatisation E_0 required in the theorem. The set E_5 contains the master equation (me) of E_4 , but the pair of conditional equations

$$C(X, Y, Z) = 0 \rightarrow X = Y$$

$$C(X, Y, Z) = 0 \rightarrow Z = 0$$

is replaced by the triple of equations

$$H(X, X, Z) = Z$$

$$H(C(X, Y, Z), O, X) = H(C(X, Y, Z), O, Y)$$

$$H(C(X, Y, Z), O, Z) = H(C(X, Y, Z), O, O).$$

And, instead of the $n-1$ conditional equations,

$$FOLD_\lambda(X^\lambda) = FOLD_\lambda(Y^\lambda) \rightarrow X^\lambda = Y^\lambda$$

in E_4 , the set E_5 contains the $2(n-1)$ equations

$$H_\lambda(X, X, Z^\lambda) = Z^\lambda$$

$$H_\lambda(FOLD_\lambda(X^\lambda), FOLD_\lambda(Y^\lambda), X^\lambda) = H_\lambda(FOLD_\lambda(X^\lambda), FOLD_\lambda(Y^\lambda), Y^\lambda)$$

Clearly, $|E_5| = 4 + 2(n-1) = 2(n+1)$ and it is straightforward to check that $E_5 \models E_4$ and $R_0 \models E_5$. Thus, taking $E_0 = E_5$ we have the concise initial and final semantics specification (Σ_0, E_0) of R_0 which is a hidden function specification of R under both initial and final algebra semantics. \square

REFERENCES

- [1] BERGSTRA, J.A. & J.V. TUCKER, *Algebraic specifications of computable and semicomputable data structures*, Mathematical Centre, Department of Computer Science Research Report IW 115, Amsterdam, 1979.
- [2] ———, *A characterisation of computable data types by means of a finite, equational specification method*, in: J.W. de Bakker & J. van Leeuwen (eds.) *Automata, languages and programming, Seventh Colloquium, Noordwijkerhout, 1980*, Springer-Verlag, Berlin, 1980, 76-90.
- [3] ———, *Equational specifications for computable data types: six hidden functions suffice and other sufficiency bounds*, Mathematical Centre, Department of Computer Science Research Report IW 128, Amsterdam, 1980.
- [4] ———, *On bounds for the specification of finite data types by means of equations and conditional equations*, Mathematical Centre, Department of Computer Science Research Report IW 131, Amsterdam, 1980.
- [5] ———, *A natural data type with a finite equational final semantics specification but no effective equational initial semantics specification*, *Bulletin European Association for Theoretical Computer Science* 11 (1980) 23-33.
- [6] ———, *Initial and final algebra semantics for data type specifications: two characterisation theorems*, Mathematical Centre Department of Computer Science, Research Report IW 142, Amsterdam, 1980.
- [7] ———, *On the adequacy of finite equational methods for data type specification*, *ACM-SIGPLAN Notices* 14 (11) (1979) 13-18.
- [8] BROY, M., W. DOSCH, H. PARTSCH, P. PEPPER & M. WIRSING, *Existential quantifiers in abstract data types*, in: H. Maurer (ed.) *Automata languages and programming, Sixth Colloquium, Graz, 1980*, Springer-Verlag, Berlin, 1979, 72-87.

- [9] GOGUEN, J.A., J.W. THATCHER, E.G. WAGNER & J.B. WRIGHT, *Abstract data types as initial algebras and correctness of data representations*, in *Proceedings ACM Conference on Computer Graphics, Pattern Recognition and Data Structure*, ACM, New York, 1975, 89-93.
- [10] GOGUEN, J.A., J.W. THATCHER & E.G. WAGNER, *An initial algebra approach to the specification, correctness and implementation of abstract data types*, in: R.T. Yeh (ed) *Current trends in programming methodology IV, Data Structuring*, Prentice-Hall, Engelwood Cliffs, New Jersey, 1978, 80-149.
- [11] GUTTAG, J.V., *The specification and application to programming of abstract data types*, Ph.D Thesis, University of Toronto, Department of Computer Science, Toronto, 1975.
- [12] GUTTAG, J.V. & J.J. HORNING, *The algebraic specification of abstract data types*, *Acta Informatica* 10 (1978) 27-52.
- [13] HOARE, C.A.R., *An axiomatic basis for computer programming*, *Communications Association Computing Machinery* 12 (1969) 576-580.
- [14] HORNING, G. & P. RAULEFS, *Terminal algebra semantics and retractions for abstract data types*, in: J.W. de Bakker & J. van Leeuwen, *Automata, languages and programming, Seventh Colloquium, Noordwijkerhout 1980*, Springer-Verlag, Berlin, 1980, 310-325.
- [15] KAMIN, S., *Final data type specifications: a new data type specification method*, in: *Seventh ACM Principles of Programming Languages Conference*, Las Vegas, ACM, 1980, 131-138.
- [16] KAPUR, D., *Towards a theory for abstract data types*, MIT/LCS/TR - 237, Cambridge, 1980.
- [17] LISKOV, B. & S. ZILLES, *Specification techniques for data abstractions*, *IEEE Transactions on Software Engineering* 1 (1975) 7-19.
- [18] MAL'CEV, A.I., *Constructive algebras, I.*, *Russian Mathematical Surveys*, 16, (1961) 77-129.
- [19] MANIN, Y., *A course in mathematical logic*, Springer-Verlag, New York, 1977.

- [20] RABIN, M.O., *Computable algebra, general theory and the theory of computable fields*, Transactions American Mathematical Society 95 (1960) 341-360.
- [21] THATCHER, J.W., E.G. WAGNER & J.B. WRIGHT, *Specification of abstract data types using conditional axioms*, IBM Research Report RC 6214, Yorktown Heights, 1979.
- [22] ———, *Data type specification: parametrization and the power of specification techniques*, IBM Research Report RC 7757, Yorktown Heights, 1979.
- [23] WAND, M., *Final algebra semantics and data type extensions*, J. Computer and Systems Sciences 19 (1979) 27-44.
- [24] WIJNGAARDEN, A. VAN, *Numerical analysis as an independent science*, BIT 6 (1966) 66-81
- [25] WIRSING, M. & M. BROY, *Abstract data types as lattices of finitely generated models*, Mathematical foundations of computer science, Eighth Symposium Rydzyna 1980, Springer-Verlag, Berlin, 1980.
- [26] ZILLES, S., *Algebraic specification of data types*, Project MAC Progress Report 11, M.I.T., Cambridge, 1974.
- [27] ———, *An introduction to data algebras*, working paper, IBM Research Laboratory, San José, California, 1975.

