

NAG C Library Function Document

nag_linf_fit (e02gcc)

1 Purpose

nag_linf_fit (e02gcc) calculates an l_∞ solution to an over-determined system of linear equations.

2 Specification

```
void nag_linf_fit (Nag_OrderType order, Integer m, Integer n, double a[],
                 double b[], double tol, double *relerr, double x[], double *resmax,
                 Integer *rank, Integer *iter, NagError *fail)
```

3 Description

Given a matrix A with m rows and n columns ($m \geq n$) and a vector b with m elements, the function calculates an l_∞ solution to the over-determined system of equations

$$Ax = b.$$

That is to say, it calculates a vector x , with n elements, which minimizes the l_∞ norm of the residuals (the absolutely largest residual)

$$r(x) = \max_{1 \leq i \leq m} |r_i|$$

where the residuals r_i are given by

$$r_i = b_i - \sum_{j=1}^n a_{ij}x_j, \quad i = 1, 2, \dots, m.$$

Here a_{ij} is the element in row i and column j of A , b_i is the i th element of b and x_j the j th element of x . The matrix A need not be of full rank. The solution is not unique in this case, and may not be unique even if A is of full rank.

Alternatively, in applications where a complete minimization of the l_∞ norm is not necessary, the user may obtain an approximate solution, usually in shorter time, by giving an appropriate value to the parameter **relerr**.

Typically in applications to data fitting, data consisting of m points with co-ordinates (t_i, y_i) is to be approximated in the l_∞ norm by a linear combination of known functions $\phi_j(t)$,

$$\alpha_1\phi_1(t) + \alpha_2\phi_2(t) + \dots + \alpha_n\phi_n(t).$$

This is equivalent to finding an l_∞ solution to the over-determined system of equations

$$\sum_{j=1}^n \phi_j(t_i)\alpha_j = y_i, \quad i = 1, 2, \dots, m.$$

Thus if, for each value of i and j the element a_{ij} of the matrix A above is set equal to the value of $\phi_j(t_i)$ and b_i is set equal to y_i , the solution vector x will contain the required values of the α_j . Note that the independent variable t above can, instead, be a vector of several independent variables (this includes the case where each ϕ_i is a function of a different variable, or set of variables).

The algorithm is a modification of the simplex method of linear programming applied to the dual formation of the l_∞ problem (see Barrodale and Phillips (1974) and Barrodale and Phillips (1975)). The modifications are designed to improve the efficiency and stability of the simplex method for this particular application.

4 References

Barrodale I and Phillips C (1974) An improved algorithm for discrete Chebyshev linear approximation *Proc. 4th Manitoba Conf. Numerical Mathematics* 177–190 University of Manitoba, Canada

Barrodale I and Phillips C (1975) Solution of an overdetermined system of linear equations in the Chebyshev norm [F4] (Algorithm 495) *ACM Trans. Math. Software* **1** (3) 264–270

5 Parameters

- 1: **order** – Nag_OrderType *Input*
On entry: the **order** parameter specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order = Nag_RowMajor**. See Section 2.2.1.4 of the Essential Introduction for a more detailed explanation of the use of this parameter.
Constraint: **order = Nag_RowMajor** or **Nag_ColMajor**.
- 2: **m** – Integer *Input*
On entry: the number of equations, m (the number of rows of the matrix A).
Constraint: $m \geq n$.
- 3: **n** – Integer *Input*
On entry: the number of unknowns, n (the number of columns of the matrix A).
Constraint: $n \geq 1$.
- 4: **a[*dim*]** – double *Input/Output*
Note: the dimension, *dim*, of the array **a** must be at least $(n + 3) \times (m + 1)$.
 Where $\mathbf{A}(i, j)$ appears in this document, it refers to the array element
 if **order = Nag_ColMajor**, $\mathbf{a}[(j - 1) \times (n + 3) + i - 1]$;
 if **order = Nag_RowMajor**, $\mathbf{a}[(i - 1) \times (m + 1) + j - 1]$.
On entry: $\mathbf{A}(j, i)$ must contain a_{ij} , the element in the i th row and j th column of the matrix A for, $i = 1, 2, \dots, m$; $j = 1, 2, \dots, n$ (that is, the **transpose** of the matrix). The remaining elements need not be set. Preferably, the columns of the matrix A (rows of the parameter **a**) should be scaled before entry: see Section 7.
On exit: **a** contains the last simplex tableau.
- 5: **b[m]** – double *Input/Output*
On entry: $\mathbf{b}[i - 1]$ must contain b_i , the i th element of the vector b , for $i = 1, 2, \dots, m$.
On exit: the i th residual r_i corresponding to the solution vector x , for $i = 1, 2, \dots, m$. Note however that these residuals may contain few significant figures, especially when **resmax** is within one or two orders of magnitude of **tol**. Indeed if **resmax** \leq **tol**, the elements $\mathbf{b}[i - 1]$ may all be set to zero. It is therefore often advisable to compute the residuals directly.
- 6: **tol** – double *Input*
On entry: a threshold below which numbers are regarded as zero. The recommended threshold value is $10.0 \times \epsilon$, where ϵ is the *machine precision*. If **tol** \leq 0.0 on entry, the recommended value is used within the function. If premature termination occurs, a larger value for **tol** may result in a valid solution.
Suggested value: 0.0.

- 7: **relerr** – double * *Input/Output*
On entry: **relerr** must be set to a bound on the relative error acceptable in the maximum residual at the solution.
 If **relerr** \leq 0.0, then the l_∞ solution is computed, and **relerr** is set to 0.0 on exit.
 If **relerr** $>$ 0.0, then the function obtains instead an approximate solution for which the largest residual is less than $1.0 + \mathbf{relerr}$ times that of the l_∞ solution; on exit, **relerr** contains a smaller value such that the above bound still applies. (The usual result of this option, say with **relerr** = 0.1, is a saving in the number of simplex iterations).
On exit: **relerr** is altered as described above.
- 8: **x[n]** – double *Output*
On exit: if an optimal but not necessarily unique solution is found, **x[j – 1]** contains the j th element of the solution vector x , for $j = 1, 2, \dots, n$. Whether this is an l_∞ solution or an approximation to one, depends on the value of **relerr** on entry.
- 9: **resmax** – double * *Output*
On exit: if an optimal but not necessarily unique solution is found, **resmax** contains the absolute value of the largest residual(s) for the solution vector x . (See **b** above.)
- 10: **rank** – Integer * *Output*
On exit: if an optimal but not necessarily unique solution is found, **rank** contains the computed rank of the matrix A .
- 11: **iter** – Integer * *Output*
On exit: if an optimal but not necessarily unique solution is found, **iter** contains the number of iterations taken by the simplex method.
- 12: **fail** – NagError * *Input/Output*
 The NAG error parameter (see the Essential Introduction).

6 Error Indicators and Warnings

NE_INT

On entry, **n** = $\langle value \rangle$.
 Constraint: **n** \geq 1.

NE_INT_2

On entry, **m** = $\langle value \rangle$, **n** = $\langle value \rangle$.
 Constraint: **m** \geq **n**.

NE_NON_UNIQUE

An optimal solution has been obtained, but may not be unique.

NE_TERMINATION_FAILURE

Premature termination due to rounding errors. Try using larger value of **tol**: **tol** = $\langle value \rangle$.

NE_ALLOC_FAIL

Memory allocation failed.

NE_BAD_PARAM

On entry, parameter $\langle value \rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

Experience suggests that the computational accuracy of the solution x is comparable with the accuracy that could be obtained by applying Gaussian elimination with partial pivoting to the $n + 1$ equations which have residuals of largest absolute value. The accuracy therefore varies with the conditioning of the problem, but has been found generally very satisfactory in practice.

8 Further Comments

The effects of m and n on the time and on the number of iterations in the simplex method vary from problem to problem, but typically the number of iterations is a small multiple of n and the total time is approximately proportional to mn^2 .

It is recommended that, before the function is entered, the columns of the matrix A are scaled so that the largest element in each column is of the order of unity. This should improve the conditioning of the matrix, and also enable the parameter **tol** to perform its correct function. The solution x obtained will then, of course, relate to the scaled form of the matrix. Thus if the scaling is such that, for each $j = 1, 2, \dots, n$, the elements of the j th column are multiplied by the constant k_j , the element x_j of the solution vector x must be multiplied by k_j if it is desired to recover the solution corresponding to the original matrix A .

9 Example

Suppose we wish to approximate a set of data by a curve of the form

$$y = Ke^t + Le^{-t} + M$$

where K , L and M are unknown. Given values y_i at 5 points t_i we may form the over-determined set of equations for K , L and M

$$e^{t_i}K + e^{-t_i}L + M = y_i, \quad i = 1, 2, \dots, 5.$$

`nag_linf_fit` (e02gcc) is used to solve these in the l_∞ sense.

9.1 Program Text

```

/* nag_linf_fit (e02gcc) Example Program.
 *
 * Copyright 2001 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <math.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nage02.h>

int main(void)
{
    /* Scalars */
    double relerr, resmax, t, tol;
    Integer exit_status, i, irank, iter, m, n, pda;
    NagError fail;

```

```

Nag_OrderType order;

/* Arrays */
double *a = 0, *b = 0, *x = 0;

#ifdef NAG_COLUMN_MAJOR
#define A(I,J) a[(J-1)*pda + I - 1]
    order = Nag_ColMajor;
#else
#define A(I,J) a[(I-1)*pda + J - 1]
    order = Nag_RowMajor;
#endif

INIT_FAIL(fail);
exit_status = 0;
Vprintf("e02gcc Example Program Results\n");

/* Skip heading in data file */
Vscanf("%*[^\\n] ");

n = 3;
Vscanf("%ld%*[^\\n] ", &m);
if (m > 0)
{
    /* Allocate memory */
    if ( !(a = NAG_ALLOC((n+3)*(m+1), double)) ||
        !(b = NAG_ALLOC(m, double)) ||
        !(x = NAG_ALLOC(n, double)) )
    {
        Vprintf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    if (order == Nag_ColMajor)
        pda = n + 3;
    else
        pda = m + 1;

    for (i = 1; i <= m; ++i)
    {
        Vscanf("%lf%lf%*[^\\n] ", &t, &b[i-1]);
        A(1, i) = exp(t);
        A(2, i) = exp(-t);
        A(3, i) = 1.0;
    }
    tol = 0.0;
    relerr = 0.0;
    e02gcc(order, m, n, a, b, tol, &relerr, x, &resmax, &irank, &iter, &fail);
    if (fail.code != NE_NOERROR)
    {
        Vprintf("Error from e02gcc.\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
    else
    {
        Vprintf("\n");
        Vprintf("resmax = %10.2e Rank = %5ld Iterations = %5ld\n",
            resmax, irank, iter);

        Vprintf("\n");
        Vprintf("Solution\n");

        for (i = 1; i <= n; ++i)
            Vprintf("%10.4f", x[i-1]);
        Vprintf("\n");
    }
}
END:

```

```
if (a) NAG_FREE(a);
if (b) NAG_FREE(b);
if (x) NAG_FREE(x);

return exit_status;
}
```

9.2 Program Data

```
e02gcc Example Program Data
5
0.0 4.501
0.2 4.360
0.4 4.333
0.6 4.418
0.8 4.625
```

9.3 Program Results

```
e02gcc Example Program Results
resmax = 1.03e-03 Rank = 3 Iterations = 4
Solution
1.0049 2.0149 1.4822
```
