

NAG C Library Function Document

nag_dstevd (f08jcc)

1 Purpose

nag_dstevd (f08jcc) computes all the eigenvalues and, optionally, all the eigenvectors of a real symmetric tridiagonal matrix. If the eigenvectors are requested, then it uses a divide-and-conquer algorithm to compute eigenvalues and eigenvectors. However, if only eigenvalues are required, then it uses the Pal–Walker–Kahan variant of the QL or QR algorithm.

2 Specification

```
#include <nag.h>
#include <nagf08.h>
```

```
void nag_dstevd (Nag_OrderType order, Nag_JobType job, Integer n, double d[],
                 double e[], double z[], Integer pdz, NagError *fail)
```

3 Description

nag_dstevd (f08jcc) computes all the eigenvalues and, optionally, all the eigenvectors of a real symmetric tridiagonal matrix T . In other words, it can compute the spectral factorization of T as

$$T = ZAZ^T,$$

where A is a diagonal matrix whose diagonal elements are the eigenvalues λ_i , and Z is the orthogonal matrix whose columns are the eigenvectors z_i . Thus

$$Tz_i = \lambda_i z_i, \quad i = 1, 2, \dots, n.$$

4 References

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Arguments

- 1: **order** – Nag_OrderType *Input*
On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = **Nag_RowMajor**. See Section 2.2.1.4 of the Essential Introduction for a more detailed explanation of the use of this argument.
Constraint: **order** = **Nag_RowMajor** or **Nag_ColMajor**.
- 2: **job** – Nag_JobType *Input*
On entry: indicates whether eigenvectors are computed.
job = **Nag_DoNothing**
Only eigenvalues are computed.
job = **Nag_EigVecs**
Eigenvalues and eigenvectors are computed.
Constraint: **job** = **Nag_DoNothing** or **Nag_EigVecs**.

- 3: **n** – Integer *Input*
On entry: n , the order of the matrix T .
Constraint: $n \geq 0$.
- 4: **d**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **d** must be at least $\max(1, n)$.
On entry: the n diagonal elements of the tridiagonal matrix T .
On exit: the eigenvalues of the matrix T in ascending order.
- 5: **e**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **e** must be at least $\max(1, n)$.
On entry: the $n - 1$ off-diagonal elements of the tridiagonal matrix T . The n th element of this array is used as workspace.
On exit: the array is overwritten with intermediate results.
- 6: **z**[*dim*] – double *Output*
Note: the dimension, *dim*, of the array **z** must be at least
 $\max(1, \mathbf{pdz} \times n)$ when **job** = **Nag_EigVecs**;
1 when **job** = **Nag_DoNothing**.
If **order** = **Nag_ColMajor**, the (i, j) th element of the matrix Z is stored in $\mathbf{z}[(j - 1) \times \mathbf{pdz} + i - 1]$.
If **order** = **Nag_RowMajor**, the (i, j) th element of the matrix Z is stored in $\mathbf{z}[(i - 1) \times \mathbf{pdz} + j - 1]$.
On exit: if **job** = **Nag_EigVecs**, **z** is overwritten by the orthogonal matrix Z which contains the eigenvectors of T .
If **job** = **Nag_DoNothing**, **z** is not referenced.
- 7: **pdz** – Integer *Input*
On entry: the stride separating matrix row or column elements (depending on the value of **order**) in the array **z**.
Constraints:
if **job** = **Nag_EigVecs**, $\mathbf{pdz} \geq \max(1, n)$;
if **job** = **Nag_DoNothing**, $\mathbf{pdz} \geq 1$.
- 8: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 2.6 of the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_CONVERGENCE

The algorithm failed to converge, $\langle value \rangle$ elements of an intermediate tridiagonal form did not converge to zero.

NE_ENUM_INT_2

On entry, **job** = $\langle value \rangle$, **n** = $\langle value \rangle$, **pdz** = $\langle value \rangle$.
 Constraint: if **job** = **Nag_DoNothing**, **pdz** ≥ 1 .

On entry, **job** = $\langle value \rangle$, **n** = $\langle value \rangle$, **pdz** = $\langle value \rangle$.
 Constraint: if **job** = **Nag_EigVecs**, **pdz** $\geq \max(1, \mathbf{n})$.

On entry, **pdz** = $\langle value \rangle$, **job** = $\langle value \rangle$, **n** = $\langle value \rangle$.
 Constraint: if **job** = **Nag_EigVecs**, **pdz** $\geq \max(1, \mathbf{n})$;
 if **job** = **Nag_DoNothing**, **pdz** ≥ 1 .

NE_INT

On entry, **n** = $\langle value \rangle$.
 Constraint: **n** ≥ 0 .

On entry, **pdz** = $\langle value \rangle$.
 Constraint: **pdz** > 0 .

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

The computed eigenvalues and eigenvectors are exact for a nearby matrix $(T + E)$, where

$$\|E\|_2 = O(\epsilon)\|T\|_2,$$

and ϵ is the *machine precision*.

If λ_i is an exact eigenvalue and $\tilde{\lambda}_i$ is the corresponding computed value, then

$$|\tilde{\lambda}_i - \lambda_i| \leq c(n)\epsilon\|T\|_2,$$

where $c(n)$ is a modestly increasing function of n .

If z_i is the corresponding exact eigenvector, and $\tilde{z}_i$ is the corresponding computed eigenvector, then the angle $\theta(\tilde{z}_i, z_i)$ between them is bounded as follows:

$$\theta(\tilde{z}_i, z_i) \leq \frac{c(n)\epsilon\|T\|_2}{\min_{i \neq j} |\lambda_i - \lambda_j|}.$$

Thus the accuracy of a computed eigenvector depends on the gap between its eigenvalue and all the other eigenvalues.

8 Further Comments

There is no complex analogue of this function.

9 Example

To compute all the eigenvalues and eigenvectors of the symmetric tridiagonal matrix T , where

$$T = \begin{pmatrix} 1.0 & 1.0 & 0.0 & 0.0 \\ 1.0 & 4.0 & 2.0 & 0.0 \\ 0.0 & 2.0 & 9.0 & 3.0 \\ 0.0 & 0.0 & 3.0 & 16.0 \end{pmatrix}.$$

9.1 Program Text

```

/* nag_dstevd (f08jcc) Example Program.
 *
 * Copyright 2001 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf08.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    Integer i, n, pdz, d_len, e_len;
    Integer exit_status=0;
    NagError fail;
    Nag_JobType job;
    Nag_OrderType order;
    /* Arrays */
    char job_char[2];
    double *z=0, *d=0, *e=0;

#ifdef NAG_COLUMN_MAJOR
    order = Nag_ColMajor;
#else
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);
    Vprintf("nag_dstevd (f08jcc) Example Program Results\n\n");

    /* Skip heading in data file */
    Vscanf("%*[\n] ");
    Vscanf("%ld%*[\n] ", &n);
    pdz = n;
    d_len = n;
    e_len = n-1;

    /* Allocate memory */
    if ( !(z = NAG_ALLOC(n * n, double)) ||
        !(d = NAG_ALLOC(d_len, double)) ||
        !(e = NAG_ALLOC(e_len, double)) )
    {
        Vprintf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    /* Read T from data file */
    for (i = 0; i < d_len; ++i)
        Vscanf("%lf", &d[i]);
    for (i = 0; i < e_len; ++i)
        Vscanf("%lf", &e[i]);
    /* Read type of job to be performed */
    Vscanf("%*[\n] ");
    Vscanf(" ' %1s '%*[\n] ", job_char);
    if (*(unsigned char *)job_char == 'V')
        job = Nag_EigVecs;
    else
        job = Nag_DoNothing;
    /* Calculate all the eigenvalues and eigenvectors of T */
    /* nag_dstevd (f08jcc).
     * All eigenvalues and optionally all eigenvectors of real
     * symmetric tridiagonal matrix (divide-and-conquer)
     */
    nag_dstevd(order, job, n, d, e, z, pdz, &fail);
    if (fail.code != NE_NOERROR)

```

```

    {
        Vprintf("Error from nag_dstevd (f08jcc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
    /* Print eigenvalues and eigenvectors */
    Vprintf(" Eigenvalues\n");
    for (i = 0; i < n; ++i)
        Vprintf("  %7.4lf", d[i]);
    Vprintf("\n\n");
    /* nag_gen_real_mat_print (x04cac).
     * Print real general matrix (easy-to-use)
     */
    nag_gen_real_mat_print(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, n,
                           z, pdz, "Eigenvectors", 0, &fail);
    if (fail.code != NE_NOERROR)
    {
        Vprintf("Error from nag_gen_real_mat_print (x04cac).\n%s\n",
                fail.message);
        exit_status = 1;
        goto END;
    }
END:
    if (d) NAG_FREE(d);
    if (e) NAG_FREE(e);
    if (z) NAG_FREE(z);
    return exit_status;
}

```

9.2 Program Data

```

nag_dstevd (f08jcc) Example Program Data
4                               :Value of N
1.0  4.0  9.0  16.0
1.0  2.0  3.0                  :End of T
'v'                             :Value of JOB

```

9.3 Program Results

nag_dstevd (f08jcc) Example Program Results

Eigenvalues
 0.6476 3.5470 8.6578 17.1477

Eigenvectors

	1	2	3	4
1	0.9396	0.3388	0.0494	0.0034
2	-0.3311	0.8628	0.3781	0.0545
3	0.0853	-0.3648	0.8558	0.3568
4	-0.0167	0.0879	-0.3497	0.9326
