

NAG C Library Function Document

nag_dhgeqz (f08xec)

1 Purpose

nag_dhgeqz (f08xec) implements the QZ method for finding generalized eigenvalues of the real matrix pair (A, B) of order n , which is in the generalized upper Hessenberg form.

2 Specification

```
void nag_dhgeqz (Nag_OrderType order, Nag_JobType job, Nag_ComputeQType compq,
                 Nag_ComputeZType compz, Integer n, Integer ilo, Integer ihi, double a[],
                 Integer pda, double b[], Integer pdb, double alphar[], double alphai[],
                 double beta[], double q[], Integer pdq, double z[], Integer pdz, NagError *fail)
```

3 Description

nag_dhgeqz (f08xec) implements a single-double-shift version of the QZ method for finding the generalized eigenvalues of the real matrix pair (A, B) which is in the generalized upper Hessenberg form. If the matrix pair (A, B) is not in the generalized upper Hessenberg form, then the function nag_dgghrd (f08wec) should be called before invoking nag_dhgeqz (f08xec).

This problem is mathematically equivalent to solving the equation

$$\det(A - \lambda B) = 0.$$

Note that, to avoid underflow, overflow and other arithmetic problems, the generalized eigenvalues λ_j are never computed explicitly by this function but defined as ratios between two computed values, α_j and β_j :

$$\lambda_j = \alpha_j / \beta_j.$$

The parameters α_j , in general, are finite complex values and β_j are finite real non-negative values.

If desired, the matrix pair (A, B) may be reduced to generalized Schur form. That is, the transformed matrix B is upper triangular and the transformed matrix A is block upper triangular, where the diagonal blocks are either 1 by 1 or 2 by 2. The 1 by 1 blocks provide generalized eigenvalues which are real and the 2 by 2 blocks give complex generalized eigenvalues.

The parameter **job** specifies two options. If **job** = **Nag_Schur** then the matrix pair (A, B) is simultaneously reduced to Schur form by applying one orthogonal transformation (usually called Q) on the left and another (usually called Z) on the right. That is,

$$\begin{aligned} A &\leftarrow Q^T A Z \\ B &\leftarrow Q^T B Z \end{aligned}$$

The 2 by 2 upper-triangular diagonal blocks of B corresponding to 2 by 2 blocks of A will be reduced to non-negative diagonal matrices. That is, if $\mathbf{A}(j+1, j)$ is non-zero, then $\mathbf{B}(j+1, j) = \mathbf{B}(j, j+1) = 0$ and $\mathbf{B}(j, j)$ and $\mathbf{B}(j+1, j+1)$ will be non-negative.

If **job** = **Nag_EigVals**, then at each iteration, the same transformations are computed, but they are only applied to those parts of A and $\mathbf{b}$ which are needed to compute α and β . This option could be used if generalized eigenvalues are required but not generalized eigenvectors.

If **job** = **Nag_Schur** and **compq** and **compz** are **Nag_AccumulateZ** or **Nag_InitZ**, then the orthogonal transformations used to reduce the pair (A, B) are accumulated into the input arrays **q** and **z**. If generalized eigenvectors are required then **job** must be set to **Nag_Schur** and if left (right) generalized eigenvectors are to be computed then **compq** (**compz**) must be set to **Nag_AccumulateZ** or **Nag_InitZ** and not **Nag_NotZ**.

If **compq** is set to **Nag_InitQ** then eigenvectors are accumulated on the identity matrix and on exit the array **q** contains the left eigenvector matrix Q . However, if **compq** is set to **Nag_AccumulateQ** then the

transformations are accumulated on the user supplied matrix Q_0 in array **q** on entry and thus on exit **q** contains the matrix product QQ_0 . A similar convention is used for **compz**.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia

Moler C B and Stewart G W (1973) An algorithm for generalized matrix eigenproblems *SIAM J. Numer. Anal.* **10** 241–256

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

Stewart G W and Sun J-G (1990) *Matrix Perturbation Theory* Academic Press, London

5 Parameters

- 1: **order** – Nag_OrderType *Input*

On entry: the **order** parameter specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order = Nag_RowMajor**. See Section 2.2.1.4 of the Essential Introduction for a more detailed explanation of the use of this parameter.

Constraint: **order = Nag_RowMajor** or **Nag_ColMajor**.

- 2: **job** – Nag_JobType *Input*

On entry: specifies the operations to be performed on (A, B) :

if **job = Nag_EigVals**, the matrix pair (A, B) on exit might not be in the generalized Schur form;

if **job = Nag_Schur**, the matrix pair (A, B) on exit will be in the generalized Schur form.

Constraint: **job = Nag_EigVals** or **Nag_Schur**.

- 3: **compq** – Nag_ComputeQType *Input*

On entry: specifies the operations to be performed on Q :

if **compq = Nag_NotQ**, the array **q** is unchanged;

if **compq = Nag_AccumulateQ**, the left transformation Q is accumulated on the array **q**;

if **compq = Nag_InitQ**, the array **q** is initialised to the identity matrix before the left transformation Q is accumulated in **q**.

Constraint: **compq = Nag_NotQ**, **Nag_AccumulateQ** or **Nag_InitQ**.

- 4: **compz** – Nag_ComputeZType *Input*

On entry: specifies the operations to be performed on Z :

if **compz = Nag_NotZ**, the array **z** is unchanged;

if **compz = Nag_AccumulateZ**, the right transformation Z is accumulated on the array **z**;

if **compz = Nag_InitZ**, the array **z** is initialised to the identity matrix before the right transformation Z is accumulated in **z**.

Constraint: **compz = Nag_NotZ**, **Nag_AccumulateZ** or **Nag_InitZ**.

- 5: **n** – Integer *Input*
On entry: n , the order of the matrices A , B , Q and Z .
Constraint: $n \geq 0$.
- 6: **ilo** – Integer *Input*
7: **ihi** – Integer *Input*
On entry: the indices i_{lo} and i_{hi} , respectively which define the upper triangular parts of A . The submatrices $A(1 : i_{lo} - 1, 1 : i_{lo} - 1)$ and $A(i_{hi} + 1 : n, i_{hi} + 1 : n)$ are then upper triangular. These parameters are provided by nag_dggbal (f08whc) if the matrix pair was previously balanced; otherwise, **ilo** = 1 and **ihi** = **n**.
Constraints:
if $n > 0$, $1 \leq \text{ilo} \leq \text{ihi} \leq n$;
if $n = 0$, **ilo** = 1 and **ihi** = 0.
- 8: **a**[dim] – double *Input/Output*
Note: the dimension, dim , of the array **a** must be at least $\max(1, \text{pda} \times n)$.
Where $\mathbf{A}(i, j)$ appears in this document, it refers to the array element
if **order** = **Nag_ColMajor**, $\mathbf{a}[(j - 1) \times \text{pda} + i - 1]$;
if **order** = **Nag_RowMajor**, $\mathbf{a}[(i - 1) \times \text{pda} + j - 1]$.
On entry: the n by n upper Hessenberg matrix A . The elements below the first subdiagonal must be set to zero. If **job** = **Nag_Schur**, the matrix pair (A, B) will be simultaneously reduced to generalized Schur form. If **job** = **Nag_EigVals**, the 1 by 1 and 2 by 2 diagonal blocks of the matrix pair (A, B) will give generalized eigenvalues but the remaining elements will be irrelevant.
- 9: **pda** – Integer *Input*
On entry: the stride separating matrix row or column elements (depending on the value of **order**) in the array **a**.
Constraint: $\text{pda} \geq \max(1, n)$.
- 10: **b**[dim] – double *Input/Output*
Note: the dimension, dim , of the array **b** must be at least $\max(1, \text{pdb} \times n)$.
Where $\mathbf{B}(i, j)$ appears in this document, it refers to the array element
if **order** = **Nag_ColMajor**, $\mathbf{b}[(j - 1) \times \text{pdb} + i - 1]$;
if **order** = **Nag_RowMajor**, $\mathbf{b}[(i - 1) \times \text{pdb} + j - 1]$.
On entry: the n by n upper triangular matrix B . The elements below the diagonal must be zero.
On exit: if **job** = **Nag_Schur**, the matrix pair (A, B) will be simultaneously reduced to generalized Schur form. If **job** = **Nag_EigVals**, the 1 by 1 and 2 by 2 diagonal blocks of the matrix pair (A, B) will give generalized eigenvalues but the remaining elements will be irrelevant.
- 11: **pdb** – Integer *Input*
On entry: the stride separating matrix row or column elements (depending on the value of **order**) in the array **b**.
Constraint: $\text{pdb} \geq \max(1, n)$.
- 12: **alphar**[dim] – double *Output*
Note: the dimension, dim , of the array **alphar** must be at least $\max(1, n)$.
On exit: the real parts of α_j , for $j = 1, \dots, n$.

- 13: **alpha**[*dim*] – double *Output*
Note: the dimension, *dim*, of the array **alpha** must be at least $\max(1, \mathbf{n})$.
On exit: the imaginary parts of α_j , for $j = 1, \dots, n$.
- 14: **beta**[*dim*] – double *Output*
Note: the dimension, *dim*, of the array **beta** must be at least $\max(1, \mathbf{n})$.
On exit: β_j , for $j = 1, \dots, n$.
- 15: **q**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **q** must be at least
 $\max(1, \mathbf{pdq} \times \mathbf{n})$ when **compq** = **Nag_AccumulateQ** or **Nag_InitQ**;
1 when **compq** = **Nag_NotQ**.
If **order** = **Nag_ColMajor**, the (i, j) th element of the matrix Q is stored in $\mathbf{q}[(j-1) \times \mathbf{pdq} + i - 1]$
and if **order** = **Nag_RowMajor**, the (i, j) th element of the matrix Q is stored in
 $\mathbf{q}[(i-1) \times \mathbf{pdq} + j - 1]$.
On entry: if **compq** = **Nag_AccumulateQ**, the matrix Q_0 . The matrix Q_0 is usually the matrix Q
returned by nag_dgghrd (f08wec). If **compq** = **Nag_NotQ**, **q** is not referenced.
On exit: if **compq** = **Nag_AccumulateQ**, **q** contains the matrix product QQ_0 ; if
compq = **Nag_InitQ**, **q** contains the transformation matrix Q .
- 16: **pdq** – Integer *Input*
On entry: the stride separating matrix row or column elements (depending on the value of **order**) in
the array **q**.
Constraints:
if **order** = **Nag_ColMajor**,
if **compq** = **Nag_AccumulateQ** or **Nag_InitQ**, $\mathbf{pdq} \geq \mathbf{n}$;
if **compq** = **Nag_NotQ**, $\mathbf{pdq} \geq 1$;
if **order** = **Nag_RowMajor**,
if **compq** = **Nag_AccumulateQ** or **Nag_InitQ**, $\mathbf{pdq} \geq \max(1, \mathbf{n})$;
if **compq** = **Nag_NotQ**, $\mathbf{pdq} \geq 1$.
- 17: **z**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **z** must be at least
 $\max(1, \mathbf{pdz} \times \mathbf{n})$ when **compz** = **Nag_AccumulateZ** or **Nag_InitZ**;
1 when **compz** = **Nag_NotZ**.
If **order** = **Nag_ColMajor**, the (i, j) th element of the matrix Z is stored in $\mathbf{z}[(j-1) \times \mathbf{pdz} + i - 1]$ and
if **order** = **Nag_RowMajor**, the (i, j) th element of the matrix Z is stored in $\mathbf{z}[(i-1) \times \mathbf{pdz} + j - 1]$.
On entry: if **compz** = **Nag_AccumulateZ**, the matrix Z_0 . The matrix Z_0 is usually the matrix Z
returned by nag_dgghrd (f08wec). If **compz** = **Nag_NotZ**, **z** is not referenced.
On exit: if **compz** = **Nag_AccumulateZ**, **z** contains the matrix product ZZ_0 ; if
compz = **Nag_InitZ**, **z** contains the transformation matrix Z .
- 18: **pdz** – Integer *Input*
On entry: the stride separating matrix row or column elements (depending on the value of **order**) in
the array **z**.
Constraints:
if **order** = **Nag_ColMajor**,
if **compz** = **Nag_AccumulateZ** or **Nag_InitZ**, $\mathbf{pdz} \geq \mathbf{n}$;

```

        if compz = Nag_NotZ, pdz  $\geq$  1;
    if order = Nag_RowMajor,
        if compz = Nag_AccumulateZ or Nag_InitZ, pdz  $\geq$  max(1, n);
        if compz = Nag_NotZ, pdz  $\geq$  1.

```

19: **fail** – NagError *

Output

The NAG error parameter (see the Essential Introduction).

6 Error Indicators and Warnings

NE_INT

On entry, **n** = $\langle value \rangle$.

Constraint: **n** $\geq$ 0.

On entry, **pda** = $\langle value \rangle$.

Constraint: **pda** $>$ 0.

On entry, **pdb** = $\langle value \rangle$.

Constraint: **pdb** $>$ 0.

On entry, **pdq** = $\langle value \rangle$.

Constraint: **pdq** $>$ 0.

On entry, **pdz** = $\langle value \rangle$.

Constraint: **pdz** $>$ 0.

NE_INT_2

On entry, **pda** = $\langle value \rangle$, **n** = $\langle value \rangle$.

Constraint: **pda** $\geq$ max(1, **n**).

On entry, **pdb** = $\langle value \rangle$, **n** = $\langle value \rangle$.

Constraint: **pdb** $\geq$ max(1, **n**).

NE_INT_3

On entry, **n** = $\langle value \rangle$, **ilo** = $\langle value \rangle$, **ihi** = $\langle value \rangle$.

Constraint: if **n** $>$ 0, $1 \leq \text{ilo} \leq \text{ihi} \leq \text{n}$;

if **n** = 0, **ilo** = 1 and **ihi** = 0.

NE_ENUM_INT_2

On entry, **compq** = $\langle value \rangle$, **n** = $\langle value \rangle$, **pdq** = $\langle value \rangle$.

Constraint: if **compq** = **Nag_AccumulateQ** or **Nag_InitQ**, **pdq** $\geq$ **n**;

if **compq** = **Nag_NotQ**, **pdq** $\geq$ 1.

On entry, **compz** = $\langle value \rangle$, **n** = $\langle value \rangle$, **pdz** = $\langle value \rangle$.

Constraint: if **compz** = **Nag_AccumulateZ** or **Nag_InitZ**, **pdz** $\geq$ **n**;

if **compz** = **Nag_NotZ**, **pdz** $\geq$ 1.

On entry, **compq** = $\langle value \rangle$, **n** = $\langle value \rangle$, **pdq** = $\langle value \rangle$.

Constraint: if **compq** = **Nag_AccumulateQ** or **Nag_InitQ**, **pdq** $\geq$ max(1, **n**);

if **compq** = **Nag_NotQ**, **pdq** $\geq$ 1.

On entry, **compz** = $\langle value \rangle$, **n** = $\langle value \rangle$, **pdz** = $\langle value \rangle$.

Constraint: if **compz** = **Nag_AccumulateZ** or **Nag_InitZ**, **pdz** $\geq$ max(1, **n**);

if **compz** = **Nag_NotZ**, **pdz** $\geq$ 1.

NE_CONVERGENCE

The *QZ* iteration did not converge and the matrix pair (*A*, *B*) is not in the generalized Schur form.

The computed α_i and β_i should be correct for $i = \langle value \rangle, \dots, \langle value \rangle$.

The QZ iteration did not converge and the matrix pair (A, B) is not in the generalized Schur form.

The computation of shifts failed and the matrix pair (A, B) is not in the generalized Schur form. The computed α_i and β_i should be correct for $i = \langle value \rangle, \dots, \langle value \rangle$.

The computation of shifts failed and the matrix pair (A, B) is not in the generalized Schur form.

An unexpected Library error has occurred.

NE_ALLOC_FAIL

Memory allocation failed.

NE_BAD_PARAM

On entry, parameter $\langle value \rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

Please consult section 4.11 of the LAPACK Users' Guide (Anderson *et al.* (1999)) and Chapter 6 of Stewart and Sun (1990), for more information.

8 Further Comments

nag_dhgeqz (f08xec) is the fifth step in the solution of the real generalized eigenvalue problem and is called after nag_dgghrd (f08wec).

The complex analogue of this function is nag_zhgeqz (f08xsc).

9 Example

The example program computes the α and β parameters, which defines the generalized eigenvalues, of the matrix pair (A, B) given by

$$A = \begin{pmatrix} 1.0 & 1.0 & 1.0 & 1.0 & 1.0 \\ 2.0 & 4.0 & 8.0 & 16.0 & 32.0 \\ 3.0 & 9.0 & 27.0 & 81.0 & 243.0 \\ 4.0 & 16.0 & 64.0 & 256.0 & 1024.0 \\ 5.0 & 25.0 & 125.0 & 625.0 & 3125.0 \end{pmatrix}$$

$$B = \begin{pmatrix} 1.0 & 2.0 & 3.0 & 4.0 & 5.0 \\ 1.0 & 4.0 & 9.0 & 16.0 & 25.0 \\ 1.0 & 8.0 & 27.0 & 64.0 & 125.0 \\ 1.0 & 16.0 & 81.0 & 256.0 & 625.0 \\ 1.0 & 32.0 & 243.0 & 1024.0 & 3125.0 \end{pmatrix}.$$

This requires calls to five functions: nag_dggbal (f08whc) to balance the matrix, nag_dgeqrf (f08aec) to perform the QR factorization of B , nag_dormqr (f08agc) to apply Q to A , nag_dgghrd (f08wec) to reduce the matrix pair to the generalized Hessenberg form and nag_dhgeqz (f08xec) to compute the eigenvalues using the QZ algorithm.

9.1 Program Text

```

/* nag_dhgeqz (f08xec) Example Program.
 *
 * Copyright 2001 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf08.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    Integer i, ihi, ilo, irows, j, n, pda, pdb;
    Integer alpha_len, beta_len, scale_len, tau_len;
    Integer exit_status=0;

    NagError fail;
    Nag_OrderType order;
    /* Arrays */
    double *a=0, *alphai=0, *alphar=0, *b=0, *beta=0, *lscale=0;
    double *q=0, *rscale=0, *tau=0, *z=0;

#ifdef NAG_COLUMN_MAJOR
#define A(I,J) a[(J-1)*pda + I - 1]
#define B(I,J) b[(J-1)*pdb + I - 1]
    order = Nag_ColMajor;
#else
#define A(I,J) a[(I-1)*pda + J - 1]
#define B(I,J) b[(I-1)*pdb + J - 1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);
    Vprintf("f08xec Example Program Results\n\n");
    /* Skip heading in data file */
    Vscanf("%*[^\\n] ");
    Vscanf("%ld%*[^\\n] ", &n);
#ifdef NAG_COLUMN_MAJOR
    pda = n;
    pdb = n;
#else
    pda = n;
    pdb = n;
#endif
    alpha_len = n;
    beta_len = n;
    scale_len = n;
    tau_len = n;

    /* Allocate memory */
    if ( !(a = NAG_ALLOC(n * n, double)) ||
        !(alphai = NAG_ALLOC(alpha_len, double)) ||
        !(alphar = NAG_ALLOC(alpha_len, double)) ||
        !(b = NAG_ALLOC(n * n, double)) ||
        !(beta = NAG_ALLOC(beta_len, double)) ||
        !(lscale = NAG_ALLOC(scale_len, double)) ||
        !(q = NAG_ALLOC(1 * 1, double)) ||
        !(rscale = NAG_ALLOC(scale_len, double)) ||
        !(tau = NAG_ALLOC(tau_len, double)) ||
        !(z = NAG_ALLOC(1 * 1, double)) )
    {
        Vprintf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
}

```

```

/* READ matrix A from data file */
for (i = 1; i <= n; ++i)
{
    for (j = 1; j <= n; ++j)
        Vscanf("%lf", &A(i,j));
}
Vscanf("%*[\n] ");

/* READ matrix B from data file */
for (i = 1; i <= n; ++i)
{
    for (j = 1; j <= n; ++j)
        Vscanf("%lf", &B(i,j));
}
Vscanf("%*[\n] ");
/* Balance matrix pair (A,B) */
f08whc(order, Nag_DoBoth, n, a, pda, b, pdb, &ilo, &ihi, lscale,
        rscale, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from f08whc.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Matrix A after balancing */
x04cac(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, n, a, pda,
        "Matrix A after balancing", 0, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from x04cac.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}
Vprintf("\n");

/* Matrix B after balancing */
x04cac(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, n, b, pdb,
        "Matrix B after balancing", 0, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from x04cac.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}
Vprintf("\n");

/* Reduce B to triangular form using QR */
irows = ihi + 1 - ilo;
f08aec(order, irows, irows, &B(ilo, ilo), pdb, tau, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from f08aec.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Apply the orthogonal transformation to matrix A */
f08agc(order, Nag_LeftSide, Nag_Trans, irows, irows, irows,
        &B(ilo, ilo), pdb, tau, &A(ilo, ilo), pda, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from f08agc.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Compute the generalized Hessenberg form of (A,B) */
f08wec(order, Nag_NotQ, Nag_NotZ, irows, 1, irows, &A(ilo, ilo), pda,
        &B(ilo, ilo), pdb, q, 1, z, 1, &fail);

```

```

if (fail.code != NE_NOERROR)
{
    Vprintf("Error from f08wec.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Matrix A in generalized Hessenberg form */
x04cac(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, n, a, pda,
        "Matrix A in Hessenberg form", 0, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from x04cac.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}
Vprintf("\n");
/* Matrix B in generalized Hessenberg form */
x04cac(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, n, b, pdb,
        "Matrix B is triangular", 0, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from x04cac.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Compute the generalized Schur form */
f08xec(order, Nag_EigVals, Nag_NotQ, Nag_NotZ, n, ilo, ihi, a, pda,
        b, pdb, alphas, alphas, beta, q, 1, z, 1, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from f08xec.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print the generalized eigenvalues */
Vprintf("\n Generalized eigenvalues\n");
for (i = 1; i <= n; ++i)
{
    if (beta[i-1] != 0.0)
    {
        Vprintf(" %4ld      (%7.3f,%7.3f)\n", i,
                alphas[i-1]/beta[i-1], alphas[i-1]/beta[i-1]);
    }
    else
        Vprintf(" %4ldEigenvalue is infinite\n", i);
}
END:
if (a) NAG_FREE(a);
if (alphai) NAG_FREE(alphai);
if (alphar) NAG_FREE(alphar);
if (b) NAG_FREE(b);
if (beta) NAG_FREE(beta);
if (lscale) NAG_FREE(lscale);
if (q) NAG_FREE(q);
if (rscale) NAG_FREE(rscale);
if (tau) NAG_FREE(tau);
if (z) NAG_FREE(z);

return exit_status;
}

```

9.2 Program Data

f08xec Example Program Data

```

5
1.00      1.00      1.00      1.00      1.00
2.00      4.00      8.00      16.00     32.00
3.00      9.00     27.00     81.00    243.00
4.00     16.00     64.00    256.00   1024.00
5.00     25.00    125.00   625.00  3125.00
1.00      2.00      3.00      4.00      5.00
1.00      4.00      9.00     16.00     25.00
1.00      8.00     27.00     64.00    125.00
1.00     16.00     81.00    256.00   625.00
1.00     32.00    243.00   1024.00  3125.00
:Value of N
:End of matrix A
:End of matrix B

```

9.3 Program Results

f08xec Example Program Results

Matrix A after balancing

```

      1      2      3      4      5
1  1.0000  1.0000  0.1000  0.1000  0.1000
2  2.0000  4.0000  0.8000  1.6000  3.2000
3  0.3000  0.9000  0.2700  0.8100  2.4300
4  0.4000  1.6000  0.6400  2.5600  10.2400
5  0.5000  2.5000  1.2500  6.2500  31.2500

```

Matrix B after balancing

```

      1      2      3      4      5
1  1.0000  2.0000  0.3000  0.4000  0.5000
2  1.0000  4.0000  0.9000  1.6000  2.5000
3  0.1000  0.8000  0.2700  0.6400  1.2500
4  0.1000  1.6000  0.8100  2.5600  6.2500
5  0.1000  3.2000  2.4300  10.2400  31.2500

```

Matrix A in Hessenberg form

```

      1      2      3      4      5
1 -2.1898 -0.3181  2.0547  4.7371 -4.6249
2 -0.8395 -0.0426  1.7132  7.5194 -17.1850
3  0.0000 -0.2846 -1.0101 -7.5927  26.4499
4  0.0000  0.0000  0.0376  1.4070 -3.3643
5  0.0000  0.0000  0.0000  0.3813 -0.9937

```

Matrix B is triangular

```

      1      2      3      4      5
1 -1.4248 -0.3476  2.1175  5.5813 -3.9269
2  0.0000 -0.0782  0.1189  8.0940 -15.2928
3  0.0000  0.0000  1.0021 -10.9356  26.5971
4  0.0000  0.0000  0.0000  0.5820 -0.0730
5  0.0000  0.0000  0.0000  0.0000  0.5321

```

Generalized eigenvalues

```

1  ( -2.437,  0.000)
2  (  0.607,  0.795)
3  (  0.607, -0.795)
4  (  1.000,  0.000)
5  ( -0.410,  0.000)

```
