

**nag\_ref\_vec\_binomial (g05edc)****1. Purpose**

**nag\_ref\_vec\_binomial (g05edc)** sets up the reference vector **r** for a binomial distribution of the number of successes in  $n$  trials, each with probability of success  $p$ .

**2. Specification**

```
#include <nag.h>
#include <nagg05.h>
```

```
void nag_ref_vec_binomial(Integer n, double p, double **r, NagError *fail)
```

**3. Description**

**nag\_ref\_vec\_binomial** sets up a reference vector for use in **nag\_return\_discrete (g05eyc)**. Together these routines produce random numbers from the binomial distribution defined by:

$$\begin{aligned} P(I = i) &= \frac{n!}{i!(n-i)!} p^i (1-p)^{n-i} && \text{if } i = 0, \dots, n, \\ P(I = i) &= 0 && \text{otherwise} \end{aligned} .$$

The reference array is found by a recurrence relation if  $np(1-p) < 50$ ; otherwise Stirling's approximation is used.

**4. Parameters****n**

Input: the number of trials,  $n$ , of the distribution.  
Constraint:  $\mathbf{n} \geq 0$ .

**p**

Input: the probability of success,  $p$ , of the distribution.  
Constraint:  $0.0 \leq \mathbf{p} \leq 1.0$ .

**r**

Output: reference vector for which memory will be allocated internally. If no memory is allocated to **r** (e.g. when an input error is detected) then **r** will be NULL on return, otherwise the user should use the NAG macro **NAG\_FREE** to free the storage allocated by **r** when it is no longer of use.

**fail**

The NAG error parameter, see the Essential Introduction to the NAG C Library.

**5. Error Indications and Warnings****NE\_INT\_ARG\_LT**

On entry, **n** must not be less than 0: **n** = *value*.

**NE\_REAL\_ARG\_LT**

On entry, **p** must not be less than 0.0: **p** = *value*.

**NE\_REAL\_ARG\_GT**

On entry, **p** must not be greater than 1.0: **p** = *value*.

**NE\_ALLOC\_FAIL**

Memory allocation failed.

**6. Further Comments****6.1. Accuracy**

Not applicable.

## 6.2. References

Kendall M G and Stuart A (1969) *The Advanced Theory of Statistics (Vol 1)* (3rd Edn) Griffin.  
 Knuth D E (1981) *The Art of Computer Programming (Vol 2)* (2nd Edn) Addison-Wesley.

## 7. See Also

nag\_random\_init\_repeatable (g05cbc)  
 nag\_random\_init\_nonrepeatable (g05ccc)  
 nag\_random\_normal (g05ddc)  
 nag\_ref\_vec\_poisson (g05ecc)  
 nag\_return\_discrete (g05eyc)

## 8. Example

The example program sets up a reference vector for a binomial distribution with  $n = 100$  and  $p = 0.5$ ; it then prints the first five pseudo-random numbers generated by nag\_return\_discrete (g05eyc), after initialisation by nag\_random\_init\_repeatable (g05cbc).

### 8.1. Program Text

```
/* nag_ref_vec_binomial(g05edc) Example Program
 *
 * Copyright 1991 Numerical Algorithms Group.
 *
 * Mark 2, 1991.
 *
 * Mark 3 revised, 1994.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nagg05.h>

#define N 100
#define P 0.5

main()
{
  Integer i, x;
  double *r;

  Vprintf("g05edc Example Program Results\n");
  g05cbc((Integer)0);
  g05edc((Integer)N, (double)P, &r, NAGERR_DEFAULT);
  for (i=1; i<=5; i++)
  {
    x = g05eyc(r);
    Vprintf("%5ld\n", x);
  }
  NAG_FREE(r);
  exit(EXIT_SUCCESS);
}
```

### 8.2. Program Data

None.

### 8.3. Program Results

```
g05edc Example Program Results
  54
  46
  48
  46
  56
```