

## NAG C Library Function Document

### nag\_forecast\_agarchII (g13fdc)

#### 1 Purpose

nag\_forecast\_agarchII (g13fdc) forecasts the conditional variances,  $h_t$ ,  $t = 1, \dots, \tau$  from a type II AGARCH( $p, q$ ) sequence, where  $\tau$  is the forecast horizon (see Engle and Ng (1993)).

#### 2 Specification

```
#include <nag.h>
#include <nagg13.h>

void nag_forecast_agarchII (Integer num, Integer nt, Integer p, Integer q,
    const double theta[], double gamma, double fht[], const double ht[],
    const double et[], NagError *fail)
```

#### 3 Description

Assume the GARCH( $p, q$ ) process can be represented by:

$$\epsilon_t | \psi_{t-1} \sim N(0, h_t)$$

$$h_t = \alpha_0 + \sum_{i=1}^q \alpha_i (|\epsilon_{t-i}| + \gamma \epsilon_{t-i})^2 + \sum_{i=1}^p \beta_i h_{t-i}, \quad t = 1, \dots, T$$

has been modelled by nag\_estimate\_agarchII (g13fcc) and the estimated conditional variances and residuals are contained in the arrays **ht** and **et** respectively. Then nag\_forecast\_agarchII will use the last  $\max(p, q)$  elements of the arrays **ht** and **et** to estimate the conditional variance forecasts,  $h_t | \psi_T$ , where  $t = T + 1, \dots, T + \tau$  and  $\tau$  is the forecast horizon.

#### 4 Parameters

- |    |  |              |
|----|--|--------------|
| 1: | <b>num</b> – Integer   | <i>Input</i> |
|    | <i>On entry:</i> the number of terms in the arrays <b>ht</b> and <b>et</b> from the modelled sequence. |              |
|    | <i>Constraint:</i> $\max(\mathbf{p}, \mathbf{q}) \leq \mathbf{num}$ , $\mathbf{num} \geq 0$ .          |              |
| 2: | <b>nt</b> – Integer  | <i>Input</i> |
|    | <i>On entry:</i> the forecast horizon, $\tau$ .  |              |
|    | <i>Constraint:</i> $\mathbf{nt} > 0$ .   |              |
| 3: | <b>p</b> – Integer   | <i>Input</i> |
|    | <i>On entry:</i> the GARCH( $p, q$ ) parameter $p$ .   |              |
|    | <i>Constraint:</i> $0 < \max(\mathbf{p}, \mathbf{q}) \leq \mathbf{num}$ , $\mathbf{p} \geq 0$ .        |              |
| 4: | <b>q</b> – Integer   | <i>Input</i> |
|    | <i>On entry:</i> the GARCH( $p, q$ ) parameter $q$ .   |              |
|    | <i>Constraint:</i> $0 < \max(\mathbf{p}, \mathbf{q}) \leq \mathbf{num}$ , $\mathbf{q} \geq 1$ .        |              |

- 5: **theta[q+p+1]** – const double *Input*  
*On entry:* the first element contains the coefficient  $\alpha_0$ , the next **q** elements contain the coefficients  $\alpha_i$ ,  $i = 1, \dots, q$ . The remaining **p** elements are the coefficients  $\beta_j$ ,  $j = 1, \dots, p$ .
- 6: **gamma** – double *Input*  
*On entry:* the asymmetry parameter  $\gamma$  for the GARCH( $p, q$ ) sequence.
- 7: **fht[nt]** – double *Output*  
*On exit:* the forecast values of the conditional variance,  $h_t$ ,  $t = 1, \dots, \tau$ .
- 8: **ht[num]** – const double *Input*  
*On entry:* the sequence of past conditional variances for the GARCH( $p, q$ ) process,  $h_t$ ,  $t = 1, \dots, T$ .
- 9: **et[num]** – const double *Input*  
*On entry:* the sequence of past residuals for the GARCH( $p, q$ ) process,  $\epsilon_t$ ,  $t = 1, \dots, T$ .
- 10: **fail** – NagError \* *Input/Output*  
The NAG error parameter (see the Essential Introduction).

## 5 Error Indicators and Warnings

### NE\_INT\_ARG\_LT

On entry, **num** must not be less than 0: **num** = *<value>*.

On entry, **p** must not be less than 0: **p** = *<value>*.

On entry, **q** must not be less than 1: **q** = *<value>*.

On entry, **nt** must not be less than 1: **nt** = *<value>*.

### NE\_2\_INT\_ARG\_LT

On entry, **num** = *<value>* while  $\max(\mathbf{p}, \mathbf{q}) = \mathbf{num}$ .

These parameters must satisfy  $\mathbf{num} \geq \max(\mathbf{p}, \mathbf{q})$ .

### NE\_ALLOC\_FAIL

Memory allocation failed.

## 6 Further Comments

### 6.1 Accuracy

Not applicable.

### 6.2 References

Engle R (1982) Autoregressive Conditional Heteroskedasticity with Estimates of the Variance of United Kingdom Inflation *Econometrica* **50** 987–1008

Bollerslev T (1986) Generalised Autoregressive Conditional Heteroskedasticity *Journal of Econometrics* **31** 307–327

Engle R and Ng V (1993) Measuring and Testing the Impact of News on Volatility *Journal of Finance* **48** 1749–1777

Hamilton J (1994) *Time Series Analysis* Princeton University Press

## **7 See Also**

None.

## **8 Example**

See the example for `nag_estimate_agarchII` (g13fcc).

---