

NAG C Library Function Document

nag_pack_real_mat_print (x04ccc)

1 Purpose

nag_pack_real_mat_print (x04ccc) is an easy-to-use function to print a real triangular matrix stored in a packed one-dimensional array.

2 Specification

```
void nag_pack_real_mat_print (Nag_OrderType order, Nag_UploType uplo,
                             Nag_DiagType diag, Integer n, const double a[], const char *title,
                             const char *outfile, NagError *fail)
```

3 Description

nag_pack_real_mat_print (x04ccc) prints a real triangular matrix stored in packed form. It is an easy-to-use driver for nag_pack_real_mat_print_comp (x04cdc). The function uses default values for the format in which numbers are printed, for labelling the rows and columns, and for output record length.

nag_pack_real_mat_print (x04ccc) will choose a format code such that numbers will be printed with a %8.4f, a %11.4f or a %13.4e format. The %8.4f code is chosen if the sizes of all the matrix elements to be printed lie between 0.001 and 1.0. The %11.4f code is chosen if the sizes of all the matrix elements to be printed lie between 0.001 and 9999.9999. Otherwise the %13.4e code is chosen.

The matrix is printed with integer row and column labels, and with a maximum record length of 80.

The matrix is output to the file specified by **outfile** or, by default, to standard output.

4 References

None.

5 Parameters

- 1: **order** – Nag_OrderType *Input*
On entry: the **order** parameter specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = **Nag_RowMajor**. See Section 2.2.1.4 of the Essential Introduction for a more detailed explanation of the use of this parameter.
Constraint: **order** = **Nag_RowMajor** or **Nag_ColMajor**.
- 2: **uplo** – Nag_UploType *Input*
On entry: indicates the type of the matrix to be printed, as follows:
 - if **uplo** = **Nag_Lower**, the matrix is lower triangular;
 - if **uplo** = **Nag_Upper**, the matrix is upper triangular.*Constraint:* **uplo** = **Nag_Lower** or **Nag_Upper**.
- 3: **diag** – Nag_DiagType *Input*
On entry: indicates whether the diagonal elements of the matrix are to be printed, as follows:

if **diag** = **Nag_NonRefDiag**, the diagonal elements of the matrix are not referenced and not printed;

if **diag** = **Nag_UnitDiag**, the diagonal elements of the matrix are not referenced, but are assumed all to be unity, and are printed as such;

if **diag** = **Nag_NonUnitDiag**, the diagonal elements of the matrix are referenced and printed.

Constraint: **diag** = **Nag_NonRefDiag**, **Nag_UnitDiag** or **Nag_NonUnitDiag**.

4: **n** – Integer *Input*

On entry: the order of the matrix to be printed.

If **n** is less than 1, nag_pack_real_mat_print (x04ccc) will exit immediately after printing **title**; no row or column labels are printed.

5: **a**[*dim*] – const double *Input*

Note: the dimension, *dim*, of the array **a** must be at least $\max(1, n \times (n + 1)/2)$.

On entry: the matrix to be printed. The storage of elements a_{ij} depends on the **order** and **uplo** parameters as follows:

if **order** = **Nag_ColMajor** and **uplo** = **Nag_Upper**,
 a_{ij} is stored in **a**[(*j* – 1) × *j*/2 + *i* – 1], for $i \leq j$;

if **order** = **Nag_ColMajor** and **uplo** = **Nag_Lower**,
 a_{ij} is stored in **a**[(2*n* – *j*) × (*j* – 1)/2 + *i* – 1], for $i \geq j$;

if **order** = **Nag_RowMajor** and **uplo** = **Nag_Upper**,
 a_{ij} is stored in **a**[(2*n* – *i*) × (*i* – 1)/2 + *j* – 1], for $i \leq j$;

if **order** = **Nag_RowMajor** and **uplo** = **Nag_Lower**,
 a_{ij} is stored in **a**[(*i* – 1) × *i*/2 + *j* – 1], for $i \geq j$.

Note that **a** must have space for the diagonal elements of the matrix, even if these are not stored.

6: **title** – char * *Input*

On entry: a title to be printed above the matrix. If **title** = **NULL**, no title (and no blank line) will be printed.

If **title** contains more than 80 characters, the contents of **title** will be wrapped onto more than one line, with the break after 80 characters.

Any trailing blank characters in **title** are ignored.

7: **outfile** – char * *Input*

On entry: the name of a file to which output will be directed. If **outfile** is **NULL** the output will be directed to standard output.

8: **fail** – NagError * *Input/Output*

The NAG error parameter (see the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Memory allocation failed.

NE_BAD_PARAM

On entry, parameter *<value>* had an illegal value.

NE_NOT_WRITE_FILE

Cannot open file *⟨value⟩* for writing.

NE_NOT_APPEND_FILE

Cannot open file *⟨value⟩* for appending.

NE_NOT_CLOSE_FILE

Cannot close file *⟨value⟩*.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

Not applicable.

8 Further Comments

A call to `nag_pack_real_mat_print` (x04ccc) is equivalent to a call to `nag_pack_real_mat_print_comp` (x04cdc) with the following argument values:

```
ncols = 80
indent = 0
labrow = Nag_IntegerLabels
labcol = Nag_IntegerLabels
form = 0
```

9 Example

See Section 9 of the document for `nag_sum_sqs_update` (g02btc).
