

# NAG Toolbox for MATLAB

## f07hd

### 1 Purpose

f07hd computes the Cholesky factorization of a real symmetric positive-definite band matrix.

### 2 Syntax

```
[ab, info] = f07hd(uplo, kd, ab, 'n', n)
```

### 3 Description

f07hd forms the Cholesky factorization of a real symmetric positive-definite band matrix  $A$  either as  $A = U^T U$  if **uplo** = 'U' or  $A = LL^T$  if **uplo** = 'L', where  $U$  (or  $L$ ) is an upper (or lower) triangular band matrix with the same number of superdiagonals (or subdiagonals) as  $A$ .

### 4 References

Demmel J W 1989 On floating-point errors in Cholesky *LAPACK Working Note No. 14* University of Tennessee, Knoxville

Golub G H and Van Loan C F 1996 *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

### 5 Parameters

#### 5.1 Compulsory Input Parameters

1: **uplo** – string

Indicates whether the upper or lower triangular part of  $A$  is stored and how  $A$  is to be factorized.

**uplo** = 'U'

The upper triangular part of  $A$  is stored and  $A$  is factorized as  $U^T U$ , where  $U$  is upper triangular.

**uplo** = 'L'

The lower triangular part of  $A$  is stored and  $A$  is factorized as  $LL^T$ , where  $L$  is lower triangular.

*Constraint:* **uplo** = 'U' or 'L'.

2: **kd** – int32 scalar

$k_d$ , the number of superdiagonals or subdiagonals of the matrix  $A$ .

*Constraint:* **kd**  $\geq 0$ .

3: **ab(ldab,\*)** – double array

The first dimension of the array **ab** must be at least **kd** + 1

The second dimension of the array must be at least  $\max(1, \mathbf{n})$

The  $n$  by  $n$  symmetric band matrix  $A$ .

The matrix is stored in rows 1 to  $k_d + 1$ , more precisely,

if **uplo** = 'U', the elements of the upper triangle of  $A$  within the band must be stored with element  $A_{ij}$  in **ab**( $k_d + 1 + i - j, j$ ) for  $\max(1, j - k_d) \leq i \leq j$ ;  
 if **uplo** = 'L', the elements of the lower triangle of  $A$  within the band must be stored with element  $A_{ij}$  in **ab**( $1 + i - j, j$ ) for  $j \leq i \leq \min(n, j + k_d)$ .

## 5.2 Optional Input Parameters

1: **n** – **int32 scalar**

*Default:* The second dimension of the array **ab**.

$n$ , the order of the matrix  $A$ .

*Constraint:*  $n \geq 0$ .

## 5.3 Input Parameters Omitted from the MATLAB Interface

ldab

## 5.4 Output Parameters

1: **ab**(ldab,\*) – **double array**

The first dimension of the array **ab** must be at least  $k_d + 1$

The second dimension of the array must be at least  $\max(1, n)$

The upper or lower triangle of  $A$  contains the Cholesky factor  $U$  or  $L$  as specified by **uplo**, using the same storage format as described above.

2: **info** – **int32 scalar**

**info** = 0 unless the function detects an error (see Section 6).

## 6 Error Indicators and Warnings

Errors or warnings detected by the function:

**info** =  $-i$

If **info** =  $-i$ , parameter  $i$  had an illegal value on entry. The parameters are numbered as follows:

1: **uplo**, 2: **n**, 3: **kd**, 4: **ab**, 5: **ldab**, 6: **info**.

It is possible that **info** refers to a parameter that is omitted from the MATLAB interface. This usually indicates that an error in one of the other input parameters has caused an incorrect value to be inferred.

**info** > 0

If **info** =  $i$ , the leading minor of order  $i$  is not positive-definite and the factorization could not be completed. Hence  $A$  itself is not positive-definite. This may indicate an error in forming the matrix  $A$ . There is no function specifically designed to factorize a symmetric band matrix which is not positive-definite; the matrix must be treated either as a nonsymmetric band matrix, by calling f07bd or as a full symmetric matrix, by calling f07md.

## 7 Accuracy

If **uplo** = 'U', the computed factor  $U$  is the exact factor of a perturbed matrix  $A + E$ , where

$$|E| \leq c(k+1)\epsilon |U^T| |U|,$$

$c(k+1)$  is a modest linear function of  $k+1$ , and  $\epsilon$  is the *machine precision*.

If **uplo** = 'L', a similar statement holds for the computed factor  $L$ . It follows that  $|e_{ij}| \leq c(k+1)\epsilon\sqrt{a_{ii}a_{jj}}$ .

## 8 Further Comments

The total number of floating-point operations is approximately  $n(k+1)^2$ , assuming  $n \gg k$ .

A call to f07hd may be followed by calls to the functions:

f07he to solve  $AX = B$ ;

f07hg to estimate the condition number of  $A$ .

The complex analogue of this function is f07hr.

## 9 Example

```
uplo = 'L';
kd = int32(1);
ab = [5.49, 5.63, 2.6, 5.17;
      2.68, -2.39, -2.22, 5.495816452771857e+222];
[abOut, info] = f07hd(uplo, kd, ab)

abOut =
    1.0e+222 *
         0.0000         0.0000         0.0000         0.0000
         0.0000        -0.0000        -0.0000         5.4958
info =
         0
```