

# NAG Toolbox for MATLAB

## f11jr

### 1 Purpose

f11jr solves a system of linear equations involving the preconditioning matrix corresponding to SSOR applied to a complex sparse Hermitian matrix, represented in symmetric co-ordinate storage format.

### 2 Syntax

```
[x, ifail] = f11jr(a, irow, icol, rdiag, omega, check, y, 'n', n, 'nnz',
nnz)
```

### 3 Description

f11jr solves a system of equations

$$Mx = y$$

involving the preconditioning matrix

$$M = \frac{1}{\omega(2 - \omega)}(D + \omega L)D^{-1}(D + \omega L)^H$$

corresponding to symmetric successive-over-relaxation (SSOR) (see Young 1971) on a linear system  $Ax = b$ , where  $A$  is a sparse complex Hermitian matrix stored in symmetric co-ordinate storage (SCS) format (see Section 2.1.2 in the F11 Chapter Introduction).

In the definition of  $M$  given above  $D$  is the diagonal part of  $A$ ,  $L$  is the strictly lower triangular part of  $A$  and  $\omega$  is a user-defined relaxation parameter. Note that since  $A$  is Hermitian the matrix  $D$  is necessarily real.

### 4 References

Young D 1971 *Iterative Solution of Large Linear Systems* Academic Press, New York

### 5 Parameters

#### 5.1 Compulsory Input Parameters

1: **a(nnz)** – complex array

The nonzero elements in the lower triangular part of the matrix  $A$ , ordered by increasing row index, and by increasing column index within each row. Multiple entries for the same row and column indices are not permitted. The function f11zp may be used to order the elements in this way.

2: **irow(nnz)** – int32 array

3: **icol(nnz)** – int32 array

The row and column indices of the nonzero elements supplied in **a**.

*Constraints:*

$$\begin{aligned} &1 \leq \mathbf{irow}(i) \leq \mathbf{n} \text{ and } 1 \leq \mathbf{icol}(i) \leq \mathbf{irow}(i), \text{ for } i = 1, 2, \dots, \mathbf{nnz}; \\ &\mathbf{irow}(i-1) < \mathbf{irow}(i) \quad \text{or} \quad \mathbf{irow}(i-1) = \mathbf{irow}(i) \quad \text{and} \quad \mathbf{icol}(i-1) < \mathbf{icol}(i), \quad \text{for} \\ &i = 2, 3, \dots, \mathbf{nnz}. \end{aligned}$$

**irow** and **icol** must satisfy the following constraints (which may be imposed by a call to f11zp):

4: **rdiag(n) – double array**

The elements of the diagonal matrix  $D^{-1}$ , where  $D$  is the diagonal part of  $A$ . Note that since  $A$  is Hermitian the elements of  $D^{-1}$  are necessarily real.

5: **omega – double scalar**

The relaxation parameter  $\omega$ .

*Constraint:*  $0.0 \leq \text{omega} \leq 2.0$ .

6: **check – string**

Specifies whether or not the input data should be checked.

**check** = 'C'

Checks are carried out on the values of **n**, **nnz**, **irow**, **icol** and **omega**.

**check** = 'N'

None of these checks are carried out.

*Constraint:* **check** = 'C' or 'N'.

7: **y(n) – complex array**

The right-hand side vector  $y$ .

**5.2 Optional Input Parameters**1: **n – int32 scalar**

*Default:* The dimension of the arrays **rdiag**, **y**, **x**. (An error is raised if these dimensions are not equal.)

$n$ , the order of the matrix  $A$ .

*Constraint:*  $n \geq 1$ .

2: **nnz – int32 scalar**

*Default:* The dimension of the arrays **a**, **irow**, **icol**. (An error is raised if these dimensions are not equal.)

the number of nonzero elements in the lower triangular part of the matrix  $A$ .

*Constraint:*  $1 \leq \text{nnz} \leq n \times (n + 1)/2$ .

**5.3 Input Parameters Omitted from the MATLAB Interface**

iwork

**5.4 Output Parameters**1: **x(n) – complex array**

The solution vector  $x$ .

2: **ifail – int32 scalar**

0 unless the function detects an error (see Section 6).

## 6 Error Indicators and Warnings

Errors or warnings detected by the function:

**ifail** = 1

On entry, **check**  $\neq$  'C' or 'N'.

**ifail** = 2

On entry, **n** < 1,  
or **nnz** < 1,  
or **nnz** > **n**  $\times$  (**n** + 1)/2,  
or **omega** lies outside the interval [0.0, 2.0].

**ifail** = 3

On entry, the arrays **irow** and **icol** fail to satisfy the following constraints:

$1 \leq \mathbf{irow}(i) \leq \mathbf{n}$  and  $1 \leq \mathbf{icol}(i) \leq \mathbf{irow}(i)$ , for  $i = 1, 2, \dots, \mathbf{nnz}$ ;

$\mathbf{irow}(i-1) < \mathbf{irow}(i)$  or  $\mathbf{irow}(i-1) = \mathbf{irow}(i)$  and  $\mathbf{icol}(i-1) < \mathbf{icol}(i)$ , for  $i = 2, 3, \dots, \mathbf{nnz}$ .

Therefore a nonzero element has been supplied which does not lie in the lower triangular part of  $A$ , is out of order, or has duplicate row and column indices. Call f11zp to reorder and sum or remove duplicates.

**ifail** = 4

On entry, a row of  $A$  has no diagonal entry.

## 7 Accuracy

The computed solution  $x$  is the exact solution of a perturbed system of equations  $(M + \delta M)x = y$ , where

$$|\delta M| \leq c(n)\epsilon|D + \omega L||D^{-1}||\left|(D + \omega L)^T\right|,$$

$c(n)$  is a modest linear function of  $n$ , and  $\epsilon$  is the *machine precision*.

## 8 Further Comments

### 8.1 Timing

The time taken for a call to f11jr is proportional to **nnz**.

## 9 Example

None.