

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE REPAIR
PARTS AND SPECIAL TOOLS LIST
FOR
SIGNAL GENERATOR
HEWLETT-PACKARD MODEL 205AG
(NSN 6625-00-643-1568)
Current as of 11 September 1974

Headquarters, Department of the Army, Washington, D.C.
18 December 1974

Section	I.	INTRODUCTION	Paragraph	Page
		Scope	1	1
		General	2	1
		Explanation of columns	3	1
		How to locate repair parts.....	4	2
		Recommendation for maintenance publications improvements	5	2
	II.	REPAIR PARTS LIST		
		FUNCTIONAL		
		GROUP	GROUP TITLE	MODEL No.
		5170	Generator Signal	205AG
				PART No.
				8616377
	III.	FEDERAL STOCK NUMBER, REFERENCE INDEX		

SECTION I
INTRODUCTION

1. Scope

This manual lists repair parts that are required for maintenance of Signal Generator, Hewlett-Packard Model 205AG and is applicable to Army Area Calibration Laboratories (ACCL's) and Army Area Calibration Teams (ACCT's).

NOTE

Throughout this manual, DS is used to indicate AACT, and GS is used to indicate AACL.

2. General

This manual is divided as follows:

- a. Section I. Introduction.
- b. Section II. Repair Parts List. A list, in alphabetical sequence, of repair parts authorized for the performance of maintenance at the AACT and AACL support levels.

c. Section III. Federal Stock Number and Reference Number Index. A list in ascending numerical sequence, of all Federal stock numbers (FSN's) appearing in the repair parts list, followed by a list of all reference numbers in alpha-numeric sequence appearing in the list. The FSN's and reference numbers are cross-referenced to a figure number and item number in column 10.

NOTE

The figure and item number columns represent cross-reference numbers, since illustrations are not included in this manual.

3. Explanation of Columns

Refer to Section I of TM 9-4931-700-34P for explanation of columns (para 3), special information (para 4, except for subparagraph 40 which is not applicable to this manual), and abbreviations (para 6).

4. How to Locate Repair Parts

When FSN or reference number is unknown, use the repair parts listing and locate the item by description.

When Federal stock number or reference number is known, use the list of FSN's or the reference numbers and locate the cross-referenced figure and item number. Locate the cross-referenced figure and item number under column 10 of the repair parts list for the complete description of the repair parts.

5. Recommendation for Maintenance Publications Improvements

You can improve this manual by recommending improvements using DA Form 2028 (Recommended Changes to Publications and Blank Forms) and mailing the form to Commander, US Army Missile Command, ATTN: AMSMI-MFM, Redstone Arsenal, AL 35809. A reply will be furnished direct to you.

SECTION II. REPAIR PARTS LIST

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6)			(7)			(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10)	
						30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE					(a) FIG. NO.	(b) ITEM NO.
						(a)	(b)	(c)	(a)	(b)	(c)				
						1-20	21-50	51-100	1-20	21-50	51-100				
		GROUP 5170 GENERATOR, SIGNAL 205AG													

AMC FORM 1754 (6 APR 70) (TEST)

DS, GS, AND DEPOT MAINTENANCE REPAIR PARTS/TOOLS LIST

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6)			(7)			(8) 1-YR ALW PER 100 EQUIP CNTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10)	
						30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE					(a) FIG. NO.	(b) ITEM NO.
						(a)	(b)	(c)	(a)	(b)	(c)				
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5960-188-8538	ELECTRON TUBE 6J7 (81349)		EA	1				*	*	*		200	1	47
PAHZZ	5960-262-0161	ELECTRON TUBE TYPE 6L6WGB..... 6L6WGB (81349)		EA	2				*	*	*		400	1	49
PAHZZ	5960-262-0163	ELECTRON TUBE TYPE 6SN7WGTA 6SN7WGTA (81349)		EA	1				*	*	*		200	1	51
PAHZZ	5960-642-8341	ELECTRON TUBE TYPE 5U4GB..... 5U4GB (81349)		EA	1				*	*	*		100	1	53
PAHZZ	5920-117-8280	FUSE, CARTRIDGE 1.6 AMP..... 2110-0005 (28480)		EA	1				*	*	*		200	1	55
PAHZZ	5920-881-4636	FUSEHOLDER..... 1400-0084 (28480)		EA	1				*	*	*		5	1	57
PAHZZ	5355-680-8225	KNOB..... 9100228 (18876)		EA	1				*	*	*		2	1	59
PAHZZ	5355-944-4615	KNOB..... 0370-0032 (28480)		EA	1				*	*	*		10	1	61
PAHZZ	5355-547-7996	KNOB RD SHAPE, SETSCREW TYPE, PCS GRIPPING SURFACE, PHENOLIC BODY, 1-5/8 OD, 0.75 THK 9100225 (18876)		EA	5				*	*	*		25	1	63
PAHZZ	5355-680-1601	KNOB..... 0370-0045 (28480)		EA	1				*	*	*		10	1	65
PAHZZ	6240-143-7510	LAMP, INCANDESCENT 2140-0001 (28480)		EA	1				*	*	*		35	1	67
PAHZZ	6240-617-1488	LAMP, INCANDESCENT 6.3 V, CLEAR, G-3-1/2..... BULB, C-6 FIL, 15/16 LG 8527393 (18876)		EA	1				*	*	*		35	1	69
PAHZZ	6250-756-0214	LAMP HOLDER 1450-0022 (28480)		EA	1				*	*	*		7	1	71
PAHZZ	6625-635-4291	METER..... 1120-0003 (28480)		EA	1				*	*	*		7	1	73
PAHZZ	6625-877-8168	MULTIMETER..... 1120-0002 (28480)		EA	1				*	*	*		7	1	75
PAHZZ	5310-810-7785	NUT, PLAIN, HEXAGON S, OD-PLTD W/CHROMATE..... FIN., NO. 4-40NC-2B,0.184 W ACROSS FLATS, 0.062 H NAS671-4 (80205)		EA	2				*	*	*		90	1	77
PAHZZ	5310-997-1888	NUT, PLAIN, HEXAGON S, OD-PLTD W/CHROMATE..... FIN.,1/4-20UNC-28,0.437 W/ACROSS FLATS, 0.193 THK MS35649-2252 (96906)		EA	4				*	*	*		20	1	79
PAHZZ	5940-626-7653	POST, BINDING, ELECTRICAL PLASTIC CAP, BR, NI-PLTD FIN. BASE, 1/2 DIA, 19/32 H OF POST ABOVE MTG SURFACE 9100817 (18876)		EA	1				*	*	*		1	1	81
PAHZZ	5940-815-2612	POST, BINDING BR, NI-PLTD FIN., 3/8 DIA..... 19/32 H 8192704 (18876)		EA	1				*	*	*		1	1	83
PAHZZ	5950-809-4571	REACTOR FILTER CHOKE, 240 OHMS, 6 HY, 125 MA, 2-1/4 H,3-3/4 LG 8108520 (18876)		EA	2				*	*	*		10	1	85
PAHZZ	5905-116-8561	RESISTOR, FIXED, COMPOSITION 1/2 W,27 OHMS..... TYPE RCR20G270JS (+- 5 0/0) RCR20G270JS (81349)		EA	1				*	*	*		5	1	87
PAHZZ	5905-111-8357	RESISTOR, FIXED, COMPOSITION 1/2 W,680 OHMS, TYPE RCR20G681JS (+- 5 0/0) RCR20G681JS (81349)		EA	2				*	*	*		6	1	89

AMC FORM 1754 (6 APR 70) (TEST)

DS, GS, AND DEPOT MAINTENANCE REPAIR PARTS/TOOLS LIST

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIG. NO.	ITEM NO.
PAHZZ	5905-106-9346	RESISTOR, FIXED, COMPOSITION 1 W, 10,000 OHMS, TYPE RCR32G103JS (+ 5 0/0) RCR32G103JS (81349)		EA	2				*	*	*		6	1	91
PAHZZ	5905-106-1276	RESISTOR, FIXED, COMPOSITION 1 W, 100,000 OHMS, TYPE RCR32G104JS (+ 5 0/0) RCR32G104JS (81349)		EA	2				*	*	*		6	1	93
PAHZZ	5905-247-8684	RESISTOR, FIXED, COMPOSITION 1 W, 1 MEG, TYPE RCR32G105JS (+ 5 0/0) RCR32G105JS (81349)		EA	1				*	*	*		3	1	95
PAHZZ	5905-113-4850	RESISTOR, FIXED, COMPOSITION 1 W, 1.2 MEG, TYPE RCR32G125JS RCR32G125JS (81349)		EA	1				*	*	*		3	1	97
PAHZZ	5905-136-8338	RESISTOR, FIXED, COMPOSITION 1 W, 18,000 OHMS, TYPE RCR32G183JS (+ 5 0/0) RCR32G183JS (81349)		EA	1				*	*	*		3	1	99
PAHZZ	5905-252-1047	RESISTOR, FIXED, COMPOSITION 1 W, 270,000 OHMS, TYPE RCR32G274JS (+ 5 0/0) RCR32G274JS (81349)		EA	1				*	*	*		3	1	101
PAHZZ	5905-400-4482	RESISTOR, FIXED, COMPOSITION 1 W, 33,000 OHMS, TYPE REC32G333JS (+ 5 0/0) RCR32G333JS (81349)		EA	1				*	*	*		6	1	103
PAHZZ	5905-456-0662	RESISTOR, FIXED, COMPOSITION 1 W, 8,200 OHMS, TYPE RCR32G822JS (+ 5 0/0) RCR32G822JS (81349)		EA	1				*	*	*		3	1	105
PAHZZ	5905-400-4510	RESISTOR, FIXED, COMPOSITION 1 W, 560,000 OHMS, TYPE RCR32G564JS (+ 5 0/0) RCR32G564JS (81349)		EA	3				*	*	*		9	1	107
PAHZZ	5905-257-0937	RESISTOR, FIXED, COMPOSITION 2 W, 4,700 OHMS, TYPE RC42GF472J (+ 5 0/0) RC42GF472J (81349)		EA	1				*	*	*		3	1	109
PAHZZ	5905-121-9861	RESISTOR, FIXED, COMPOSITION 1 W, 1,000 OHMS, TYPE RCR32G102JS (+ 5 0/0) RCR32G102JS (81349)		EA	1				*	*	*		3	1	111
PAHZZ	5905-104-8351	RESISTOR, FIXED, COMPOSITION 1 W, 150,000 OHMS, TYPE RCR32G151JS (+ 5 0/0) RCR32G154JS (81349)		EA	1				*	*	*		3	1	113
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION 1/2 W, 1 MEG, TYPE RCR20G105JS (+ 5 0/0) RCR20G105JS (81349)		EA	2				*	*	*		6	1	115
PAHZZ	5905-369-6923	RESISTOR, FIXED, COMPOSITION 1 W, 22,000 OHMS, TYPE RCR32G223JS RCR32G223JS (81349)		EA	2				*	*	*		6	1	117
PAHZZ	5905-964-2146	RESISTOR, FIXED, FILM 0727-0170 (28480)		EA	1				*	*	*		6	1	119
PAHZZ	5905-932-0410	RESISTOR, FIXED, FILM 0730-0136 (28480)		EA	2				*	*	*		18	1	121
PAHZZ	5905-715-0768	RESISTOR, FIXED, FILM 0730-0102 (28480)		EA	2				*	*	*		18	1	123
PAHZZ	5905-448-0832	RESISTOR, FIXED, FILM 0730-0063-(28480)		EA	2				*	*	*		18	1	125
PAHZZ	5905-814-9594	RESISTOR, FIXED, WIRE WOUND 20 W, 2500 OHMS (+ 10 0/0) 0819-0002 (28480)		EA	1				*	*	*		10	1	127
PAHZZ	5905-446-4784	RESISTOR, FIXED, WIRE WOUND 0819-0027 (28480)		EA	1				*	*	*		10	1	129
PAHZZ	5905-797-3832	RESISTOR, FIXED, WIRE WOUND 0812-0010 (28480)		EA	1				*	*	*		16	1	131

AMC FORM 1754 (6 APR 70) (TEST)

DS, GS, AND DEPOT MAINTENANCE REPAIR PARTS/TOOLS LIST

(1)	(2)	(3) DESCRIPTION		(4)	(5)	(6)			(7)			(8)	(9)	(10)			
						30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE					1-YR ALW PER	DEPOT MAINT ALW	ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)					(a)	(b)
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	OF MEAS	INC IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100	100 EQUIP CNTY	PER 100 EQUIP	FIG. NO.	ITEM NO.		
PAHZZ	5905-539-5361	RESISTOR, FIXED, WIRE WOUND		EA	1				*	*	*		16	1	133		
		1-3-4A12AB1000J (75042)															
PAHZZ	5905-072-0877	RESISTOR, FIXED, WIRE WOUND		EA	1				*	*	*		16	1	135		
		0816-0009 (28480)															
PAHZZ	5905-721-1634	RESISTOR, FIXED, WIRE WOUND		EA	1				*	*	*		16	1	137		
		0819-0005 (28480)															
PAHZZ	5905-854-9707	RESISTOR, FIXED, WIRE WOUND 17 W, 620 OHMS,		EA	1				*	*	*		16	1	139		
		TYPE RW32V621 (+ 5 0/0)															
		RW32V621 (81349)															
PAHZZ	5905-932-0413	RESISTOR, FIXED, WIRE WOUND		EA	1				*	*	*		15	1	141		
		0813-0001 (28480)															
PAHZZ	5905-941-7757	RESISTOR, FIXED, WIRE WOUND		EA	1				*	*	*		16	1	143		
		0816-0004 (28480)															
PAHZZ	5905-788-8674	RESISTOR, FIXED, WIRE WOUND		EA	1				*	*	*		*	1	145		
		0813-0002 (28480)															
PAHZZ	5905-882-1867	RESISTOR, FIXED, WIRE WOUND 12 W, 2,400.....		EA	1				*	*	*		16	1	147		
		OHMS, TYPE RW32V242 (+ 5 0/0)															
		RW32V242 (81349)															
PAHZZ	5905-788-8674	RESISTOR, FIXED, WIRE WOUND		EA	REF				*	*	*		*	1	149		
		0813-0002 (28480)															
PAHZZ	5905-854-9956	RESISTOR, VARIABLE		EA	1				*	*	*		15	1	151		
		RV2LAYS501A (81349)															
PAHZZ	5905-722-9772	RESISTOR, VARIABLE		EA	1				*	*	*		15	1	153		
		2100-0161 (28480)															
PAHZZ	5905-898-7789	RESISTOR, VARIABLE, WIRE WOUND		EA	1				*	*	*		15	1	155		
		2100-0004 (28480)															
PAHZZ	5905-818-1854	RESISTOR, VARIABLE, NOWIRE WOUND 1 W, 25,		EA	1				*	*	*		15	1	157		
		000 OHMS (+ 20 0/0)															
		2100-0009 (28480)															
PAHZZ	5305-984-4984	SCREW, MACHINE CROSS-RECESS-PAN-HD, S, CD		EA	4				*	*	*		30	1	159		
		PLTD W/CHROMATE FIN., NO. 6-32UNC-2A X 5/16															
		MS35206-227 (96906)															
PAHZZ	5305-984-6194	SCREW, MACHINE CROSS-RECESS-PAN-HD, S, CD-		EA	4				*	*	*		40	1	161		
		PLTD W/CHROMATE FIN., NO. 8-32UNC-2A X 5/8															
		MS35206-246 (96906)															
PAHZZ	5305-984-6210	SCREW, MACHINE CROSS-RECESS-PAN-HD, S, CD-		EA	2				*	*	*		20	1	163		
		PLTD W/CHROMATE FIN., NO. 10-24UNC-2A X 1/2															
		MS35206-263 (96906)															
PAHZZ	5305-984-6193	SCREW, MACHINE CROSS-RECESS-PAN-HD, S, CD-		EA	4				*	*	*		36	1	165		
		PLTD W/CHROMATE FIN., NO. 8-32NC-2A X 1/2															
		MS35206-245 (96906)															
PAHZZ	5305-240-6650	SCREW, MACHINE		EA	1				*	*	*		20	1	167		
		MS35206-330 (96906)															
PAHZZ	5305-984-6225	SCREW, MACHINE CROSS-RECESS-PAN-HD, S, CD-		EA	1				*	*	*		30	1	169		
		PLTD W/CHROMATE FIN., NO. 6-32UNC-2A X 2															
		MS35206-238 (96906)															
PAHZZ	5305-889-3118	SCREW, MACHINE CROSS-RECESS-PAN-HD, S, CD-		EA	2				*	*	*		90	1	171		
		PLTD W/CHROMATE FIN., NO. 2-56UNC-2A X 0.25															
		MS35206-203 (96906)															
PAHZZ	5305-432-4170	SCREW, TAPPING, THREAD		EA	4				*	*	*		20	1	173		
		MS51861-35 (96906)															
PAHZZ	5961-954-9182	SEMICONDUCTOR DEVICE, DIODE.....		EA	6				*	*	*		6	1	175		
		9995395 (18876)															
PAHZZ	5935-935-2231	SOCKET, ELECTRON TUBE		EA	8				*	*	*		24	1	177		
		M12883-01-2 (81349)															

AMC FORM 1754 (6 APR 70) (TEST)

DS, GS, AND DEPOT MAINTENANCE REPAIR PARTS/TOOLS LIST

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIG. NO.	ITEM NO.
PAHZZ	6625-806-8799	SPRING, COIL..... 1460-0019 (28480)		EA	1				*	*	*		20	1	179
PAHZZ	5360-763-0796	SPRING, FLAT..... 5000-0637 (28480)		EA	1				*	*	*		12	1	181
PAHZZ	6625-815-0967	SWITCH, ROTARY..... 2AG19WB (28480)		EA	1				*	*	*		10	1	183
PAHZZ	5930-655-1514	SWITCH, TOGGLE SPST, BAT TYPE ACTUATOR..... 0.625 W, 1.0468 H, 1.125 LG, W/2 SCREW TYPE TERM. MS35058-22 (96906)		EA	2				*	*	*		20	1	185
PAHZZ	5940-204-8966	TERMINAL, LUG COP., TND FIN., 0.285 W, 1 LG..... MS25036-102 (96906)		EA	4				*	*	*		40	1	187
PAHZZ	5940-143-4771	TERMINAL, LUG..... MS25036-103 (96906)		EA	4				*	*	*		40	1	189
PAHZZ	5950-646-3151	TRANSFORMER, AUDIO FREQUENCY..... 9120-0009 (28480)		EA	1				*	*	*		5	1	191
PAHZZ	5950-877-9682	TRANSFORMER, POWER, STEP-DOWN..... 9120-0020 (28480)		EA	1				*	*	*		5	1	193
PAHZZ	5950-645-5801	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP..... 9100-0041 (28480)		EA	1				*	*	*		10	1	195
PAHZZ	6625-911-6364	VERNIER DRIVE DISK..... 5040-0607 (28480)		EA	1				*	*	*		1	1	197
PAHZZ	5310-167-0816	WASHER, FLAT S, CD-PLTD FIN., C.149 ID, 3/8..... OD, 0.032 THK AN960-6 (88044)		EA	3				*	*	*		30	1	199
PAHZZ	5310-209-0788	WASHER, LOCK EXT-TEETH, S, CD-PLTD..... W/CHROMATE FIN., 0.15 ID, 0.32 OD, 0.022 THK MS35335-30 (96906)		EA	2				*	*	*		20	1	201
PAHZZ	5310-596-7693	WASHER, LOCK EXT-TEETH, S, CD-PLTD FIN., NO..... 8 SCREW SIZE, 0.381 OD, 0.023 THK MS35335-31 (96906)		EA	4				*	*	*		40	1	203
PAHZZ	5310-596-7691	WASHER, LOCK EXT-TEETH, S, CD-PLTD..... W/CHROMATE FIN., 0.204 ID, 0.41 CD, 0.025 THK MS35335-32 (96906)		EA	2				*	*	*		20	1	205
PAHZZ	5310-582-5965	WASHER, LOCK SPLIT, MED, CARB-S, CD-PLTD..... FIN., 0.267 ID, 0.493 CD, 0.072 THK MS35338-44 (96906)		EA	8				*	*	*		40	1	207
PAHZZ	5355-930-7788	WINDOW, DIAL..... 5040-0600 (28480)		EA	1				*	*	*		7	1	209
PAHZZ	6145-548-1030	WIRE, ELECTRICAL INS, CCP., TND FIN., NO. 22..... AWG STRANDED W/7 STRANDS NO. 30 AWG, WHT W/GY TR, TYPE MWC22-7U98 MWC22-7U98 (81349)		FT	V				*	*	*		10	1	211
PAHZZ	6145-635-9388	WIRE, ELECTRICAL..... MWC22-7U8 (81349)		FT	V				*	*	*		10	1	213
PAHZZ	6145-237-4598	WIRE, ELECTRICAL INS, CCP., TND FIN., NO. 22..... AWG STRANDED W/7 STRANDS NO. 30 AWG, BLU, TYPE MWC22-7U6 MWC22-7U6 (81349)		FT	V				*	*	*		10	1	215
PAHZZ	6145-284-0628	WIRE, ELECTRICAL..... MWC22-7U3 (81349)		FT	V				*	*	*		10	1	217

AMC FORM 1754 (6 APR 70) (TEST)

DS, GS, AND DEPOT MAINTENANCE REPAIR PARTS/TOOLS LIST

SECTION III. FSN, REFERENCE INDEX

INDEX – FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5305-240-6650	1	167	5905-882-1867	1	147
5305-432-4170	1	173	5905-898-7789	1	155
5305-889-3118	1	171	5905-932-0410	1	121
5305-984-4984	1	159	5905-932-0413	1	141
5305-984-6193	1	165	5905-941-7757	1	143
5305-984-6194	1	161	5905-964-2146	1	119
5305-984-6210	1	163	5910-034-1828	1	13
5305-984-6225	1	169	5910-406-4321	1	15
5310-167-0816	1	199	5910-556-9440	1	41
5310-209-0788	1	201	5910-577-6859	1	21
5310-582-5965	1	207	5910-681-7351	1	27
5310-596-7691	1	205	5910-688-7205	1	17
5310-596-7693	1	203	5910-721-1715	1	29
5310-810-7785	1	77	5910-797-3834	1	31
5310-997-1888	1	79	5910-819-2576	1	35
5355-547-7996	1	63	5910-866-5544	1	39
5355-680-1601	1	65	5910-878-3934	1	19
5355-680-8225	1	59	5910-879-9804	1	37
5355-930-7788	1	209	5910-893-9771	1	33
5355-944-4615	1	61	5910-920-3478	1	23
5360-763-0796	1	181	5920-117-8280	1	55
5905-072-0877	1	135	5920-881-4636	1	57
5905-104-5756	1	115	5930-655-1514	1	185
5905-104-8351	1	113	5935-935-2231	1	177
5905-106-1276	1	93	5940-143-4771	1	189
5905-106-9346	1	91	5940-204-8966	1	187
5905-111-8357	1	89	5940-626-7653	1	81
5905-113-4850	1	97	5940-815-2612	1	83
5905-116-8561	1	87	5950-645-5801	1	195
5905-121-9861	1	111	5950-646-3151	1	191
5905-136-8338	1	99	5950-809-4571	1	85
5905-247-8684	1	95	5950-877-9682	1	193
5905-252-1047	1	101	5960-100-5273	1	43
5905-257-0937	1	109	5960-188-8504	1	45
5905-369-6923	1	117	5960-188-8538	1	47
5905-400-4482	1	103	5960-262-0161	1	49
5905-400-4510	1	107	5960-262-0163	1	51
5905-404-6810	1	7	5960-642-8341	1	53
5905-446-4784	1	129	5961-954-9182	1	175
5905-448-0832	1	125	5975-728-9814	1	9
5905-456-0662	1	105	5995-848-8057	1	11
5905-539-5361	1	133	6145-237-4598	1	215
5905-715-0768	1	123	6145-284-0628	1	217
5905-721-1634	1	137	6145-548-1030	1	211
5905-722-9772	1	153	6145-635-9388	1	213
5905-788-8674	1	145	6240-143-7510	1	67
5905-788-8674	1	149	6240-617-1488	1	69
5905-797-3832	1	131	6250-756-0214	1	71
5905-816-0671	1	3	6625-635-4291	1	73
5905-816-0672	1	5	6625-806-8799	1	179
5905-818-1854	1	157	6625-815-0967	1	183
5905-854-9707	1	139	6625-877-8168	1	75
5905-854-9956	1	151	6625-911-6364	1	197
5905-814-9594	1	127	5910-781-9398	1	25

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
AN960-6	88044	1	199	MS35335-32	96906	1	205
CC21CH050C	81349	1	21	MS35338-44	96906	1	207
CP09A3KE224K3	81349	1	33	MS35649-2252	96906	1	79
CV11A070	71590	1	41	MS51861-35	96906	1	173
FB2B102GMV	01121	1	23	MWC22-7U3	81349	1	217
GA3-1-5UUF	78488	1	17	MWC22-7U6	81349	1	215
MS25036-102	96906	1	187	MWC22-7U8	81349	1	213
MS25036-103	96906	1	189	MWC22-7U98	81349	1	211
MS35058-22	96906	1	185	M12883-01-2	81349	1	177
MS35206-203	96906	1	171	NAS671-4	80205	1	77
MS35206-227	96906	1	159	PKM4P5	14655	1	37
MS35206-238	96906	1	169	RCR20G105JS	81349	1	115
MS35206-245	96906	1	165	RCR20G270JS	81349	1	87
MS35206-246	96906	1	161	RCR20G681JS	81349	1	89
MS35206-263	96906	1	163	RCR32G102JS	81349	1	111
MS35206-330	96906	1	167	RCR32G103JS	81349	1	91
MS35335-30	96906	1	201	RCR32G104JS	81349	1	93
MS35335-31	96906	1	203	RCR32G105JS	81349	1	95

SECTION IV

TM 9-6625-862-34P

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
RCR32G125JS	81349	1	97	1400-0084	28480	1	57
RCR32G154JS	81349	1	113	1450-0022	28480	1	71
RCR32G183JS	81349	1	99	1460-0019	28480	1	179
RCR32G223JS	81349	1	117	17-10	28480	1	31
RCR32G274JS	81349	1	101	2AG19WB	28480	1	183
RCR32G333JS	81349	1	103	2AG34A10	28480	1	3
RCR32G564JS	81349	1	107	2AG34A100	28480	1	5
RCR32G822JS	81349	1	105	2G53	28480	1	7
RC42GF472J	81349	1	109	2100-0004	28480	1	155
RV2LAYS501A	81349	1	151	2100-0009	28480	1	157
RW32V242	81349	1	147	2100-0161	28480	1	153
RW32V621	81349	1	139	2110-0005	28480	1	55
TVL3776	56289	1	27	2140-0001	28480	1	67
0121-0004	28480	1	39	5U4GB	81349	1	53
0130-0001	28480	1	13	5000-0637	28480	1	181
0150-0002	28480	1	19	5040-0600	28480	1	209
0180-0005	28480	1	15	5040-0607	28480	1	197
0180-0049	28480	1	25	6F6	81349	1	45
0370-0032	28480	1	61	6J7	81349	1	47
0370-0045	28480	1	65	6L6WGB	81349	1	49
0727-0170	28480	1	119	6SN7WGT A	81349	1	51
0730-0063	28480	1	125	6SQ7	81349	1	43
0730-0102	28480	1	123	8108520	18876	1	85
0730-0136	28480	1	121	8192704	18876	1	83
0812-0010	28480	1	131	8527393	18876	1	69
0813-0001	28480	1	141	8996668	18876	1	29
0813-0002	28480	1	145	9100-0041	28480	1	195
0813-0002	28480	1	149	9100225	18876	1	63
0816-0004	28480	1	143	9100228	18876	1	59
0816-0009	28480	1	135	9100817	18876	1	81
0819-0002	28480	1	127	9120-0009	28480	1	191
0819-0005	28480	1	137	9120-0020	28480	1	193
0819-0027	28480	1	129	938	83330	1	9
1-3-4A12AB10000J	75042	1	133	9995395	18876	1	175
1120-0002	28480	1	75	9995527-3	18876	1	35
1120-0003	28480	1	73	9995540	18876	1	11

By Order of the Secretary of the Army:

FRED C. WEYAND
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution.

To be distributed in accordance with DA Form 12-34A, (qty rqr block No. 75) Requirements for Calibration Procedures Publications.

U.S. GOVERNMENT PRINTING OFFICE: 1974-665137/485

