

corresponded to the number of induced rotations. We observed initial unwinding frequencies ranging from 0.02 Hz to 0.1 Hz, which decreased exponentially as the unbraiding process progressed. Using hydrodynamic equations, we estimated torques of up to 140 pN nm.

3087-Pos

Investigating the Interaction Between Folic Acid and Folate Binding Protein at the Single Molecule Level

L. Devon Triplett¹, Daniel Q. McNerny¹, J. Gabriel Grodzicki², Kumar Sinniah³, Mark M. Banaszak Holl¹, Bradford G. Orr¹.

¹University of Michigan, Ann Arbor, MI, USA, ²Michigan State University, East Lansing, MI, USA, ³Calvin College, Grand Rapids, MI, USA.

The folic acid-folate receptor recognition interaction has been exploited for targeted drug delivery, yet the detailed mechanism of this binding is unknown. Here, atomic force microscopy was employed to measure the folic acid-folate binding protein interaction. After conjugating a flexible poly(ethylene glycol) linker to folic acid and attaching this to an AFM tip, a controlled mechanical force was applied to disrupt the binding interaction. The amount of force required to cause rupture at various force loading rates were measured. The rupture force dependency on the loading rate characterizes the energy landscape of the single molecule interaction between folic acid and folate binding protein. Control experiments were performed to ascertain the specificity of the FA-FBP single molecule interaction. The use of dynamic force spectroscopy to investigate the details of this binding interaction provides new insight to guide the design of folate receptor-targeting molecules.

3088-Pos

Isopeptide Bonds Block the Mechanical Extension of Pilins in Gram-Positive Bacteria

Jorge Alegre-Cebollada, Carmen L. Badilla, Julio M. Fernandez. Columbia University, New York, NY, USA.

Pathogenic bacteria use long, fibrous structures known as pili to attach to host cells. In Gram-positive bacteria, the pili shaft is formed by the covalent polymerization of the so-called major pilin protein. Accessory pilins, usually with adhesive properties, are located along the pilus shaft interspersed with the major pilin, and/or at the tip of the pilus. In this work, the mechanical behavior of Spy0128, the major pilin from *Streptococcus pyogenes* (M1 serotype), has been studied by single-molecule force spectroscopy. Spy0128, which is composed of two domains, was sandwiched between I27 protein modules, and the resulting heteropolypeptide was pulled using an atomic force microscope. In this kind of experiments, the mechanical response of the I27 modules produces a characteristic fingerprint that identifies the traces where the pilin must have been subject to force. In those successful traces, no unfolding events corresponding to the pilin modules were detected, even when the protein was pulled at forces close to 1 nN. The possibility of the pilin modules extending at very low forces was ruled out by estimating the initial extension before the first I27 unfolding event. Therefore, Spy0128 is the most mechanically stable protein identified so far. In order to test whether the mechanical resilience of Spy0128 is caused by two intramolecular isopeptide bonds (one per domain) described by X-ray crystallography and mass spectroscopy, mutant variants of Spy0128 that block the formation of the isopeptide bonds were also studied. Different to wild-type, the mutant domains unfolded at around 200 pN, implying that the isopeptide bonds further stabilize protein domains that are mechanically stable *per se*. The findings presented here provide new insights into the mechanical architecture of pili from pathogenic Gram-positive bacteria.

3089-Pos

Multi-Scale Modeling of Force Propagation in Proteins Under Mechanical Stress

Scott A. Edwards, Wolfram Stacklies, Frauke Graeter. PICB, Shanghai, China.

Single-molecule measurements of how proteins respond to applied force can provide valuable clues to their structure-function relationship, particularly for proteins whose role *in vivo* relies on an ability to resist or sense force. Interpretation of such measurements relies heavily on theoretical and computational modeling; however, the brute-force approach, molecular dynamics simulation at atomic resolution, is only feasible for timescales orders of magnitude shorter than those appropriate to experiments. Thus coarse-graining is essential for accessing experimentally relevant timescales. However, almost all coarse-grained protein models to date have been designed for the explicit purpose of studying protein folding or normal mode flexibility, and are not capable of supplying quantitative predictions about response to large applied forces. We develop a new procedure for using force measurements from all-atom molecular dynamics simulations to parameterize a coarse-grained model specifically designed for studying force response. This model has the novel feature of using the flexible Morse potential as a basis function for describing non-bonded

interactions. We test the model by using it to study the kinetics of ubiquitin rupture under quasi-equilibrium forcing, and compare with experimental results.

3090-Pos

Measuring Adhesion Forces Between Influenza Virus and Living Cells

Christian Sieben¹, Anna Wozniak², Rong Zhu³, Christian Rankl⁴, Peter Hinterdorfer³, Andreas Herrmann¹.

¹Humboldt-University Berlin, Berlin, Germany, ²JPK Instruments AG, Berlin, Germany, ³University of Linz, Linz, Austria, ⁴Agilent Technologies Austria GmbH, Linz, Austria.

Influenza virus belongs to a wide range of viruses that are enclosed in a lipid envelope. The major spike protein of the viral envelope hemagglutinin (HA) binds sialic acid (SA) residues of glycoproteins on the plasma membrane of the host cells. This represents the first step of infection and requires multiple simultaneous interactions since the affinity between one single HA-SA pair is estimated to be very low (10⁻¹³ M⁻¹). The attachment of influenza virus particles to living host cells was characterized on the level of single molecules using optical tweezers and atomic force spectroscopy. Unbinding events were analysed and revealed a multimodal rupture force distribution. This suggests sequential binding of multiple receptors. Treatment of the cells with neuraminidase (NA) which cleaves terminal sialic acid residues leads to a decrease of the binding probability by >50 %. This indicates a specific interaction between hemagglutinin and sialic acid unravelled by force measurements.

3091-Pos

Fusion of Biomimetic 'Stealth' Probes into Lipid Bilayer Cores

Ben Almqvist, Nicholas Melosh.

Stanford University, Palo Alto, CA, USA.

The ability to specifically and non-destructively incorporate inorganic structures into or through biological membranes is essential to realizing full bio-inorganic integration. However, molecular delivery and interfaces to inorganic objects, such as patch-clamp pipettes, generally rely upon destructive membrane holes and serendipitous adhesion, rather than selective penetration and attachment to the bilayer. In fact, materials greater than a few nanometers have not been shown to penetrate lipid bilayers without disrupting the continuity of the membrane. I will discuss the development of nanofabricated probes that spontaneously insert into the hydrophobic membrane core by mimicking the hydrophobic banding of transmembrane proteins, forming a well-defined bio-inorganic lateral junction. These biomimetic 'stealth' probes consist of hydrophilic posts with 2-10 nm hydrophobic bands formed by molecular self-assembly, and are easily fabricated onto a variety of substrates including silicon wafers, nanoparticles, and AFM tips.

By fabricating this architecture onto AFM probes, we directly measured the penetration behavior and adhesion force of different molecular functionalities within the bilayer. Following insertion, stealth probes remain anchored in the center of the bilayer, while purely hydrophilic probes have no preferred location. The strength of the stealth probe adhesion varies greatly between short and long chain alkane functionalizations, indicating that chain mobility, orientation, and hydrophobicity all contribute to stability within the bilayer. In addition, the consequences of geometric factors such as band thickness and the presence of multiple bands on interface stability have been established. By selectively choosing the desired properties of the hydrophobic band, it is possible to tune the failure tension of the interface from values comparable to that of pristine lipid vesicles to only a fraction of the strength. Finally, the ability to transfer the stealth probe behavior to other platforms (e.g. nanoparticles for drug delivery) will be discussed.

3092-Pos

Effect of Cell Mechanics on the Transient Force Response of a Molecular Bond and the Derived Kinetic Off-Rate

Vijay K. Gupta, Charles D. Eggleton.

UMBC, Baltimore, MD, USA.

Molecular force has a fundamental role in cellular motility. The correct knowledge of the transient history of molecular force is essential for accurate estimation of kinetics parameters through force spectroscopy. Currently, it is assumed that the molecular force is instantaneously equal to the externally applied force. In this work we predict via analytical models and simulation of two cells attached by a single bond that cell mechanics and hydrodynamics modulates the externally applied force such that the instantaneous bond force is not equivalent. Various mechanical models (solid, elastic, viscoelastic) of cells and microvilli are considered over relevant ranges of loading rates (10²-10⁵ pN/s) and force magnitudes (0-200 pN). Specifically it is demonstrated that both microvillus extension and tether formation decrease the pulling force imposed on the adhesive bonds leading to a prolonged bond lifetime. It is demonstrated that modulation of molecular force leads to inaccurate estimation of kinetic off-rate. In particular, it is shown that the applied force is not instantaneously